# EASTERN CAPE RURAL DEVELOPMENT AGENCY



#### **TENDER FOR**

# REFURBISHMENT OF THE EXISTING STORAGE FACILITIES AT MBIZANA RED HUB

**TENDER NO: RFQ 42 - 2023 2024** 

**TENDERER:** 

**CLOSING DATE: 28 February 2024** 

CLOSING TIME: 11:00 am

#### **PREPARED BY:**

Eastern Cape Rural Development Agency 2nd Floor, Phase 3, 3-33 Philip Frame Road, Waverley Office Park Chiselhurst, East London, 5201

Website: <u>www.ecrda.co.za</u>

# TENDER NO: RFQ 42 – 2023 2024 EASTERN CAPE RURAL DEVELOPMENT AGENCY

## REFURBISHMENT OF THE EXISTING STORAGE FACILITIES AT MBIZANA RED HUB

PARTICULARS OF BIDDER			
Name of Bidder			
Contact Person:			
Postal Address			
Street Address			
Telephone Number	Code:	Number:	
Cellphone Number			
Facsimile Number	Code:	Number:	
E-Mail Address			
CSD Supplier Number (National Treasury)			
CIDB CRS Number			
Vat Registration Number			

#### EASTERN CAPE RURAL DEVELOPMENT AGENCY

Contents		
Number	Heading	Page
The Ter	nder	
Part T1:	Tendering procedures	
T1.1	Tender Notice and Invitation to Tender	5-6
T1.2	Tender Data	7
Part T2: I	Returnable documents	
T2.1	List of Returnable Documents	30
	Standard Conditions of Tender	
T2.2	Returnable Schedules	31
The Cor	ntract	
Part C1:	Agreements and Contract Data	
C1.1	Form of Offer and Acceptance	94
C1.2	Contract Data	100
C1.3	Form of Guarantee	
Part C2:	Pricing data	
C2.1	Pricing Instructions	
C2.2	Pricing Schedules / Activity Schedule / Bill of Quantities	
Part C3:	Scope of Work	
C3.1	Scope of Work	
C3.2	Project/Health and Safety Specifications	
Part C4:	Site information	
C4	Site Information	
Part C5:	Annex C, D & E – Local Content and Production Declaration	
C5	Annex C, D & E – Local content and production declaration – summary schedule	

### **T.1: TENDERING PROCEDURES**

# T.1.1 -TENDER NOTICE AND INVITATION TO TENDER

# EASTERN CAPE RURAL DEVELOPMENT AGENCY

#### **Bid Notice**

Bids are hereby invited from capable and experienced service providers for refurbishment of the existing storage facilities at Mbizana RED Hub.

BID NO	DESCRIPTION	CIDB	EVALUATION	COMPULSORY	CLOSING DATE
		GRADING	CRITERIA	BRIEFING	
				SESSION	
RFQ 42 – 2023/24	Refurbishment of the existing storage facilities at Mbizana RED Hub		80/20 Preference Point System	21 February 2024	28 February 2024

Bid documents outlining the detailed specifications and important conditions will be obtainable from ECRDA website (<a href="www.ecrda.co.za">www.ecrda.co.za</a>) or the National e-Tender Portal: <a href="www.etenders.gov.za">www.etenders.gov.za</a>, free of charge.

A compulsory briefing session shall be held at Mbizana RED Hub, Ku Dyifani Village on 21 February 2024 @11h00. Co-ordinates: Latitude: -30,87089 and Longitude: 29,74982

Administrative Enquiries should be directed to Mr A Langa -Telephone: 043 703 6300 or email: langaa@ecrda.co.za.

Bid documents must be sealed in an envelope marked with the reference number and delivered to 2<sup>nd</sup> Floor, Phase3, 3-33 Philip Frame Road, Waverley Office Park, Chiselhurst, East London, 5201.

NB: Telephonic, telex, facsimile, emailed and late bids will not be accepted. ECRDA reserves the right not to appoint.

### T.1.2 - TENDER DATA

#### T1.2 Tender Data

The conditions of tender are the Standard Conditions of Tender as contained in Annex F of Board Notice 136 of 2015 in Government Gazette No. 38960 of 10 July 2015, Construction Industry Development Board (CIDB) Standard for Uniformity in Construction Procurement. (see <a href="https://www.cidb.org.za">www.cidb.org.za</a>) which are reproduced without amendment or alteration for the convenience of tenderers as an Annex to this Tender Data.

The Standard Conditions of Tender make several references to the Tender Data for details that applyspecifically to this tender. The Tender Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the standard conditions of tender.

Each item of data given below is cross-referenced to the clause marked "F" in the abovementioned Standard Conditions of Tender.

#### The additional conditions of tender are:

Clause number (refer to Annex F	Tender Data
F.1.1	The employer is EASTERN CAPE RURAL DEVELOPMENT AGENCY
F.1.2	The tender documents issued by the employer comprise:
	Part T1: Tendering Procedures
	T1.1 Tender notice and invitation to tender T1.2 Tender data
	Part T2: Returnable Documents T2.1 List of returnable documents T2.2 Returnable schedules
	THE CONTRACT Part C1: Agreements and contract data C1.1 Form of offer and acceptance C1.2 Contract data C1.3 Form of Guarantee C1.4 Adjudicator's Contract
	Part C2: Pricing data C2.1 Pricing instructions C2.2 Activity schedules / Bill of Quantities
	Part C3: Scope of work C3 Scope of work
	Part C4: Site information C4 Site information
	Part C5 : Local Content and Production Declaration C5 – Annex C, D & E - Local Content and Production Declaration
F.1.4	All communication shall be directed to:  Name: Mr A Langa  Address: ECRDA Offices  2nd Floor, Phase 3  3-33 Philip Frame Road  Waverley Office Park,  Chiselhurst East London
	Email: langaa@ecrda.co.za Telephone Number: 043 703 6300

F.2.1 Only those tenderers who are registered with the CIDB, or are capable of being so prior to the evaluation of submissions, in a contractor grading designation equal to or higher than a contractor grading designation determined in accordance with the sum tendered for in the advertised grade of construction work, are eligible to submit tenders.

#### Joint ventures are eligible to submit tenders provided that:

- every member of the joint venture is registered with the CIDB;
- the lead partner has a contractor grading designation in the GB (General Building) class of
  construction works, of not lower than one level below the required grading designation in the
  class of construction works under consideration and possesses the required recognition status;
  and
- 3. the combined contractor grading designation calculated in accordance with the Construction Industry Development Regulations is equal to or higher than a contractor grading designation determined in accordance with the sum tendered for the advertised grade of construction work or a value determined in accordance with Regulation 25(1B) or 25(7A) of the Construction Industry Development Regulations.

Relevant Experience of Tenderer  The experience of the tenderer in similar projects or similar areas and conditions in relation to the required service as described in the scope of work over the last 5 years will be evaluated. Where applicable the project value can be adjusted to reflect the impact of inflation, using the Consumer Price Index (CPP) with the completion date being taken as the base date for the calculation. Please state to empletion cost and date, as well as the inflation adjusted cost where an adjustment has been made.  F.2.7 The arrangements for a compulsory site meeting are as stated in the Tender Notice and Invitation to Tender. Tenderers must sign the attendance register in the name of the tendering entity.  Addenda, if applicable, will only be issued to tenders whose names appear on the tender register as having attended the compulsory site meeting/briefling.  F.2.12 Not applicable for this Bid  If a tenderer wishes to submit an alternative tender offer, the only criteria permitted for such alternative tender offer is that it demonstrably satisfies the Employer's standards and requirements.  Calculations, drawings and all other pertinent technical information and characteristics as well as modified or proposed Pricing Data must be submitted with the attender offer to repulsate the efficacy of the alternative and its principal elements, to take a view on the degree to which the alternative complies with the Employer's standards and requirements and the sequence and must clearly reflect all design assumptions. Pricing Data must reflect all assumptions in the development of the pricing proposals.  Acceptance of an alternative lender offer will mean acceptance in principle of the offer. It will be an obligation of the contract for the tenderer, in the event that the alternative and conditions of the Sid.  The Employer reserves the right to accept/decline alternative offers.  The modified Pricing Data must include an amount equal to 5% of the amount tendered for the alternative offer to cover th	Γ	
required service as described in the scope of work over the last 5 years will be evaluated. Where applicable the project value can be adjusted to reflect the impact of inflation, using the Consumer Price Index (CPI) with the completion date being taken as the base date for the calculation. Please state the completion cost and date, as well as the inflation adjusted cost where an adjustment has been made.  F.2.7 The arrangements for a compulsory site meeting are as stated in the Tender Notice and Invitation to Tender. Tenderers must sign the attendance register in the name of the tendering entity.  Addenda, if applicable, will only be issued to tenders whose names appear on the tender register as having attended the compulsory site meeting/briefing.  F.2.12 Not applicable for this Bid  If a tenderer wishes to submit an alternative tender offer, the only criteria permitted for such alternative tender offer is that it demonstrably satisfies the Employer's standards and requirements.  Calculations, drawings and all other pertinent technical information and characteristics as well as modified or proposed Pricing Data must be submitted with the alternative tender offer to enable the Employer to evaluate the efficacy of the alternative and its principal elements, to take a view on the degree to which the alternative complies with the Employer's standards and requirements and to evaluate the acceptability of the pricing proposals. Calculations must be set out in a clear and logical sequence and must clearly reflect all design assumptions. Pricing Data must reflect all assumptions in the development of the pricing proposal.  Acceptance of an alternative tender offer will mean acceptance in principle of the offer. It will be an obligation of the contract for the tenderer, in the event that the alternative is accepted, to accept full responsibility and liability that the alternative offer complies in all respects with the Employer's standards and requirements.  The Employer reserves the right to accept/decline alternative		Relevant Experience of Tenderer
Tender. Tenderers must sign the aftendance register in the name of the tendering entity.  Addenda, if applicable, will only be issued to tenders whose names appear on the tender register as having attended the compulsory site meeting/briefing.  F.2.12  Not applicable for this Bid  If a tenderer wishes to submit an alternative tender offer, the only criteria permitted for such alternative tender offer is that it demonstrably satisfies the Employer's standards and requirements.  Calculations, drawings and all other pertinent technical information and characteristics as well as modified or proposed Pricing Data must be submitted with the alternative tender offer to enable the Employer to evaluate the efficacy of the alternative and its principal elements, to take a view on the degree to which the alternative complies with the Employer's standards and requirements and to evaluate the acceptability of the pricing proposals. Calculations must be set out in a clear and logical sequence and must clearly reflect all design assumptions. Pricing Data must reflect all assumptions in the development of the pricing proposal.  Acceptance of an alternative tender offer will mean acceptance in principle of the offer. It will be an obligation of the contract for the tenderer, in the event that the alternative is accepted, to accept full responsibility and liability that the alternative offer complies in all respects with the Employer's standards and requirements.  The Employer reserves the right to accept/decline alternative offers.  The modified Pricing Data must include an amount equal to 5% of the amount tendered for the alternative offer to cover the Employer's cost of confirming the acceptability of the detailed design before it is constructed.  All bid documents are to be completed in permanent ink.  No alterations of the Bid Document will not be considered.  All bid documents are to be completed in permanent ink.  No alterations of the Bid Document will be allowed.  Offices of the Eastern Cape Rural Development Agency 2nd		required service as described in the scope of work over the last <b>5 years</b> will be evaluated. Where applicable the project value can be adjusted to reflect the impact of inflation, using the Consumer Price Index (CPI) with the completion date being taken as the base date for the calculation. Please state the
F.2.12 Not applicable for this Bid  If a tenderer wishes to submit an alternative tender offer, the only criteria permitted for such alternative tender offer is that it demonstrably satisfies the Employer's standards and requirements.  Calculations, drawings and all other pertinent technical information and characteristics as well as modified or proposed Pricing Data must be submitted with the alternative neor being possible of evaluate the efficacy of the alternative and its principal elements, to take a view on the degree to which the alternative complies with the Employer's standards and requirements and to evaluate the acceptability of the pricing proposals. Calculations must be set out in a clear and logical sequence and must clearly reflect all design assumptions. Pricing Data must reflect all assumptions in the development of the pricing proposal.  Acceptance of an alternative tender offer will mean acceptance in principle of the offer. It will be an obligation of the contract for the tenderer, in the event that the alternative is accepted, to accept full responsibility and liability that the alternative offer complies in all respects with the Employer's standards and requirements.  The Employer reserves the right to accept/decline alternative offers.  The modified Pricing Data must include an amount equal to 5% of the amount tendered for the alternative offer to cover the Employer's cost of confirming the acceptability of the detailed design before it is constructed.  F.2.13.3  One original duly signed (by authorised representative) and completed bid document (hardcopy) MUST be submitted inclusive of the terms and conditions of this bid document with any attachments/annexures /returnable required for this Bid.  A PDF soft copy of the bid document will not be considered.  All bid documents are to be completed in permanent ink.  No alterations of the Bid Document will be allowed.  No correction fluid will be allowed. Corrections should be initialled.  F.2.13.5  F.2.13.6  The employer's address for deliver	F.2.7	
If a tenderer wishes to submit an alternative tender offer, the only criteria permitted for such alternative tender offer is that it demonstrably satisfies the Employer's standards and requirements.  Calculations, drawings and all other pertinent technical information and characteristics as well as modified or proposed Pricing Data must be submitted with the alternative tender offer to enable the Employer to evaluate the efficacy of the alternative and its principal elements, to take a view on the degree to which the alternative complies with the Employer's standards and requirements and to evaluate the acceptability of the pricing proposals. Calculations must be set out in a clear and logical sequence and must clearly reflect all design assumptions. Pricing Data must reflect all assumptions in the development of the pricing proposal.  Acceptance of an alternative tender offer will mean acceptance in principle of the offer. It will be an obligation of the contract for the tenderer, in the event that the alternative is accepted, to accept full responsibility and liability that the alternative offer complies in all respects with the Employer's standards and requirements.  The Employer reserves the right to accept/decline alternative offers.  The modified Pricing Data must include an amount equal to 5% of the amount tendered for the alternative offer to cover the Employer's cost of confirming the acceptability of the detailed design before it is constructed.  F.2.13.3  One original duly signed (by authorised representative) and completed bid document (hardcopy) MUST be submitted inclusive of the terms and conditions of this bid document with any attachments/annexures /returnable required for this Bid.  A PDF soft copy of the bid document will not be considered.  All bid documents are to be completed in permanent ink.  No alterations of the Bid Document will be allowed.  No correction fluid will be allowed. Corrections should be initialled.  The employer's address for delivery of tender offers and identification de		
tender offer is that it demonstrably satisfies the Employer's standards and requirements.  Calculations, drawings and all other pertinent technical information and characteristics as well as modified or proposed Pricing Data must be submitted with the alternative tender offer to enable the Employer to evaluate the efficacy of the alternative and its principal elements, to take a view on the degree to which the alternative complies with the Employer's standards and requirements and to evaluate the acceptability of the pricing proposals. Calculations must be set out in a clear and logical sequence and must clearly reflect all design assumptions. Pricing Data must reflect all assumptions in the development of the pricing proposal.  Acceptance of an alternative tender offer will mean acceptance in principle of the offer. It will be an obligation of the contract for the tenderer, in the event that the alternative is accepted, to accept full responsibility and liability that the alternative offer complies in all respects with the Employer's standards and requirements.  The Employer reserves the right to accept/decline alternative offers.  The modified Pricing Data must include an amount equal to 5% of the amount tendered for the alternative offer to cover the Employer's cost of confirming the acceptability of the detailed design before it is constructed.  F.2.13.3  One original duly signed (by authorised representative) and completed bid document (hardcopy) MUST be submitted inclusive of the terms and conditions of this bid document with any attachments/annexures/returnable required for this Bid.  A PDF soft copy of the bid document will not be considered.  All bid documents are to be completed in permanent ink.  No alterations of the Bid Document will be allowed.  No correction fluid will be allowed. Corrections should be initialled.  The employer's address for delivery of tender offers and identification details to be shown on each tender offer package are:  Tender Box at the  Offices of the Eastern Cape Rural Deve	F.2.12	Not applicable for this Bid
modified or proposed Pricing Data must be submitted with the alternative tender offer to enable the Employer to evaluate the efficacy of the alternative and its principal elements, to take a view on the degree to which the alternative complies with the Employer's standards and requirements and to evaluate the acceptability of the pricing proposals. Calculations must be set out in a clear and logical sequence and must clearly reflect all design assumptions. Pricing Data must reflect all assumptions in the development of the pricing proposal.  Acceptance of an alternative tender offer will mean acceptance in principle of the offer. It will be an obligation of the contract for the tenderer, in the event that the alternative is accepted, to accept full responsibility and liability that the alternative offer complies in all respects with the Employer's standards and requirements.  The Employer reserves the right to accept/decline alternative offers.  The modified Pricing Data must include an amount equal to 5% of the amount tendered for the alternative offer to cover the Employer's cost of confirming the acceptability of the detailed design before it is constructed.  F.2.13.3  One original duly signed (by authorised representative) and completed bid document (hardcopy) MUST be submitted inclusive of the terms and conditions of this bid document with any attachments/annexures /returnable required for this Bid.  A PDF soft copy of the bid document will not be considered.  All bid documents are to be completed in permanent ink.  No alterations of the Bid Document will be allowed.  No correction fluid will be allowed. Corrections should be initialled.  F.2.13.5  F.2.13.6  The employer's address for delivery of tender offers and identification details to be shown on each tender offer package are:  Tender Box at the  Offices of the Eastern Cape Rural Development Agency 2nd Floor, Phase 3, 3-33 Philip Frame Road, Waverly Office Park, Chiselhurst, East London, 5201		
obligation of the contract for the tenderer, in the event that the alternative is accepted, to accept full responsibility and liability that the alternative offer complies in all respects with the Employer's standards and requirements.  The Employer reserves the right to accept/decline alternative offers.  The modified Pricing Data must include an amount equal to 5% of the amount tendered for the alternative offer to cover the Employer's cost of confirming the acceptability of the detailed design before it is constructed.  F.2.13.3  One original duly signed (by authorised representative) and completed bid document (hardcopy) MUST be submitted inclusive of the terms and conditions of this bid document with any attachments/annexures /returnable required for this Bid.  A PDF soft copy of the bid document will not be considered.  All bid documents are to be completed in permanent ink.  No alterations of the Bid Document will be allowed.  No correction fluid will be allowed. Corrections should be initialled.  F.2.13.5  F.2.13.5  F.2.15.1  The employer's address for delivery of tender offers and identification details to be shown on each tender offer package are:  Tender Box at the  Offices of the Eastern Cape Rural Development Agency 2nd Floor, Phase 3, 3-33 Philip Frame Road, Waverly Office Park, Chiselhurst, East London, 5201  F.2.13.6  A two-envelope procedure will not be followed.		modified or proposed Pricing Data must be submitted with the alternative tender offer to enable the Employer to evaluate the efficacy of the alternative and its principal elements, to take a view on the degree to which the alternative complies with the Employer's standards and requirements and to evaluate the acceptability of the pricing proposals. Calculations must be set out in a clear and logical sequence and must clearly reflect all design assumptions. Pricing Data must reflect all assumptions in
The modified Pricing Data must include an amount equal to 5% of the amount tendered for the alternative offer to cover the Employer's cost of confirming the acceptability of the detailed design before it is constructed.  F.2.13.3  One original duly signed (by authorised representative) and completed bid document (hardcopy) MUST be submitted inclusive of the terms and conditions of this bid document with any attachments/annexures /returnable required for this Bid.  A PDF soft copy of the bid document will not be considered.  All bid documents are to be completed in permanent ink.  No alterations of the Bid Document will be allowed.  No correction fluid will be allowed. Corrections should be initialled.  F.2.13.5  F.2.15.1  The employer's address for delivery of tender offers and identification details to be shown on each tender offer package are:  Tender Box at the  Offices of the Eastern Cape Rural Development Agency 2nd Floor, Phase 3, 3-33 Philip Frame Road, Waverly Office Park, Chiselhurst, East London, 5201  F.2.13.6  A two-envelope procedure will not be followed.		obligation of the contract for the tenderer, in the event that the alternative is accepted, to accept full responsibility and liability that the alternative offer complies in all respects with the Employer's standards
alternative offer to cover the Employer's cost of confirming the acceptability of the detailed design before it is constructed.  F.2.13.3  One original duly signed (by authorised representative) and completed bid document (hardcopy) MUST be submitted inclusive of the terms and conditions of this bid document with any attachments/annexures /returnable required for this Bid.  A PDF soft copy of the bid document will not be considered.  All bid documents are to be completed in permanent ink.  No alterations of the Bid Document will be allowed.  No correction fluid will be allowed. Corrections should be initialled.  F.2.13.5  F.2.13.1  The employer's address for delivery of tender offers and identification details to be shown on each tender offer package are:  Tender Box at the  Offices of the Eastern Cape Rural Development Agency 2nd Floor, Phase 3, 3-33 Philip Frame Road, Waverly Office Park, Chiselhurst, East London, 5201  F.2.13.6  A two-envelope procedure will not be followed.		The Employer reserves the right to accept/decline alternative offers.
(hardcopy) MUST be submitted inclusive of the terms and conditions of this bid document with any attachments/annexures /returnable required for this Bid.  A PDF soft copy of the bid document will not be considered.  All bid documents are to be completed in permanent ink.  No alterations of the Bid Document will be allowed.  No correction fluid will be allowed. Corrections should be initialled.  F.2.13.5 F.2.15.1  The employer's address for delivery of tender offers and identification details to be shown on each tender offer package are:  Tender Box at the  Offices of the Eastern Cape Rural Development Agency 2nd Floor, Phase 3, 3-33 Philip Frame Road, Waverly Office Park, Chiselhurst, East London, 5201  F.2.13.6  A two-envelope procedure will not be followed.		alternative offer to cover the Employer's cost of confirming the acceptability of the detailed design before
(hardcopy) MUST be submitted inclusive of the terms and conditions of this bid document with any attachments/annexures /returnable required for this Bid.  A PDF soft copy of the bid document will not be considered.  All bid documents are to be completed in permanent ink.  No alterations of the Bid Document will be allowed.  No correction fluid will be allowed. Corrections should be initialled.  F.2.13.5 F.2.15.1  The employer's address for delivery of tender offers and identification details to be shown on each tender offer package are:  Tender Box at the  Offices of the Eastern Cape Rural Development Agency 2nd Floor, Phase 3, 3-33 Philip Frame Road, Waverly Office Park, Chiselhurst, East London, 5201  F.2.13.6  A two-envelope procedure will not be followed.		
All bid documents are to be completed in permanent ink.  No alterations of the Bid Document will be allowed.  No correction fluid will be allowed. Corrections should be initialled.  F.2.13.5 F.2.15.1  The employer's address for delivery of tender offers and identification details to be shown on each tender offer package are:  Tender Box at the  Offices of the Eastern Cape Rural Development Agency 2nd Floor, Phase 3, 3-33 Philip Frame Road, Waverly Office Park, Chiselhurst, East London, 5201  F.2.13.6  A two-envelope procedure will not be followed.	F.2.13.3	(hardcopy) MUST be submitted inclusive of the terms and conditions of this bid
No alterations of the Bid Document will be allowed.  No correction fluid will be allowed. Corrections should be initialled.  F.2.13.5 F.2.15.1 The employer's address for delivery of tender offers and identification details to be shown on each tender offer package are:  Tender Box at the Offices of the Eastern Cape Rural Development Agency 2nd Floor, Phase 3, 3-33 Philip Frame Road, Waverly Office Park, Chiselhurst, East London, 5201  F.2.13.6 A two-envelope procedure will not be followed.		A PDF soft copy of the bid document will not be considered.
F.2.13.5 F.2.15.1 The employer's address for delivery of tender offers and identification details to be shown on each tender offer package are:  Tender Box at the Offices of the Eastern Cape Rural Development Agency 2nd Floor, Phase 3, 3-33 Philip Frame Road, Waverly Office Park, Chiselhurst, East London, 5201  F.2.13.6 A two-envelope procedure will not be followed.		All bid documents are to be <b>completed in permanent ink</b> .
F.2.13.5 F.2.15.1 The employer's address for delivery of tender offers and identification details to be shown on each tender offer package are:  Tender Box at the Offices of the Eastern Cape Rural Development Agency 2nd Floor, Phase 3, 3-33 Philip Frame Road, Waverly Office Park, Chiselhurst, East London, 5201  F.2.13.6 A two-envelope procedure will not be followed.		No alterations of the Bid Document will be allowed.
F.2.15.1 tender offer package are:  Tender Box at the  Offices of the Eastern Cape Rural Development Agency 2nd Floor, Phase 3, 3-33 Philip Frame Road, Waverly Office Park, Chiselhurst, East London, 5201  F.2.13.6 A two-envelope procedure will not be followed.		No correction fluid will be allowed. Corrections should be initialled.
Tender Box at the Offices of the Eastern Cape Rural Development Agency 2nd Floor, Phase 3, 3-33 Philip Frame Road, Waverly Office Park, Chiselhurst, East London, 5201  F.2.13.6 A two-envelope procedure will not be followed.		
2nd Floor, Phase 3, 3-33 Philip Frame Road, Waverly Office Park, Chiselhurst, East London, 5201  F.2.13.6 A two-envelope procedure will not be followed.		Tender Box at the
F.2.13.6 A two-envelope procedure will not be followed.		2nd Floor, Phase 3, 3-33 Philip Frame Road, Waverly Office
		A two-envelope procedure will not be followed.

F.2.15	The closing time for submission of tender offers is as stated in the Tender Notice and Invitation to Tender.
F.2.15	Telephonic, telegraphic, telex, facsimile or e-mailed tender offers will not be accepted.

F.2.16	The tender offer validity period is 90 days.
F.2.18	The tenderer shall, when requested by the Employer to do so, submit the names of all management and supervisory staff that will be employed to supervise the labour-intensive portion of the works togethe with satisfactory evidence that such staff members satisfy the eligibility requirements.
F 2 19	Access shall be provided for the following inspections, tests and analysis:
	The site is available for viewing the location of the works.
F 2 20	The tenderer is required to submit with his tender a letter of intent from an approved insurer undertaking to provide the Performance Bond to the format included in Contract Data/Contract of this procurement
	document
F.2.23	The tenderer is required to submit with his tender:
	1) Tax Compliance Bidders must ensure compliance with their tax obligations.
	In Bids where Consortia/Joint venture/Sub-Contractors are involved; each party must submit a separate proof of Tax Compliance Status.
	The bidders' Tax status will be verified on the CSD prior to the bid award and where the preferred bidders is not compliant up to <b>7 working days</b> will be granted for remedy, failing which the bidder will be disqualified
F.3.4	Opening of the Bids
	Tenders will be opened immediately after the closing time for tenders at:
	EASTERN CAPE RURALDEVELOPMENT AGENCY,
	2nd Floor,
	Phase 3, 3-33 Philip Frame Road,
	Waverley Office Park,
	Chiselhurst, East London, 5201
	There will be no discussions with any Bidder/Interested Party that Submitted Proposals/ Bids until the final award.
F.3.11	Evaluation Criteria This bid is subject to the Preferential Procurement Policy Framework Act and the Preferential Procurement
	Regulations 2022 as applicable to provincial government business enterprises as listed unde schedule 3(D) of
	the Public Finance Management Act and the ECRDA Procurement Policy as amended from time to time.
	The procedure for evaluation of tenders is as follows:
	Stage 1 Mandatory Tender Returnables
	Service Providers are to meet all the Mandatory Requirements in order to be evaluated further. Failure to submit the Mandatory Requirements as required will result in the bid being disqualified.
	Local Content
	Stage 1 also involves a valuation of local production and content (goods) only.  At this stage Bidders must meet the minimum threshold for local production
	and content as determined by the DTI for local content before they will be
	evaluated in terms of preferential procurement points.
	Bidders to complete the Declaration for Local Production and Content for

	Designated Sectors and Local Content Declaration: Summary Schedule (Annex C, D & E)	
	Stage 2 Special Conditions Involves an evaluation of Compliance with Special Conditions as outlined in the bi	d document
	Stage 3 Preferential Procurement points: Bids that meet the technical specifications will be evaluated further in terms of the preference point system.	e 80/20
	The preference point's claim is in terms of the Preferential Procurement Regulation	ons 2022.
	As per the table below, price is evaluated over 80 points and preference points over 20:	80 Points
	Price Assessment	80 Points
	Specific Goals:	20 Points
F3.13	<ul> <li>Tender offers will only be accepted if: <ul> <li>a) the tenderer's tax matters have been declared by the South African Revenue Service order;</li> <li>b) the tenderer is registered with the Construction Industry Development Board in an ap contractor grading designation;</li> <li>c) the tenderer or any of its directors is not listed on the Register of Tender Defaulters in the Prevention and Combating of Corrupt Activities Act of 2004 as a person prohibite doing business with the public sector;</li> <li>d) the tenderer has not: <ul> <li>i) abused the Employer's Supply Chain Management System; or</li> <li>ii) failed to perform on any previous contract and has been given a written notice than and</li> </ul> </li> <li>e) has completed the Compulsory Enterprise Questionnaire and that there are no conflict which may impact on the tenderer's ability to perform the contract in the best into employer or potentially compromise the tender process.</li> <li>f) The tenderer has complied with the local production and content requirements.</li> </ul> </li> </ul>	propriate n terms of ed from o this effect;
F.3.17	The number of paper copies of the signed contract to be provided by the employer is one.	

#### Annex F

(normative)

#### Standard Conditions of Tender

#### F.1 General

#### F.1.1 Actions

- **F.1.1.1** The employer and each tenderer submitting a tender offer shall comply with these conditions of tender. In their dealings with each other, they shall discharge their duties and obligations as set out in F.2 and F.3, timeously and with integrity, and behave equitably, honestly and transparently, comply with all legal obligations and not engage in anticompetitive practices.
- **F.1.1.2** The employer and the tenderer and all their agents and employees involved in the tender process shall avoid conflicts of interest and where a conflict of interest is perceived or known, declare any such conflict of interest, indicating the nature of such conflict. Tenderers shall declare any potential conflict of interest in their tender submissions. Employees, agents and advisors of the employer shall declare any conflict of interest to whoever is responsible for overseeing the procurement process at the start of any deliberations relating to the procurement process or as soon as they become aware of such conflict, and abstain from any decisions where such conflict exists or recuse themselves from the procurement process, as appropriate.

Note

- A conflict of interest may arise due to a conflict of roles which might provide an incentive for improper acts in some circumstances. A conflict of interest can create an appearance of impropriety that can undermine confidence in the ability of that person to act properly in his or her position even if no improper acts result.
- 2) Conflicts of interest in respect of those engaged in the procurement process include direct, indirect or family interests in the tender or outcome of the procurement process and any personal bias, inclination, obligation, allegiance or loyalty which would in any way affect any decisions taken.
- **F.1.1.3** The employer shall not seek and a tenderer shall not submit a tender without having a firm intention and the capacity to proceed with the contract.

#### F.1.2 Tender Documents

The documents issued by the employer for the purpose of a tender offer are listed in the tender data.

#### F.1.3 Interpretation

- **F.1.3.1** The tender data and additional requirements contained in the tender schedules that are included in the returnable documents are deemed to be part of these conditions of tender.
- **F.1.3.2** These conditions of tender, the tender data and tender schedules which are only required for tender evaluation purposes, shall not form part of any contract arising from the invitation to tender.
- F.1.3.3 For the purposes of these conditions of tender, the following definitions apply:
- a) conflict of interest means any situation in which:
  - someone in a position of trust has competing professional or personal interests which make it difficult to fulfill his or her duties impartially;
  - ii) an individual or organisation is in a position to exploit a professional or official capacity in some way for their personal or corporate benefit; or

- iii) incompatibility or contradictory interests exist between an employee and the organisation which employs that employee.
- b) comparative offer means the price after the factors of a non-firm price and all unconditional discounts it can be utilised to have been taken into consideration;
- c) corrupt practice means the offering, giving, receiving or soliciting of anything of value to influence the action of the employer or his staff or agents in the tender process;
- d) fraudulent practice means the misrepresentation of the facts in order to influence the tender process or the award of a contract arising from a tender offer to the detriment of the employer, including collusive practices intended to establish prices at artificial levels:
- organization means a company, firm, enterprise, association or other legal entity, whether incorporated or not, or a public body;
- f) functionality means the totality of features and characteristics of a product or service that bear on its ability to satisfy stated or implied needs.

#### F.1.4 Communication and employer's agent

Each communication between the employer and a tenderer shall be to or from the employer's agent only, and in a form that can be readily read, copied and recorded. Communications shall be in the English language. The employer shall not take any responsibility for non-receipt of communications from or by a tenderer. The name and contact details of the employer's agent are stated in the tender data.

#### F.1.5 Cancellation and Re-Invitation of Tenders

- F1.5.1 An organ of state may, prior to the award of the tender, cancel a tender if-
- (a) due to changed circumstances, there is no longer a need for the services, works or goods requested; or
- (b) funds are no longer available to cover the total envisaged expenditure; or
- (c) no acceptable tenders are received.
- F1.5.2 The decision to cancel a tender must be published in the cidb website and in the government Tender Bulletin for the media in which the original tender invitation was advertised.

#### F.1.6 Procurement procedures

#### F.1.6.1 General

Unless otherwise stated in the tender data, a contract will, subject to F.3.13, be concluded with the tenderer who in terms of F.3.11 is the highest ranked or the tenderer scoring the highest number of tender evaluation points, as relevant, based on the tender submissions that are received at the closing time for tenders.

#### F.1.6.2 Competitive negotiation procedure

**F.1.6.2.1** Where the tender data require that the competitive negotiation procedure is to be followed, tenderers shall submit tender offers in response to the proposed contract in the first round of submissions. Notwithstanding the requirements of F.3.4, the employer shall announce only the names of the tenderers who make a submission. The requirements of

- F.3.8 relating to the material deviations or qualifications which affect the competitive position of tenderers shall not apply.
- **F.1.6.2.2** All responsive tenderers, or not less than three responsive tenderers that are highest ranked in terms of the evaluation method and evaluation criteria stated in the tender data, shall be invited in each round to enter into competitive negotiations, based on the principle of equal treatment and keeping confidential the proposed solutions and associated information. Notwithstanding the provisions of F.2.17, the employer may request that tenders be clarified, specified and fine-tuned in order to improve a tenderer's competitive position provided that such clarification, specification, fine-tuning or additional information does not alter any fundamental aspects of the offers or impose substantial new requirements which restrict or distort competition or have a discriminatory effect.
- **F.1.6.2.3** At the conclusion of each round of negotiations, tenderers shall be invited by the employer to make a fresh tender offer, based on the same evaluation criteria, with or without adjusted weightings. Tenderers shall be advised when they are to submit their best and final offer
- **F.1.6.2.4** The contract shall be awarded in accordance with the provisions of F.3.11 and F.3.13 after tenderers have been requested to submit their best and final offer.

#### F.1.6.3 Proposal procedure using the two stage-system

#### F.1.6.3.1 Option 1

Tenderers shall in the first stage submit technical proposals and, if required, cost parameters around which a contract may be negotiated. The employer shall evaluate each responsive submission in terms of the method of evaluation stated in the tender data, and in the second stage negotiate a contract with the tenderer scoring the highest number of evaluation points and award the contract in terms of these conditions of tender.

#### F.1.6.3.2 Option 2

- **F.1.6.3.2.1** Tenderers shall submit in the first stage only technical proposals. The employer shall invite all responsive tenderers to submit tender offers in the second stage, following the issuing of procurement documents.
- **F.1.6.3.2.2** The employer shall evaluate tenders received during the second stage in terms of the method of evaluation stated in the tender data, and award the contract in terms of these conditions of tender.

#### F.2 Tenderer's obligations

#### F.2.1 Eligibility

- **F.2.1.1** Submit a tender offer only if the tenderer satisfies the criteria stated in the tender data and the tenderer, or any of his principals, is not under any restriction to do business with employer.
- **F.2.1.2** Notify the employer of any proposed material change in the capabilities or formation of the tendering entity (or both) or any other criteria which formed part of the qualifying requirements used by the employer as the basis in a prior process to invite the tenderer to submit a tender offer and obtain the employer's written approval to do so prior to the closing time for tenders.

#### F.2.2 Cost of tendering

**F2.2.1** Accept that, unless otherwise stated in the tender data, the employer will not compensate the tenderer for any costs incurred in the preparation and submission of a tender offer, including the costs of any testing necessary to demonstrate that aspects of the offer complies with requirements.

**F2.2.2** The cost of the tender documents charged by the employer shall be limited to the actual cost incurred by the employer for printing the documents. Employers must attempt to make available the tender documents on its website so as not to incur any costs pertaining to the printing of the tender documents.

#### F.2.3 Check documents

Check the tender documents on receipt for completeness and notify the employer of any discrepancy or omission.

#### F.2.4 Confidentiality and copyright of documents

Treat as confidential all matters arising in connection with the tender. Use and copy the documents issued by the employer only for the purpose of preparing and submitting a tender offer in response to the invitation.

#### F.2.5 Reference documents

Obtain, as necessary for submitting a tender offer, copies of the latest versions of standards, specifications, conditions of contract and other publications, which are not attached but which are incorporated into the tender documents by reference.

#### F.2.6 Acknowledge addenda

Acknowledge receipt of addenda to the tender documents, which the employer may issue, and if necessary apply for an extension to the closing time stated in the tender data, in order to take the addenda into account.

#### F.2.7 Clarification meeting

Attend, where required, a clarification meeting at which tenderers may familiarize themselves with aspects of the proposed work, services or supply and raise questions. Details of the meeting(s) are stated in the tender data.

#### F.2.8 Seek clarification

Request clarification of the tender documents, if necessary, by notifying the employer at least five working days before the closing time stated in the tender data.

#### F.2.9 Insurance

Be aware that the extent of insurance to be provided by the employer (if any) might not be for the full cover required in terms of the conditions of contract identified in the contract data. The tenderer is advised to seek qualified advice regarding insurance.

#### F.2.10 Pricing the tender offer

- **F.2.10.1** Include in the rates, prices, and the tendered total of the prices (if any) all duties, taxes (except Value Added Tax (VAT), and other levies payable by the successful tenderer, such duties, taxes and levies being those applicable 14 days before the closing time stated in the tender data.
- **F2.10.2** Show VAT payable by the employer separately as an addition to the tendered total of the prices.
- **F.2.10.3** Provide rates and prices that are fixed for the duration of the contract and not subject to adjustment except as provided for in the conditions of contract identified in the contract data.
- **F.2.10.4** State the rates and prices in Rand unless instructed otherwise in the tender data. The conditions of contract identified in the contract data may provide for part payment in other currencies.

#### F.2.11 Alterations to documents

Do not make any alterations or additions to the tender documents, except to comply with instructions issued by the employer, or necessary to correct errors made by the tenderer. All signatories to the tender offer shall initial all such alterations.

#### F.2.12 Alternative tender offers

- **F.2.12.1** Unless otherwise stated in the tender data, submit alternative tender offers only if a main tender offer, strictly in accordance with all the requirements of the tender documents, is also submitted as well as a schedule that compares the requirements of the tender documents with the alternative requirements that are proposed.
- **F.2.12.2** Accept that an alternative tender offer may be based only on the criteria stated in the tender data or criteria otherwise acceptable to the employer.
- **F.2.12.3** An alternative tender offer may only be considered in the event that the main tender offer is the winning tender.

#### F.2.13 Submitting a tender offer

- **F.2.13.1** Submit one tender offer only, either as a single tendering entity or as a member in a joint venture to provide the whole of the works, services or supply identified in the contract data and described in the scope of works, unless stated otherwise in the tender data.
- **F.2.13.2** Return all returnable documents to the employer after completing them in their entirety, either electronically (if they were issued in electronic format) or by writing legibly in non-erasable ink.
- **F.2.13.3** Submit the parts of the tender offer communicated on paper as an original plus the number of copies stated in the tender data, with an English translation of any documentation in a language other than English, and the parts communicated electronically in the same format as they were issued by the employer.
- **F.2.13.4** Sign the original and all copies of the tender offer where required in terms of the tender data. The employer will hold all authorized signatories liable on behalf of the tenderer. Signatories for tenderers proposing to contract as joint ventures shall state which of the signatories is the lead partner whom the employer shall hold liable for the purpose of the tender offer.

- **F.2.13.5** Seal the original and each copy of the tender offer as separate packages marking the packages as "ORIGINAL" and "COPY". Each package shall state on the outside the employer's address and identification details stated in the tender data, as well as the tenderer's name and contact address.
- **F.2.13.6** Where a two-envelope system is required in terms of the tender data, place and seal the returnable documents listed in the tender data in an envelope marked "financial proposal" and place the remaining returnable documents in an envelope marked "technical proposal". Each envelope shall state on the outside the employer's address and identification details stated in the tender data, as well as the tenderer's name and contact address.
- **F.2.13.7** Seal the original tender offer and copy packages together in an outer package that states on the outside only the employer's address and identification details as stated in the tender data.
- **F.2.13.8** Accept that the employer will not assume any responsibility for the misplacement or premature opening of the tender offer if the outer package is not sealed and marked as stated.
- **F.2.13.9** Accept that tender offers submitted by facsimile or e-mail will be rejected by the employer, unless stated otherwise in the tender data.

#### F.2.14 Information and data to be completed in all respects

Accept that tender offers, which do not provide all the data or information requested completely and in the form required, may be regarded by the employer as non-responsive.

#### F.2.15 Closing time

- **F.2.15.1** Ensure that the employer receives the tender offer at the address specified in the tender data not later than the closing time stated in the tender data. Accept that proof of posting shall not be accepted as proof of delivery.
- **F.2.15.2** Accept that, if the employer extends the closing time stated in the tender data for any reason, the requirements of these conditions of tender apply equally to the extended deadline.

#### F.2.16 Tender offer validity

- **F.2.16.1** Hold the tender offer(s) valid for acceptance by the employer at any time during the validity period stated in the tender data after the closing time stated in the tender data.
- **F.2.16.2** If requested by the employer, consider extending the validity period stated in the tender data for an agreed additional period with or without any conditions attached to such extension.
- **F.2.16.3** Accept that a tender submission that has been submitted to the employer may only be withdrawn or substituted by giving the employer's agent written notice before the closing time for tenders that a tender is to be withdrawn or substituted.
- **F.2.16.4** Where a tender submission is to be substituted, submit a substitute tender in accordance with the requirements of F.2.13 with the packages clearly marked as "SUBSTITUTE".

#### F.2.17 Clarification of tender offer after submission

Provide clarification of a tender offer in response to a request to do so from the employer during the evaluation of tender offers. This may include providing a breakdown of rates or prices and correction of arithmetical errors by the adjustment of certain rates or item prices (or both). No change in the competitive position of tenderers or substance of the tender offer is sought, offered, or permitted.

Note: Sub-clause F.2.17 does not preclude the negotiation of the final terms of the contract with a preferred tenderer following a competitive selection process, should the Employer elect to do so.

#### F.2.18 Provide other material

**F.2.18.1** Provide, on request by the employer, any other material that has a bearing on the tender offer, the tenderer's commercial position (including notarized joint venture agreements), preferencing arrangements, or samples of materials, considered necessary by the employer for the purpose of a full and fair risk assessment. Should the tenderer not provide the material, or a satisfactory reason as to why it cannot be provided, by the time for submission stated in the employer's request, the employer may regard the tender offer as non-responsive.

**F.2.18.2** Dispose of samples of materials provided for evaluation by the employer, where required.

#### F.2.19 Inspections, tests and analysis

Provide access during working hours to premises for inspections, tests and analysis as provided for in the tender data.

#### F.2.20 Submit securities, bonds and policies

If requested, submit for the employer's acceptance before formation of the contract, all securities, bonds, guarantees, policies and certificates of insurance required in terms of the conditions of contract identified in the contract data.

#### F.2.21 Check final draft

Check the final draft of the contract provided by the employer within the time available for the employer to issue the contract.

#### F.2.22 Return of other tender documents

If so instructed by the employer, return all retained tender documents within 28 days after the expiry of the validity period stated in the tender data.

#### F.2.23 Certificates

Include in the tender submission or provide the employer with any certificates as stated in the tender data.

#### F.3 The employer's undertakings

#### F.3.1 Respond to requests from the tenderer

- **F.3.1.1** Unless otherwise stated in the tender Data, respond to a request for clarification received up to five working days before the tender closing time stated in the Tender Data and notify all tenderers who drew procurement documents.
- **F.3.1.2** Consider any request to make a material change in the capabilities or formation of the tendering entity (or both) or any other criteria which formed part of the qualifying requirements used to prequalify a tenderer to submit a tender offer in terms of a previous procurement process and deny any such request if as a consequence:
- a) an individual firm, or a joint venture as a whole, or any individual member of the joint venture fails to meet any of the collective or individual qualifying requirements;
- b) the new partners to a joint venture were not prequalified in the first instance, either as individual firms or as another joint venture; or
- in the opinion of the Employer, acceptance of the material change would compromise the outcome of the prequalification process.

#### F.3.2 Issue Addenda

If necessary, issue addenda that may amend or amplify the tender documents to each tenderer during the period from the date that tender documents are available until three days before the tender closing time stated in the Tender Data. If, as a result a tenderer applies for an extension to the closing time stated in the Tender Data, the Employer may grant such extension and, shall then notify all tenderers who drew documents.

#### F.3.3 Return late tender offers

Return tender offers received after the closing time stated in the Tender Data, unopened, (unless it is necessary to open a tender submission to obtain a forwarding address), to the tenderer concerned.

#### F.3.4 Opening of tender submissions

- **F.3.4.1** Unless the two-envelope system is to be followed, open valid tender submissions in the presence of tenderers' agents who choose to attend at the time and place stated in the tender data. Tender submissions for which acceptable reasons for withdrawal have been submitted will not be opened.
- **F.3.4.2** Announce at the meeting held immediately after the opening of tender submissions, at a venue indicated in the tender data, the name of each tenderer whose tender offer is opened and, where applicable, the total of his prices, number of points claimed for its BBBEE status level and time for completion for the main tender offer only.
- **F.3.4.3** Make available the record outlined in F.3.4.2 to all interested persons upon request.

#### F.3.5 Two-envelope system

- **F.3.5.1** Where stated in the tender data that a two-envelope system is to be followed, open only the technical proposal of valid tenders in the presence of tenderers' agents who choose to attend at the time and place stated in the tender data and announce the name of each tenderer whose technical proposal is opened.
- **F.3.5.2** Evaluate functionality of the technical proposals offered by tenderers, then advise tenderers who remain in contention for the award of the contract of the time and place when the financial proposals will be opened. Open only the financial proposals of tenderers, who score in the functionality evaluation more than the minimum number of points for functionality

stated in the tender data, and announce the score obtained for the technical proposals and the total price and any points claimed on BBBEE status level. Return unopened financial proposals to tenderers whose technical proposals failed to achieve the minimum number of points for functionality.

#### F.3.6 Non-disclosure

Not disclose to tenderers, or to any other person not officially concerned with such processes, information relating to the evaluation and comparison of tender offers, the final evaluation price and recommendations for the award of a contract, until after the award of the contract to the successful tenderer.

#### F.3.7 Grounds for rejection and disqualification

Determine whether there has been any effort by a tenderer to influence the processing of tender offers and instantly disqualify a tenderer (and his tender offer) if it is established that he engaged in corrupt or fraudulent practices.

#### F.3.8 Test for responsiveness

- **F.3.8.1** Determine, after opening and before detailed evaluation, whether each tender offer properly received:
- a) complies with the requirements of these Conditions of Tender,
- b) has been properly and fully completed and signed, and
- c) is responsive to the other requirements of the tender documents.
- **F.3.8.2** A responsive tender is one that conforms to all the terms, conditions, and specifications of the tender documents without material deviation or qualification. A material deviation or qualification is one which, in the Employer's opinion, would:
- detrimentally affect the scope, quality, or performance of the works, services or supply identified in the Scope of Work,
- significantly change the Employer's or the tenderer's risks and responsibilities under the contract, or
- affect the competitive position of other tenderers presenting responsive tenders, if it were to be rectified.

Reject a non-responsive tender offer, and not allow it to be subsequently made responsive by correction or withdrawal of the non-conforming deviation or reservation.

#### F.3.9 Arithmetical errors, omissions and discrepancies

F.3.9.1 Check the highest ranked tender or tenderer with the highest number of tender evaluation points after the evaluation of tender offers in accordance with F.3.11 for:

- a) the gross misplacement of the decimal point in any unit rate;
- omissions made in completing the pricing schedule or bills of quantities; or
- c) arithmetic errors in:
  - i) line item totals resulting from the product of a unit rate and a quantity in bills of quantities or schedules of prices; or
  - ii) the summation of the prices.

F3.9.2 The employer must correct the arithmetical errors in the following manner:

- a) Where there is a discrepancy between the amounts in words and amounts in figures, the amount in words shall govern.
- b) If bills of quantities or pricing schedules apply and there is an error in the line item total resulting from the product of the unit rate and the quantity, the line item total shall govern and the rate shall be corrected. Where there is an obviously gross misplacement of the decimal point in the unit rate, the line item total as quoted shall govern, and the unit rate shall be corrected.
- c) Where there is an error in the total of the prices either as a result of other corrections required by this checking process or in the tenderer's addition of prices, the total of the prices shall govern and the tenderer will be asked to revise selected item prices (and their rates if bills of quantities apply) to achieve the tendered total of the prices.

Consider the rejection of a tender offer if the tenderer does not correct or accept the correction of the arithmetical error in the manner described above.

#### F.3.10 Clarification of a tender offer

Obtain clarification from a tenderer on any matter that could give rise to ambiguity in a contract arising from the tender offer.

#### F.3.11 Evaluation of tender offers

#### F.3.11.1 General

Appoint an evaluation panel of not less than three persons. Reduce each responsive tender offer to a comparative offer and evaluate them using the tender evaluation methods and associated evaluation criteria and weightings that are specified in the tender data.

#### F.3.11.2 Method 1: Price and Preference

In the case of a price and preference:

- 1) Score tender evaluation points for price
- 2) Score points for BBBEE contribution
- Add the points scored for price and BBBEE.

#### F.3.11.3 Method 2: Functionality, Price and Preference

In the case of a functionality, price and preference:

- Score functionality, rejecting all tender offers that fail to achieve the minimum number of points for functionality as stated in the Tender Data.
- No tender must be regarded as an acceptable tender if it fails to achieve the minimum qualifying score for functionality as indicated in the tender invitation.
- 3) Tenders that have achieved the minimum qualification score for functionality must be evaluated further in terms of the preference points system prescribed in paragraphs 4 and 4 and 5 below.

The 80/20 preference point system for acquisition of services, works or goods up to Rand value of R1 million

4) (a)(i) The following formula must be used to calculate the points for price in respect of tenders( including price quotation) with a rand value equal to, or above R 30 000 and up to Rand value of R 1 000 000 ( all applicable taxes included):

$$Ps = 80 \left( 1 - \frac{Pt - P\min}{P\min} \right)$$

Where

Ps = Points scored for comparative price of tender or offer under consideration;

Pt = Comparative price of tender or offer under consideration; and

Pmin = Comparative price of lowest acceptable tender or offer.

- (4)(a)(ii) An employer of state may apply the formula in paragraph (i) for price quotations with a value less than R30 000, if and when appropriate:
- (4)(b) Subject to subparagraph(4)(c), points must be awarded to a tender for attaining the B-BBEE status level of contributor in accordance with the table below:

B-BBEE status level of contributor	Number of points	
1	20	
2	18	
3	16	
4	12	
5	8	
6	6	
7	4	
8	2	
Non-compliant contributor	0	

- (4)(c) A maximum of 20 points may be allocated in accordance with subparagraph (4)(b)
- (4)(d) The points scored by tender in respect of B-BBEE contribution contemplated in contemplated in subparagraph (4) (b) must be added to the points scored for price as calculated in accordance with subparagraph (4)(a).
- (4)(e) Subject to paragraph 4.3.8 the contract must be awarded to the tender who scores the highest total number of points.

### The 90/ 10 preference points system for acquisition of services, works or goods with a Rand value above R 1 million

(5)(a) The following formula must be used to calculate the points for price in respect of tenders with a Rand value above R1 000 000 (all applicable taxes included):

90/10

$$Ps = 90 \left( 1 - \frac{Pt - P\min}{P\min} \right)$$

Where

Ps = Points scored for comparative price of tender or offer under consideration;

Pt = Comparative price of tender or offer under consideration; and

Pmin = Comparative price of lowest acceptable tender or offer.

(5)(b) Subject to subparagraph(5)(c), points must be awarded to a tender for attaining the B-BBEE status level of contributor in accordance with the table below:

B-BBEE status level of contributor	Number of points	
1	10	
2	9	
3	8	
4	5	
5	4	
6	3	
7	2	
8	1	
Non-compliant contributor	0	

- (5)(c) A maximum of 10 points may be allocated in accordance with subparagraph (5)(b).
- (5)(d) The points scored by tender in respect of B-BBEE contribution contemplated in contemplated in subparagraph (5) (b) must be added to the points scored for price as calculated in accordance with subparagraph (5)(a).
- (5)(e) Subject to paragraph 4.3.8 the contract must be awarded to the tender who scores the highest total number of points.

#### F.3.11.6 Decimal places

Score price, preference and functionality, as relevant, to two decimal places.

#### F.3.11.7 Scoring Price

Score price of remaining responsive tender offers using the following formula:

 $N_{FO} = W_1 \times A$ 

where: N<sub>FO</sub> is the number of tender evaluation points awarded for price.

 $W_1$  is the maximum possible number of tender evaluation points awarded for price as stated in the Tender Data.

A is a number calculated using the formula and option described in Table F.1 as stated in the Tender Data.

Table F.1: Formulae for calculating the value of A

Formula	Comparison aimed at achieving	Option 1 <sup>a</sup>	Option 2 a
1	Highest price or discount	A = (1 +( <u>P - Pm</u> )) Pm	A = P / Pm
2	Lowest price or percentage commission / fee	A = (1 - ( <u>P - Pm</u> )) Pm	A = Pm / P
a P <sub>m</sub> P is	is the comparative offer of the most the comparative offer of the tender offer		ve offer.

#### F.3.11.8 Scoring preferences

Confirm that tenderers are eligible for the preferences claimed in accordance with the provisions of the tender data and reject all claims for preferences where tenderers are not eligible for such preferences.

Calculate the total number of tender evaluation points for preferences claimed in accordance with the provisions of the tender data.

#### F.3.11.9 Scoring functionality

Score each of the criteria and subcriteria for quality in accordance with the provisions of the Tender Data.

Calculate the total number of tender evaluation points for quality using the following formula:

 $N_Q = W_2 \times S_O / M_S$ 

where:

 $S_0$  is the score for quality allocated to the submission under consideration;

Ms is the maximum possible score for quality in respect of a submission; and

W<sub>2</sub> is the maximum possible number of tender evaluation points awarded for the quality as stated in

the tender data

#### F.3.12 Insurance provided by the employer

If requested by the proposed successful tenderer, submit for the tenderer's information the policies and / or certificates of insurance which the conditions of contract identified in the contract data, require the employer to provide.

#### F.3.13 Acceptance of tender offer

Accept the tender offer, if in the opinion of the employer, it does not present any risk and only if the tenderer:

- a) is not under restrictions, or has principals who are under restrictions, preventing participating in the employer's procurement,
- can, as necessary and in relation to the proposed contract, demonstrate that he or she b) possesses the professional and technical qualifications, professional and technical competence, financial resources, equipment and other physical facilities, managerial capability, reliability, experience and reputation, expertise and the personnel, to perform the contract,
- has the legal capacity to enter into the contract, c)
- is not insolvent, in receivership, under Business Rescue as provided for in chapter 6 of d) the Companies Act, 2008, bankrupt or being wound up, has his affairs administered by

- a court or a judicial officer, has suspended his business activities, or is subject to legal proceedings in respect of any of the foregoing,
- e) complies with the legal requirements, if any, stated in the tender data, and
- is able, in the opinion of the employer, to perform the contract free of conflicts of interest.

#### F.3.14 Prepare contract documents

- **F.3.14.1** If necessary, revise documents that shall form part of the contract and that were issued by the employer as part of the tender documents to take account of:
- a) addenda issued during the tender period,
- b) inclusion of some of the returnable documents, and
- c) other revisions agreed between the employer and the successful tenderer.
- **F.3.14.2** Complete the schedule of deviations attached to the form of offer and acceptance, if any.

#### F.3.15 Complete adjudicator's contract

Unless alternative arrangements have been agreed or otherwise provided for in the contract, arrange for both parties to complete formalities for appointing the selected adjudicator at the same time as the main contract is signed.

#### F.3.16 Notice to unsuccessful tenderers

- **F.3.16.1** Notify the successful tenderer of the employer's acceptance of his tender offer by completing and returning one copy of the form of offer and acceptance before the expiry of the validity period stated in the tender data, or agreed additional period.
- **F.3.16.2** After the successful tenderer has been notified of the employer's acceptance of the tender, notify other tenderers that their tender offers have not been accepted.

#### F.3.17 Provide copies of the contracts

Provide to the successful tenderer the number of copies stated in the Tender Data of the signed copy of the contract as soon as possible after completion and signing of the form of offer and acceptance.

#### F.3.18 Provide written reasons for actions taken

Provide upon request written reasons to tenderers for any action that is taken in applying these conditions of tender, but withhold information which is not in the public interest to be divulged, which is considered to prejudice the legitimate commercial interests of tenderers or might prejudice fair competition between tenderers.

#### F3.19 Transparency in the procurement process

- F3.19.1 The cidb prescripts require that tenders must be advertised and be registered on the cidb i.Tender system.
- F3.19.2 The employer must adopt a transparency model that incorporates the disclosure and accountability as transparency requirements in the procurement process.

- F3.19.3 The transparency model must identify the criteria for selection of projects, project information template and the threshold value of the projects to be disclosed in the public domain at various intervals of delivery of infrastructure projects.
- F3.19.4 The client must publish the information on a quarterly basis which contains the following information:
  - Procurement planning process
  - Procurement method and evaluation process
  - Contract type
  - Contract status
  - Number of firms tendering
  - Cost estimate
  - Contract title
  - Contract firm(s)
  - Contract price
  - Contract scope of work
  - Contract start date and duration
  - Contract evaluation reports
- F3.19.5 The employer must establish a Consultative Forum which will conduct a random audit in the implementation of the transparency requirements in the procurement process.
- F3.19.6 Consultative Forum must be an independent structure from the bid committees.
- F3.19.7 The information must be published on the employer's website.
  - F 3.19.8 Records of such disclosed information must be retained for audit purposes.

### **T.2 - RETURNABLE DOCUMENTS**

#### **T2.1 List of Returnable Documents**

The tenderer must complete the following returnable documents:

#### Returnable Schedules Required for Tender Evaluation Purposes

T2.1.1	Joint Venture Requirements
T2.1.2	Compulsory Enterprise Questionnaire
T2.1.3	Record of Addenda to Tender Document
T2.1.4	Proposed Amendments and Qualifications
T2.1.5	Schedule of Subcontractors
T2.1.6	Form in terms of the Functional Requirements
T2.1.7	Experience of Tenderer & Key Personnel
T2.1.8	National Treasury: Central Supplier Database
T2.1.9	Compulsory Vat Registration and Valid Current Tax Clearance Certificate
	or SARS Verification PIN
T2.1.10	Contracts Awarded to the Tenderer by an Organ of State
T2.1.11	Confirmation of Tenderer's Visit To The Site
T2.1.12	Certificate of Authority for Signature
T2.1.13	Alterations by bidder
T2.1.14	Company Registration
	SBD 4: Declaration of Interest (in the Service of the State)
T2.1.16	SBD 6.1: Preference Points Claim Form in terms of the Preferential
	Procurement Regulations, 2022
T2.1.17	SBD 6.2: Declaration Certificate for Local Production and Content, Annexures C, D & E

#### **Agreements and Contract Data**

C1.1

C1.2

	C1.3	Form of Guarantee
	C1.4	Surety and Bank Details
Pricing	<u>Data</u>	
	C2.1	Pricing Instructions
	C2.2	Pricing Schedules / Activity Schedule / Bill of Quantities
	C3	Scope of Work
	C4	Site Information

Form of Offer and Acceptance

**Contract Data** 

Guide to Completing Annexure C, D & E

#### T.2.1.1 JOINT VENTURE REQUIREMENTS

**<u>DEFINITION</u>**: - "Joint Venture or Consortium": means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

Should a group of companies/firms and/or interested parties wish to enter into a joint venture/consortium agreement the following minimum requirements must be met: -

- 1. A copy of the fully signed joint venture/consortium agreement must be attached.
- 2. Each member of the joint venture/consortium must provide a Tax Clearance Certificate
- 3. After award of a contract to a joint venture, the successful joint venture partners must provide a joint venture Tax Clearance Certificate and the joint venture banking details.
- 4. A trust, consortium or joint venture will qualify for points of their B-BBEE status level as a legal entity, provided that the entity submits their B-BBEE status level certificate.
- 5. A trust, consortium or joint venture will qualify for points for their B-BBEE status level as an unincorporated entity, provided that the entity submits their consolidated B-BBEE scorecard as if they were a group structure and that such a consolidated B-BBEE scorecard is prepared for every separate tender.

#### THE JOINT VENTURE/CONSORTIUM AGREEMENT MUST CONTAIN THE FOLLOWING:

- a. Who the managing member will be.
- b. Who the signatory of authority will be as confirmed by <u>each</u> joint venture partner.
- c. How the joint venture/consortium share of profit will be split.
- d. The bank account details where payments will be deposited into.
- e. The agreement must be signed by all parties.

#### T.2.1.2 COMPULSORY ENTERPRISE QUESTIONNAIRE

The following particulars must be furnished. In the case of a joint venture, SEPARATE enterprise questionnaires in respect of each partner must be completed and submitted.

Section 1: Name of enterprise:		
Section 4: Particulars of sole p	roprietors and partners in partner	ships
Name*	Identity number*	Personal income tax number*
* Complete only if sole proprietor or par	tnership and attach separate page if mo	re than 3 partners
Section 5: Particulars of compa	nies and close corporations	
Company registration number		
Close corporation number		
Tax reference number		
Date of Establishment		
Section 6: The attached S tenderrequirement	BD 4 must be completed for ea	ach tender and be attached as a
Section 7: The attached SE requirement.	BD 6 must be completed for each	tender and be attached as a
	t he / she is duly authorised to do so	o on behalf of the enterprise:
		e South African Revenue Services that
my /our tax matters are in order		any partner, manager, director or other
		the enterprise appears on the Register
		bating of Corrupt Activities Act of 2004;
		Ily or partly exercises, or may exercise, een convicted of fraud or corruption;
iv) confirms that I / we are not asso	ciated, linked or involved with any ot	her tendering entities submitting tender
	nship with any of the tenderers or the nterpreted as a conflict of interest; a	ose responsible for compiling the scope
v) confirms that the contents of th		onal knowledge and are to the best of
my belief both true and correct.		
Signed	Date	
Name	Position	
Enterprise name		

#### T.2.1.3 RECORD OF ADDENDA TO TENDER DOCUMENTS

Attach additional pages if more space is required.

#### T2.1.4 PROPOSED AMENDMENTS AND QUALIFICATIONS

The Tenderer should record any deviations or qualifications he may wish to make to the tender documents in this Returnable Schedule. Alternatively, a tenderer may state such deviations and qualifications in a covering letter to his tender and reference such letter in this schedule.

The Tenderer's attention is drawn to clause F.3.8 of the Standard Conditions of Tender referenced in the Tender Data regarding the employer's handling of material deviations and qualifications.

Page	Clause or item	Proposal	

### T2.1.5 SCHEDULE OF SUB-CONTRACTORS

We notify you that it is our intention to employ the following Subcontractors for work in this contract.

If we are awarded a contract, we agree that this notification does not change the requirement for us to submit the names of proposed Subcontractors in accordance with requirements in the contract for such appointments. If there are no such requirements in the contract, then your written acceptance of this list shall be binding between us.

Selected and Nominated Sub-Contractors are required to be registered with the CIDB.

It is noted that Domestic Sub-Contractors do not need to be registered with the CIDB.

In terms of the PPPFA Act 2000: Preferential Procurement Regulations 2022, -

We confirm that all Subcontractors who are contracted to construct a house are registered as home builders with the National Home Builders Registration Council.

No	Name and address of proposed Subcontractor	Nature and extent of work	Previous experience with Subcontractor
1.			
2.			
3.			
4.			
5.			

### T2.1.6- FORM IN TERMS OF TECHNICAL REQUIREMENTS

Experience of Bidder: (Details to be entered on Schedule in Returnable)

### **Similar Projects**

- 5 years' experience of the company in similar project
- List of Three similar projects undertaken together with reference letters duly signed by the client for each similar project completed.
- For a similar project to be considered, a fully signed Completion Certificate, or Practical Completion Certificate must be submitted for each project.
- Failure to submit the Completion Certificate, or Practical Completion Certificate, will result in the project (tender proposal) not being considered
- A similar project is defined as: Construction of buildings or any maintenance

Bidders must indicate on Form T2.1.7 (Schedule 1 and Schedule 2) similar works undertaken, providing full details of the works undertaken in each area.

### **Expertise of Key Personnel**

For each Key Personnel member proposed, (T2.1.7.1) must be fully completed and a shortened CV (T2.1.7.2) must be submitted, together with certified copies of qualifications/certificates.

Each CV should be structured under the following headings:

- 1. Personal particulars
  - Name
  - Date and place of birth
  - Place(s) of tertiary education and dates associated therewith.
  - Qualifications (degrees, diplomas etc.)
- Overview of post qualification experience (year, organization and position)
   Outline of recent and current assignments / experience that has bearing on the required service and extent of involvement of this project
- 4. Contact references.

### **Contracts Manager:**

Contracts Manager has ND Civil Engineering and 10 years or more verifiable post qualification experience.

Site Agent:
Site Agent has N3 Engineering certificate and 5 years or more verifiable post qualification experience.

## T2.1.7 EXPERIENCE OF TENDERER

## LIST OF SUCCESSFULLY COMPLETED PROJECTS FOR EVALUATION

Bidders to furnish details of projects related to this specific project, that they have successfully undertaken.

 Projects should be of similar nature i.e. Construction of buildings or any relatedsteel works.

A copy of a fully signed Completion or Practical Completion Certificate to be attached for each project listed for the project to be considered and counted during the compliance

AWARDED AMOUNT		
PROJECT COMMENCEMENT DATE		
PROJECT COMPLETION DATE		
CONTACTABLE REFERENCES		
Name and Surname	Telephone number	
criteria assessment. Failure to submit will result in the project not being considered/counted.		
CIMIL AD DDO IECT 4		

SIMILAR PROJECT 1	
EMPLOYER / INSTITUTION NAME	
PROJECT NAME	
NATURE OF PROJECT (Bidders to	
state areas of work which are	
similar to this tender)	
AWARDED AMOUNT	
PROJECT COMMENCEMENT DATE	
PROJECT COMPLETION DATE	
CONCTABLE REFERENCES	
Name and Surname	Telephone number

SIMILAR PROJECT 2		
EMPLOYER / INSTITUTION NAME		
PROJECT NAME		
NATURE OF PROJECT (Bidders to state areas of work which are similar to this tender)		
AWARDED AMOUNT		
PROJECT COMMENCEMENT DATE		
PROJECT COMPLETION DATE		
CONTACTABLE REFERENCES		
Name and Surname	Telephone number	
SIMILAR PROJECT 3		
EMPLOYER / INSTITUTION NAME		
PROJECT NAME		
NATURE OF PROJECT (Bidders to state areas of work which are similar to this tender)		
AWARDED AMOUNT		
PROJECT COMMENCEMENT DATE		
PROJECT COMPLETION DATE		
CONTACTABLE REFERENCES		
Name and Surname	Telephone number	

SIMILAR PROJECT 4		
EMPLOYER / INSTITUTION NAME		
PROJECT NAME		
NATURE OF PROJECT (Bidders to		
state areas of work which are		
similar to this tender)		
AWARDED AMOUNT		
PROJECT COMMENCEMENT DATE		
PROJECT COMPLETION DATE		
CONTACTABLE REFERENCES		
Name and Surname	Telephone number	

SIMILAR PROJECT 5	
EMPLOYER / INSTITUTION NAME	
PROJECT NAME	
NATURE OF PROJECT (Bidders to	
state areas of work which are	
similar to this tender)	
AWARDED AMOUNT	
PROJECT COMMENCEMENT DATE	
PROJECT COMPLETION DATE	
CONTACTABLE REFERENCES	
Name and Surname	Telephone number

## T 2.1.7 Expertise of Kev Personnel

Please complete the table below for a full time suitably qualified and experienced Personnel as below with a minimum of.

- 1. Contracts Manager:
- ND Civil Engineering,
- Years verifiable post qualification experience

Position	Contracts Manager
Name	
Formal qualifications	
Years of experience (Post qualification)	
Currently employed by Tenderer (yes / no)?	

Attach curriculum vitae and certified copies of qualifications.

- 2. Site Agent:
- N3 Engineering Certificate,
- Years or more verifiable post qualification experience

Position	Site Agent
Name	
Formal qualifications	
Years of experience (Post qualification)	
Currently employed by Tenderer (yes / no)?	

Attach curriculum vitae and certified copies of qualifications.

Signed	Date	
Name	Posit	ion
Tenderer		

## T.2.1.8 NATIONAL TREASURY: CENTRAL SUPPLIER DATABASE

Proof of registration on the National Treasury Central Supplier Database to be attached here (alternatively the tenderer to provide MAAA number).

## T2.1.9 COMPULSORY VAT REGISTRATION AND VALID CURRENT TAX CLEARANCE CERTIFICATE OR SARS VERIFICATION PIN

### **COMPULSORY VAT REGISTRATION**

It is mandatory for a business to register for VAT if the total value of taxable supplies made in any consecutive twelve-month period exceeded or is likely to exceed R1 million. The business must complete a <a href="VAT 101 - Application for Registration form">VAT 101 - Application for Registration form</a> and submit it to the local <a href="SARS branch">SARS branch</a> within 21 days from date of exceeding R1 million.

### **TAX REQUIREMENTS**

Section 112(1)(I)(iii) of the Municipal Finance Management Act, 2003 (Act 56 of 2003) (MFMA) read together with Regulation 43 of the Municipal SCM Regulations, prohibits municipalities or municipal entities from awarding bids to persons whose tax matters have not been cleared by SARS.

The Municipal Finance Management Act, Circular Number 90, requires that bidders register on National Treasury's Central Supplier Database (CSD) and include their Master Registration Number or Tax Compliance Status PIN to enable the municipality to verify the bidder's tax compliance status.

The CSD and Tax Compliance Status PIN are the approved methods to be used to prove tax compliance as the SARS no longer issues Tax Clearance Certificates. They have however made online provision, via e-Filing, for bidders to print their own Tax Clearance Certificates which they can submit with their tender proposals.

Where goods and services are procured from foreign suppliers with tax obligations in South Africa, proof of tax compliance status should be obtained from the supplier.

Foreign suppliers with neither South African tax obligations nor history of doing business in South Africa should complete a pre-award questionnaire on the MBD1 for their tax obligation categorisation. Where a recommendation for award of a bid has been made to a bidder who is a foreign supplier and who completed the pre-award questionnaire on the MBD1, the Accounting Officer must submit a copy of the completed MBD1 received from the bidder to SARS on the following email address: GovernmentInstitute@sars.gov.za. SARS will issue a letter to the procuring entity confirming whether or not the foreign supplier has tax obligations in South Africa.

Where goods and services are procured from foreign suppliers with no tax obligation in South Africa, there is no need to request proof of tax compliance status.

Where goods and services are imported, all custom related taxes shall be applied as prescribed by SARS.

Where the recommended bidder is not tax compliant, the bidder will be notified of their non-compliant status and be requested to submit, within 7 working days, written proof from SARS of their tax compliance status or proof from SARS that they have made an arrangement to meet their outstanding tax obligations. The proof of tax compliance status submitted by the bidder to the municipality or municipal entity must be verified via the CSD or e-Filing. The accounting officer should reject a bid submitted by the bidder if such bidder fails to provide proof of tax compliance status within the timeframe stated above.

## T2.1.10 CONTRACTS AWARDED TO THE TENDERER BY AN ORGAN OF STATE

The Tenderer to list below any particulars of any contracts awarded to the Tenderer by an Organ of State during the past five (5) years, including particulars of any material non-compliance or dispute concerning the execution of such contract.

No	Description	Institution
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		

### T2.1.11 CONFIRMATION OF TENDERER'S VISIT TO THE SITE

Bidders to note that the attendance register completed and signed at the compulsory site inspection / meeting. / Briefing session will be used to verify the bidders' attendance to the compulsory session. Bids will not be accepted from bidders' who have not attended and signed the said attendance register.

Bidders whose name appears on the attendance register have made themselves familiar with all localconditions likely to influence the work and the cost thereof, that they are satisfied with the description of the work and the explanations given by the said Employer's Agents' representative and that the bidder perfectly understands the work to be undertaken, as specified and implied, in the execution of this contract.

### T2.1.12 CERTIFICATE OF AUTHORITY FOR SIGNATURE

Signatory for companies shall confirm their authority thereto by attaching a duly signed and dated copy of the relevant resolution of the boards of directors which should substantially conform with the following:

By resolution of the board of directors passed at a meeting:

Bidder to note that in the case of a joint venture, the following is required:
Mr/Mrs whose signature appears below,
has been duly authorised to sign all documents in connection with the Bid for Contract No
and any Contract that may arise there from on
behalf of
(name of Tenderer in block capitals)
NAME OF REPRESENTATIVE OF THE BOARD OF DIRECTORS:
SIGNATURE OF BOARD OF DIRECTORS' REPRESENTATIVE
IN HIS/HER CAPACITY AS:
DATE:
NAME OF SIGNATORY:
SIGNATURE OF SIGNATORY:
WITNESS (1):
WITNESS (2):

- Authority of Signatory from each partner-entity to the Joint Venture nominating a signatory representative to the Joint Venture;
- Authority of Signatory from the Joint Venture, authorised by the entity partner representatives, nominating a signatory to the bid documents.

## **T2.1.13 ALTERATIONS BY TENDERER**

Should the Tenderer desire to make any departure or modification to the General Conditions of Contract, Special Conditions of Contract, Specifications, Schedule of Quantities or Drawings, or to qualify his Tender in any way, he shall set out his proposals clearly hereunder, or alternatively, state them in a covering letter attached to his Tender and referred to hereunder, failing which the Tender will be deemed to be unqualified.

PAGE	CLAUSE OR ITEM	DESCRIPTION

## **T2.1.14 COMPANY REGISTRATION**

To be attached to this page.

### T2.1.15 DECLARATION OF INTEREST (IN THE SERVICE OF THE STATE)

No bid will be accepted from persons in the service of the state<sup>1</sup>.

- 2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder ortheir authorised representative declare their position in relation to the evaluating/adjudicating authority.
  - 3 In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

3.1	Full Name of bidder or his or her representative:
3.2	Identity Number:
3.3	Position occupied in the Company (director, trustee, hareholder²):
3.4	Company Registration Number:
3.5	Tax Reference Number:
3.6	VAT Registration Number:
3.7	The names of all directors / trustees / shareholders members, their individual identity numbers and state employee numbers must be indicated in paragraph 4 below.
3.8	Are you presently in the service of the state? YES / NO
	3.8.1 If yes, furnish particulars.

<sup>1</sup>MSCM Regulations: "in the service of the state" means to be –

- (a) a member of -
  - (i) any municipal council;
  - (ii) any provincial legislature; or
  - (iii) the national Assembly or the national Council of provinces;
- (b) a member of the board of directors of any municipal entity;
- (c) an official of any municipality or municipal entity;
- (d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);
- (e) a member of the accounting authority of any national or provincial public entity; or
- (f) an employee of Parliament or a provincial legislature.

<sup>2</sup> Shareholder" means a person who owns shares in the company and is actively involved in the management of the company or business and exercises control over the company.

3.9	Have you been in	the service of the state for the past twelve months?	YES / NO
	•	h particulars	
3.10	Do you have any r	elationship (family, friend, other) with persons e state and who may be involved with I or adjudication of this bid?	YES / NO
11	any other bidder a	ny relationship (family, friend, other) between nd any persons in the service of the state who vith the evaluation and or adjudication of this bid?	YES / NO
3.12		·	YES / NO
3.13	• •		YES / NO
3.14	principle sharehold have any interest	ne directors, trustees, managers, ders, or stakeholders of this company in any other related companies or or not they are bidding for this contract. ish particulars:	YES / NO

4. Full details of directors / trustees / members / shareholders.

Capacity

Full Name	Identity Number	State Employee Number
Signature		Date

Name of Bidder

## **CERTIFICATION**

I, THE UNDERSIGNED (NAME)	
CERTIFY THAT THE INFORMATION FU	IRNISHED ON THIS DECLARATION FORM IS CORRECT.
I ACCEPT THAT THE STATE MAY ACT	AGAINST ME SHOULD THIS DECLARATION PROVE TO BE
FALSE.	
Signature	Date
Position	Name of Bidder

### **SBD 6.1**

## T2.1.16 PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

### 1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
  - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
  - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

## 1.2 To be completed by the organ of state

(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the 90/10 preference point system.
- b) The applicable preference point system for this tender is the 80/20 preference point system.
- c) Either the 90/10 or 80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.
- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
  - (a) Price; and
  - (b) Specific Goals.

### 1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

### 2. **DEFINITIONS**

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

### 3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

### 3.1. POINTS AWARDED FOR PRICE

### 3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 or 90/10

 $Ps = 80\left(1 - \frac{Pt - Pmin}{Pmin}\right)$  or  $Ps = 90\left(1 - \frac{Pt - Pmin}{Pmin}\right)$ 

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

## 3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

### 3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80\left(1 + rac{Pt-P\,max}{P\,max}
ight)$$
 or  $Ps = 90\left(1 + rac{Pt-P\,max}{P\,max}
ight)$ 

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

#### 4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
  - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
  - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Race		5		
Gender		10		
disability		5		

### **DECLARATION WITH REGARD TO COMPANY/FIRM**

4.3.	Name of company/firm		
4.4.	Company registration number:		
4.5.	TYPE OF COMPANY/ FIRM		
	<ul> <li>□ Partnership/Joint Venture / Consortium</li> <li>□ One-person business/sole propriety</li> <li>□ Close corporation</li> <li>□ Public Company</li> <li>□ Personal Liability Company</li> <li>□ (Pty) Limited</li> <li>□ Non-Profit Company</li> <li>□ State Owned Company</li> <li>[TICK APPLICABLE BOX]</li> </ul>		

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
  - i) The information furnished is true and correct;

- ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have
  - (a) disqualify the person from the tendering process;
  - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
  - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
  - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
  - (e) forward the matter for criminal prosecution, if deemed necessary.
    - (a) forward the matter for criminal prosecution.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME: DATE:	
ADDRESS:	

## T2.1.17 SBD6.2: DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS

This Standard Bidding Document (SBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2017, the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Summary Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

### 1. General Conditions

- 1.1. Preferential Procurement Regulations, 2017 (Regulation 8) make provision for the promotion of local production and content.
- 1.2. Regulation 8.(2) prescribes that in the case of designated sectors, organs of state must advertise such tenders with the specific bidding condition that only locallyproduced or manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for tenders referred to in paragraph 1.2 above, a two stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and B-BBEE.
- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

$$LC = [1 - x / y] * 100$$

### Where

- x is the imported content in Rand
- y is the bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid as indicated in paragraph 4.1 below.

The SABS approved technical specification number SATS 1286:2011 is accessible on http://www.thedti.gov.za/industrial development/ip.jsp at no cost.

- 1.6. A bid may be disqualified if this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule) are not submitted as part of the bid documentation;
- 2. The stipulated minimum threshold(s) for local production and content (refer to Annex A of SATS 1286:2011) for this bid is/are as follows:

Description of services, works or goods	Stipulated minimum threshold

3. Does any portion of the goods or services offered have any imported content?

(Tick applicable box)

YES	NO	

3.1 If yes, the rate(s) of exchange to be used in this bid to calculate the local content as prescribed in paragraph 1.5 of the general conditions must be the rate(s) published by SARB for the specific currency at 12:00 on the date of advertisement of the bid.

The relevant rates of exchange information is accessible on <a href="www.reservebank.co.za">www.reservebank.co.za</a>

Indicate the rate(s) of exchange against the appropriate currency in the table below (refer to Annex A of SATS 1286:2011):

Currency	Rates of exchange
US Dollar	
Pound Sterling	
Euro	
Yen	
Other	

NB: Bidders must submit proof of the SARB rate (s) of exchange used.

**4.** Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the dti must be informed accordingly in order for the dtito verify and in consultation with the AO/AA provide directives in this regard.

## LOCAL CONTENT DECLARATION (REFER TO ANNEX B OF SATS 1286:2011)

LOCAL CONTENT DECLARATION BY CHIEF FINANCIAL OFFICER OR OTHER LEGALLY RESPONSIBLE PERSON NOMINATED IN WRITING BY THE CHIEF EXECUTIVE OR SENIOR MEMBER/PERSON WITH MANAGEMENT RESPONSIBILITY (CLOSE CORPORATION, PARTNERSHIP OR INDIVIDUAL)

	RPORATION, PARTNERSHIP OR INDIVIDUAL)	BILITY	(CLUSE	=
IN	RESPECT OF BID NO.			
	SUED BY: (Procurement Authority / Name of Institution):			
NB				
1	The obligation to complete, duly sign and submit this declaration cann an external authorized representative, auditor or any other third party the bidder.			
2	Guidance on the Calculation of Local Content together with Local C Templates (Annex C, D and E) is accessible on <a href="http://www.th.development/ip.jsp">http://www.th.development/ip.jsp</a> . Bidders should first complete Declaration D. Declaration D, bidders should complete Declaration E and then consolid on Declaration C. Declaration C should be submitted with the bid the closing date and time of the bid in order to substantiate the deparagraph (c) below. Declarations D and E should be kept by the bid purposes for a period of at least 5 years. The successful bidder is required update Declarations C, D and E with the actual values for the duration	dti.gov.z. After date the i docume eclaratio ders for ired to co	a/industria completing information entation a on made in verification ontinuously	g n it
	ne undersigned,hereby declare, in my capacity as		mes), of bidde	r
	ity), the following:	A1110 V	Ji Diado	•
(a)	The facts contained herein are within my own personal knowledge.			
(b)	I have satisfied myself that:			
	<ul> <li>(i) the goods/services/works to be delivered in terms of the above-specified the minimum local content requirements as specified in the bid, a terms of SATS 1286:2011; and</li> </ul>			
(c)	The local content percentage (%) indicated below has been calculated given in clause 3 of SATS 1286:2011, the rates of exchange indicated above and the information contained in Declaration D and E which has in Declaration C:	ed in para	agraph 4.′	1
	Bid price, excluding VAT (y)	R		
	Imported content (x), as calculated in terms of SATS 1286:2011	R		
	Stipulated minimum threshold for local content (paragraph 3 above)			
	Local content %, as calculated in terms of SATS 1286:2011			

If the bid is for more than one product, the local content percentages for each product contained in Declaration C shall be used instead of the table above.

The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E.

- (d) I accept that the Procurement Authority / Institution has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.
- (e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in theProcurement Authority / Institution imposing any or all of the remedies as provided for in Regulation 14 of the Preferential Procurement Regulations, 2017 promulgated under the Preferential Policy Framework Act (PPPFA), 2000 (Act No. 5 of 2000).

SIGNATURE:	DATE:
WITNESS No. 1	DATE:
WITNESS No. 2	DATE:

## **ANNEX C**

					Local Cor	ntent Declaration	<u> – Summary S</u>	chedule				SATS 1286.2011
					Local Conte	nt Declaratio	on - Summa	ry Schedule				JA13 1200.2011
(2) (3) (4) (5)	Tender No. Tender desc Designated Tender Auth Tendering E	product(s) hority:									Note: VAT to be exclucalculations	uded from all
6) 	Tender Exch			EU		GBP		1				
		cal content %	70%				- [					
	Tender		Tender price -	Exempted	Tender value	Imported		Local content		Total tender	Total exempted	Total Imported
	item no's	List of items	each	imported	exempted	value	Local value	% (per item)	Tender Qty	value	imported	content
			(excl VAT)	value	imported content			-			content	
	(C8)	(C9)	(C10)	(C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)	(C18)	(C19)
Į												
	Signature of	f tenderer from An	nex B						Total tender value (C21) Total Exempt i		R	
-			<u> </u>				(C	22) Total Tender v	alue net of exempt i		R Imported content	R
											Total local content	R
	Date:								(C25	<ul><li>Average local co</li></ul>	ntent % of tender	

74

Comparing Energy Name:   Park   E.E.   SO.00   COST   Tringle   Park   Coloration of Imported content   Cost   C		Annex D													
Particular Na.		Imported Content Declaration - Connection Calendal to Annua C													
Composed to provide descriptions (Composed to provide description of imported content   Description of imp						Imported C	content Decla	ration - Supp	orting Sched	dule to Ann	ex C				
Composed to provide descriptions (Composed to provide description of imported content   Description of imp	(D. ()						1							1	
Comparison of Imported Content	` '														
Comported content   Cont			•									m all			
Comparing Energy Name:   Park   E.E.   SO.00   COST   Tringle   Park   Coloration of Imported content   Cost   C											calculations				
Commercial material part of content   Commercial part of content	(D4)	Tender Aut	hority:												
A. Exempted imported content  Trender	(D5)	Tendering E	ntity Name:												
Tender Rate in process of the proces	(D6)	Tender Excl	hange Rate:		Pula		EU	R9.00	GBP	R12.00					
Tender Rate in process of the proces															
Tender Rum no's Description of Imported content Luppider Coverseas supplier Rate (177) (175) (17	A. Exempted imported content							Calc	ulation of In	nported conter	nt		;	Summary	
Trender tem norse  Description of imported content soppiler  (777) (788) (789)								Foreign				All Innelle	T-4-1		
Contract									Tonder	Local	Freight	,			Evennted
Commercial Rate Imports port of entry of duties duties and supplied to the Tenderer  Calculation of Imported Content Unit of measure Unit of measure Supplier Overseas supplier Supplie			Description of import	ed content		Oversea	as supplier				_			Tender Q	
(DS) (DS) (DS) (DS) (DS) (DS) (DS) (DS)		item no's			supplier			-							
(D1) (D2) (D2) (D10) (D10) (D10) (D13) (D13) (D14) (D15) (D16) (D16) (D17) (D2) (D17) (D2) (D17) (D2) (D17) (D2) (D17) (D2) (D2) (D2) (D2) (D2) (D2) (D2) (D2															
B. Imported directly by the Tonderer  Tender (Description of Imported content)  (D20) (D21) (D22) (D22) (D22) (D23) (D23		(D7)	(D0)	-	(D0)	,	D40)		(D40)	(D40)	(D4.4)	(D45)	(D40)	(D47)	(D40)
B. Imported directly by the *Tendere*    Calculation of Imported content i		(07)	(D6)		(D9)	(	D10)	(D11)	(D12)	(D13)	(D14)	(D15)	(010)	(D17)	(D16)
B. Imported directly by the *Tendere*    Calculation of Imported content i													$\vdash$		
B. Imported directly by the *Tendere*    Calculation of Imported content i															
B. Imported directly by the *Tendere*    Calculation of Imported content i							,								
B. Imported directly by the Tenderer  Tender Item no's Description of imported content Item no's Description of im												(D19)	Total exempt	imported valu	ıe
B. Imported disectly by the Tenderer  Foreign currency value as profit or fine nords  Description of imported content  Unit of measure  Overseas supplier  (D20) (D21) (D22) (D23) (D24) (D25) (D26) (D27) (D26) (D27) (D28) (															
Tender Item no's Description of Imported content Item no's Description o														with A	nnex C - C21
Tender Item no's Description of Imported content Item no's Description o															
Tender Item no's Description of imported content Item no's Description o		B. Imported	directly by the Tendere	r					Calc	ulation of In	nported conter	nt			Summary
Tender ten no's Description of Imported content lenn no's Description no's Description of Imported Content lenn no's Description no'								Foreign				All legally	Total		
Commercial personal properties of imported content measure   Commercial Invoices									Tender	Local	Freight				
Item nots			Description of import	ed content		Oversea	as supplier				_			Tender Q	Total imported
(D20) (D21) (D22) (D23) (D24) (D25) (D26) (D26) (D27) (D28) (D28) (D29) (D30) (D31) (D31) (D31) (D31) (D32) (D32) (D32) (D32) (D32) (D33) (D32) (D33) (D34) (D35) (D36) (D37) (D36) (D37) (D38) (D38) (D37) (D38)		item no's			measure				_						value
(D20) (D21) (D22) (D23) (D24) (D25) (D26) (D27) (D26) (D29) (D30) (D31) (D31) (D31) (D32) (D32) (D33) (D34) (D33) (D34) (D35) (D36) (D37) (D38) (D37) (D38) (D39) (D40) (D41) (D42) (D43) (D43) (D44) (D44) (D46) (D47) (D49) (D49) (D50)												duties	VAT		
C. Imported by a 3rd party and supplied to the Tenderer  Calculation of Imported content  Unit of measure  Unit of measure  Unit of measure  Overseas supplier  Provigin Currency Value as per Commercial imports  (D33) (D34) (D35) (D36) (D36) (D37) (D38) (D39) (D40) (D41) (D41) (D42) (D43) (D44)  D. Other foreign currency payments  Type of payment  Local mining the playments  Calculation of Imported content imported value by 3rd party.  Calculation of Imported content imported value by 3rd party.  Calculation of Imported content imported value by 3rd party.  Calculation of Imported value by 3rd party.		(D20)	(D21)		(D22)	/	D22)		(D3E)	(D36)	(D27)	(D29)	(D20)	(D20)	(D21)
C. Imported by a 3rd party and supplied to the Tenderer    Description of imported content   Unit of measure   Unit of m		(D20)	(D21)		(DZZ)	(	D23)	(D24)	(D23)	(D20)	(D21)	(D20)	(D29)	(D30)	(D31)
C. Imported by a 3rd party and supplied to the Tenderer    Description of imported content   Unit of measure   Unit of m															
C. Imported by a 3rd party and supplied to the Tenderer    Description of imported content   Unit of measure   Unit of m															
C. Imported by a 3rd party and supplied to the Tenderer    Description of imported content   Unit of measure   Unit of m															
C. Imported by a 3rd party and supplied to the Tenderer    Description of imported content   Unit of measure   Unit of m															
C. Imported by a 3rd party and supplied to the Tenderer    Description of imported content   Unit of measure   Unit of m															
C. Imported by a 3rd party and supplied to the Tenderer    Description of imported content   Unit of measure   Unit of m															
C. Imported by a 3rd party and supplied to the Tenderer    Description of imported content   Unit of measure   Unit of m															
C. Imported by a 3rd party and supplied to the Tenderer    Description of imported content   Unit of measure   Unit of m															
Description of imported content  Unit of measure  Unit of measure  Unit of measure  Overseas supplier  Overs											(D3	2) Total imp	orted value	by tendere	r:
Description of imported content  Unit of measure  Unit of measure  Unit of measure  Overseas supplier  Overs															
Description of imported content  Unit of measure  Unit of measure  Unit of measure  Overseas supplier  Overs															
Description of imported content Unit of measure  Unit of content walue of port of entry o		C. Imported	by a 3rd party and sup	plied to the Te	enderer				Calc	ulation of In	ported conter	nt			Summary
Description of imported content  Unit of measure  Unit of each duties  Unit of each d								Foreign				All locally	Total		
Description of imported content    Description of imported content   Calculation of imported content   Calculation of foreign currency payments									Tender	Local	Freight	,			
Commercia   Invoice   Imports   port of entry   Costs & duties   VAT		Description	n of imported content			Oversea	as supplier								
Companies   Comp				measure	supplier				Rate	Imports	port of entry	costs &	excl	imported	value
(D33) (D34) (D35) (D36) (D37) (D38) (D39) (D40) (D41) (D42) (D43) (D44)  (D43) (D44) (D44) (D42) (D43) (D44) (D44) (D42) (D43) (D44) (D44) (D44) (D45)												duties	VAT		
D. Other foreign currency payments  Calculation of foreign currency payments  Type of payment supplier making the making the making the payments  (D45) Total imported value by 3rd party:  Tender Rate of Exchange  (D46) (D47) (D48) (D49) (D50) (D50)  (D51) (D51)  (D52) Total of foreign currency payments declared by tenderer and/or 3rd party  Signature of tenderer from Annex B  (D53) Total of imported content & foreign currency payments - (D32), (D45), & (52) above  This total must correspond			(D33)	(D34)	(D35)	(	D36)		(D38)	(D39)	(D40)	(D41)	(D42)	(D43)	(D44)
D. Other foreign currency payments  Type of payment  UCAI Supplier making the payment  (D46)  (D47)  (D48)  (D49)  (D50)  (D50)  (D51)  (D52)  Total of foreign currency payments declared by tenderer and/or 3rd party  Signature of tenderer from Annex B  (D53) Total of imported content & foreign currency payments - (D32), (D45), & (52) above  This total must correspond			/	/	(/	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	/	/	/	/	(/	,	,,	(= .5)	(,
D. Other foreign currency payments  Type of payment  UCAI Supplier making the payment  (D46)  (D47)  (D48)  (D49)  (D50)  (D50)  (D51)  (D52)  Total of foreign currency payments declared by tenderer and/or 3rd party  Signature of tenderer from Annex B  (D53) Total of imported content & foreign currency payments - (D32), (D45), & (52) above  This total must correspond															+
D. Other foreign currency payments  Type of payment  UCAI Supplier making the payment  (D46)  (D47)  (D48)  (D49)  (D50)  (D50)  (D51)  (D52)  Total of foreign currency payments declared by tenderer and/or 3rd party  Signature of tenderer from Annex B  (D53) Total of imported content & foreign currency payments - (D32), (D45), & (52) above  This total must correspond															+
D. Other foreign currency payments  Type of payment  UCAI Supplier making the payment  (D46)  (D47)  (D48)  (D49)  (D50)  (D50)  (D51)  (D52)  Total of foreign currency payments declared by tenderer and/or 3rd party  Signature of tenderer from Annex B  (D53) Total of imported content & foreign currency payments - (D32), (D45), & (52) above  This total must correspond											1		<del>                                     </del>	-	+
D. Other foreign currency payments  Type of payment  UCAI Supplier making the payment  (D46)  (D47)  (D48)  (D49)  (D50)  (D50)  (D51)  (D52)  Total of foreign currency payments declared by tenderer and/or 3rd party  Signature of tenderer from Annex B  (D53) Total of imported content & foreign currency payments - (D32), (D45), & (52) above  This total must correspond														-	+
D. Other foreign currency payments  Type of payment  UCAI Supplier making the payment  (D46)  (D47)  (D48)  (D49)  (D50)  (D50)  (D51)  (D52)  Total of foreign currency payments declared by tenderer and/or 3rd party  Signature of tenderer from Annex B  (D53) Total of imported content & foreign currency payments - (D32), (D45), & (52) above  This total must correspond													1	-	+
D. Other foreign currency payments  Type of payment  UCAI Supplier making the payment  (D46)  (D47)  (D48)  (D49)  (D50)  (D50)  (D51)  (D52)  Total of foreign currency payments declared by tenderer and/or 3rd party  Signature of tenderer from Annex B  (D53) Total of imported content & foreign currency payments - (D32), (D45), & (52) above  This total must correspond											ar -	5) T		h. C. I	_
Type of payment    Cocal supplier making the payment   Cocal supplier making the payment   Cocal supplier making the payment   Cocal supplier making the payment   Cocal supplier making the payment   Cocal supplier making the payment   Cocal supplier paid   Cocal supplier making the payment   Cocal supplier making the											(D4	ວ) Iotal imp	orted value	by 3rd part	y:
Type of payment    Cocal supplier making the payment   Cocal supplier making the payment   Cocal supplier making the payment   Cocal supplier making the payment   Cocal supplier making the payment   Cocal supplier making the payment   Cocal supplier paid   Cocal supplier making the payment   Cocal supplier making the															
Type of payment supplier making the payment (D46) (D47) (D48) (D49) (D50) (D50) (D51) (D51) (D51) (D51) (D52) Total of foreign currency payments declared by tenderer and/or 3rd party Signature of tenderer from Annex B (D53) Total of imported content & foreign currency payments - (D32), (D45), & (52) above This total must correspond		D. Other for	eign currency payments	i				1 currency							
Type of payment supplier making the payment (D46) (D47) (D48) (D49) (D50) (D50) (D51) (D51) (D52) Total of foreign currency payments declared by tenderer and/or 3rd party Signature of tenderer from Annex B (D53) Total of imported content & foreign currency payments - (D32), (D45), & (52) above This total must correspond	- 1			Local		payments									payments
making the payment water of Exchange					Overseas	Foreign cu	rrency value	Tender							Local value of
payment Exchange (D46) (D47) (D48) (D49) (D50) (D51) (		Тур	pe of payment												
(D52) Total of foreign currency payments declared by tenderer and/or 3rd party  Signature of tenderer from Annex B  (D53) Total of imported content & foreign currency payments - (D32), (D45), & (52) above  This total must correspond		<u></u>				<u> </u>	·	Exchange							
(D52) Total of foreign currency payments declared by tenderer and/or 3rd party  Signature of tenderer from Annex B  (D53) Total of imported content & foreign currency payments - (D32), (D45), & (52) above  This total must correspond		(D46) (D47) (D48)		(	D49)	(D50)							(D51)		
Signature of tenderer from Annex B  (D53) Total of imported content & foreign currency payments - (D32), (D45), & (52) above  This total must correspond															
Signature of tenderer from Annex B  (D53) Total of imported content & foreign currency payments - (D32), (D45), & (52) above  This total must correspond															
Signature of tenderer from Annex B  (D53) Total of imported content & foreign currency payments - (D32), (D45), & (52) above  This total must correspond															
Signature of tenderer from Annex B  (D53) Total of imported content & foreign currency payments - (D32), (D45), & (52) above  This total must correspond														+	
Signature of tenderer from Annex B  (D53) Total of imported content & foreign currency payments - (D32), (D45), & (52) above  This total must correspond					(D52)	Total of force	ian currenc	v navmente de	clared by 4	nderer and	or 3rd parts	v			
(D53) Total of imported content & foreign currency payments - (D32), (D45), & (52) above  This total must correspond	Signature of tenderer from Anney R							(D02)	. Juan Or 10re	ign currenc	, payments de	Janeu Dy TE	uerer and	or oru part	7
This total must correspond	Signature of tenderer Holli Allilex D							DE2) T-4-1 - 1	imported -	tont 0 f	ian aurren	numents "	722) (D45)	9 (52)	
						(	lotal of (נכט	iiiiported cor	itelit & fore	gn currency p	ayınıents - (I			_	
	-	Date:													

							SATS 1286.2011	
				Anne	хE			
		Local	Content Declar	ration - S	Supporting	Schedule to Annex C		
(E1)	Tender No.					Note: VAT to be excluded fr	om all	
(E2)	Tender descrip	tion:				calculations		
(E3)	Designated pro	ducts:						
(E4)	Tender Author							
(E5)	Tendering Entit	ty name:						
		Local Products	Docarintia	of itoms up		La cal a constitue	V-l	m
		(Goods, Services and Works)	Description	n of items pu	ircnased	Local suppliers	Value	% of LC
				(E6)		(E7)	(E8)	
				/p=1 =		10 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
				(E9) To	tai local product	s (Goods, Services and Works)	R 0	
	(E10)	Manpower costs	( Tenderer's manpow	rer cost)			R 0	
	(E11)	Factory overheads	(Rental, depreciation	& amortisati	ion, utility costs.	consumables etc.)	R O	
	(E12)	Administration overh	leads and mark-up	(Marketing,	insurance, financ	cing, interest etc.)	R 0	
						(E13) Total local content	R 0	
						This total must correspond	d with Annex C -	
	Cianch	adouar france						
	oignature of te	nderer from Annex B						
	Date							
	Date:							

### LOCAL PRODUCTION AND CONTENT

Kindly note that the Local Production and Content in respect of the items listed under section 3 of the SBD6.2 and detailed in Annexure C (C8, C9 and C16) must meet the minimum threshold stipulated.

For assistance in completing the SBD6.2 and Annexure C kindly contact the Department of Trade and Industry on:

1.	Thandi Phele	012 394 1356	tphele@thedti.gov.za
2.	Tapiwa Samanga	012 394 5157	TSamanga@thedti.gov.za
3.	Miyelani Masinga	012 394 1664	MMasinga@thedti.gov.za
4.	Rendani Mulaudzi	012 394 1412	RMulaudzi@thedti.gov.za
5.	Raphael Kitiaka	012 394 3500	MRKitiaka@thedti.gov.za
6.	Mamosai Seleka	012 394 5598	CMatidza@thedti.gov.za

If the quantity of required items cannot be wholly sourced from South African based manufacturers and/or at the stipulated designated local content threshold at any particular time, bidders should obtain written exemption from the Department of Trade and Industry to supply the remaining portion of the required items at a lower local content threshold.

The Department of Trade and Industry Private Bag X84 Pretoria 0001

### For Attention:

Dr Tebogo Makube

Chief Director: Industrial Procurement

Tel: 012 394 3927 Fax: 012 394 4927

e-mail: TMakube@thedti.gov.za

Proof of exemption must be submitted, as well as the response from the Department of Trade and Industry



Private Bag X84, PRETORIA, 0001, the dti Campus, 77 Meintjies Street, Sunnyside, 0002, Tel: (012) 394 0000 the dti Customer Contact Centre local: 0861 843 384 International: +27 12 394 9500, www.thedti.gov.za

## Guidance Document for the Calculation of Local Content

### 1. DEFINITIONS

Unless explicitly provided in this guideline, the definitions given in SATS 1286:2011 apply.

### 2. GENERAL

#### 2.1. Introduction

This guideline provides tenderers with a detailed description of how to calculate local content of products (goods, services and works) by components/material/services and enables them to keep an updated record for verification requirements as per the SATS 1286:2011 Annexure A and B.

The guideline consists of two parts, namely:

- · a written guideline; and
- three declarations that must be completed:
  - Declaration C: "Local Content Declaration Summary Schedule" (see Annexure C);
  - Declaration D: "Imported Content Declaration Supporting Schedule to Annex C" (see Annexure D); and
  - Declaration E: "Local Content Declaration Supporting Schedule to Annex C" (see Annexure E).

The guidelines and declarations should be used by tenderers when preparing a tender. A tenderer must complete Declarations D and E, and consolidate the information on Declaration C.

Annexure C must be submitted with the tender by the closing date and time as determined by the Tender Authority. The Tender Authority reserves the right to request that Declarations D and E also be submitted.

If the tender is successful, the tenderer must continuously update Declarations C, D and E with actual values for the duration of the contract.

NOTE:

Annexure A is a note to the purchaser in SATS 1286:2011; and Annexure B is the Local Content Declaration IN SATS 1286:2011.

2.2. What is local content?

According to SATS 1286:2011, the local content of a product is the tender price less the value of imported content, expressed as a percentage. It is, therefore, necessary to first compute the imported value of a product to determine the local content of a product.

2.3. Categories: Imported and Local Content

The tenderer must differentiate between imported content and local content.

Imported content of a product by components/material/services is separated into two categories, namely:

- products imported directly by the tenderer; and
- products imported by a third party and supplied to the tenderer.

## 2.3.1. Imported Content

Identify the imported content, if any, by value for products by component/material/services. In the case of components/materials/services sourced from a South African manufacturer, agent, supplier or subcontractor (i.e. third party), obtain that information and Declaration D from the third party.

Calculate the imported content of components/materials/services to be used

in the manufacture of the total quantity of the products for which the tender is

to be submitted.

As stated in clause 3.2.4 of SATS 1286:2011: "If information on the origin of

components, parts or materials is not available, it will be deemed to be

imported content."

2.3.1.1. Imported directly by the tenderer:

When the tenderer import products directly, the onus is on the tenderer to

provide evidence of any components/materials/services that were procured

from a non-domestic source. The evidence should be verifiable and pertain

to the tender as a whole. Typical evidence will include commercial

invoices, bills of entry, etc.

When the tenderer procures imported services such as project

management, design, testing, marketing, etc and makes royalty and lease

payments, such payments relating to the tender must be included when

calculating imported content.

2.3.1.2. Imported by a third party and supplied to the tenderer:

When the tenderer supplies components/material/services that are

imported by any third party (for example, a domestic manufacturer, agent,

supplier or subcontractor in the supply chain), the onus is on the tenderer

to obtain verifiable evidence from the third party.

The tenderer must obtain Declaration D from all third parties for the related

tender. The third party must be requested by the tenderer to continuously

update Declaration D. Typical evidence of imported content will include

commercial invoices, bills of entry etc.

80

When a third party procures imported services such as project management, design, testing, marketing etc. and makes royalty and lease payments, such payments relating to the tender must be included when calculating imported content.

## 2.3.1.3. Exempt Imported Content:

Exemptions, if any, are granted by the Department of Trade and Industry (the dti). Evidence of the exemptions must be provided and included in Annexure D.

### 2.3.2. Local Content

Identify and calculate the local content, by value for products by components/materials/services to be used in the manufacture of the total quantity of the products.

## ANNEXURE C

# 3.1. Guidelines for completing Annexure C: Local Content Declaration – Summary Schedule

Note: The paragraph numbers correspond to the numbers in Annexure C.

### C1. Tender Number

Supply the tender number that is specified on the specific tender documentation.

## C2. Tender description

Supply the tender description that is specified on the specific tender documentation.

### C3. Designated products

Supply the details of the products that are designated in terms of this tender (i.e. buses).

### C4. Tender Authority

Supply the name of the tender authority.

## C5. Tendering Entity name

Provide the tendering entity name (for example, Unibody Bus Builders (Pty) Ltd).

## C6. Tender Exchange Rate

Provide the exchange rate used for this tender, as per the Standard Bidding Document (SBD) and Municipal Bidding Document (MBD) 6.2.

## C7. Specified local content %

Provide the specified minimum local content requirement for the tender (i.e. 80%), as per the Standard Bidding Document (SBD) and Municipal Bidding Document (MDB) 6.2.

### C8. Tender item number

Provide the tender item number(s) of the products that have a local content requirement as per the tender specification.

#### C9. List of items

Provide a list of the item(s) corresponding with the tender item number. This may be a short description or a brand name.

#### Calculation of local content

#### C10. Tender price

Provide the unit tender price of each item excluding VAT.

#### C11. Exempted imported content

Provide the ZAR value of the exempted imported content for each item, if applicable. These value(s) must correspond with the value(s) of column D16 on Annexure D.

#### C12. Tender value net of exempted imported content

Provide the net tender value of the item, if applicable, by deducting the exempted imported content (C11) from the tender price (C10).

#### C13. Imported value

Provide the ZAR value of the items' imported content.

#### C14. Local value

Provide the local value of the item by deducting the Imported value (C13) from the net tender value (C12).

#### C15. Local content percentage (per item)

Provide the local content percentage of the item(s) by dividing the local value (C14) by the net tender value (C12) as per the local content formula in SATS 1286.

#### Tender Summary

#### C16. Tender quantity

Provide the tender quantity for each item number as per the tender specification.

#### C17. Total tender value

Provide the total tender value by multiplying the tender quantity (C16) by the tender price (C10).

#### C18. Total exempted imported content

Provide the total exempted imported content by multiplying the tender quantity (C16) by the exempted imported content (C11). These values must correspond with the values of column D18 on Annexure D.

#### C19. Total imported content

Provide the total imported content of each item by multiplying the tender quantity (C16) by the imported value (C13).

#### C20. Total tender value

Total tender value is the sum of the values in column C17.

#### C21. Total exempted imported content

Total exempted imported content is the sum of the values in column C18. This value must correspond with the value of D19 on Annexure D.

#### C22. Total tender value net of exempted imported content

The total tender value net of exempt imported content is the total tender value (C20) less the total exempted imported content (C21).

#### C23. Total imported content

Total imported content is the sum of the values in column C19. This value must correspond with the value of D53 on Annexure D.

#### C24. Total local content

Total local content is the total tender value net of exempted imported content (C22) less the total imported content (C23). This value must correspond with the value of E13 on Annexure E.

#### C25. Average local content percentage of tender

The average local content percentage of tender is calculated by dividing total local content (C24) by the total tender value net of exempted imported content (C22).

#### ANNEXURE D

## 4.1. Guidelines for completing Annexure D: "Imported Content Declaration – Supporting Schedule to Annexure C"

Note: The paragraph numbers correspond to the numbers in Annexure D.

#### D1. Tender number

Supply the tender number that is specified on the specific tender documentation.

#### D2. Tender description

Supply the tender description that is specified on the specific tender documentation.

#### D3. Designated products

Supply the details of the products that are designated in terms of this tender (i.e. buses).

#### D4. Tender authority

Supply the name of the tender authority.

#### D5. Tendering entity name

Provide the tendering entity name (i.e. Unibody Bus Builders (Pty) Ltd).

#### D6. Tender exchange rate

Provide the exchange rate used for this tender, as per the Standard Bidding Document (SBD) and Municipal Bidding Document (MBD) 6.2.

#### Table A. Exempted Imported Content

#### D7. Tender item number

Provide the tender item number(s) of the product(s) that have imported content.

#### D8. Description of imported content

Provide a list of the exempted imported product(s), if any, as specified in the tender.

#### D9. Local supplier

Provide the name of the local supplier(s) supplying the imported product(s).

#### D10. Overseas supplier

Provide the name(s) of the overseas supplier(s) supplying the exempted imported product(s).

#### D11. Imported value as per commercial invoice

Provide the foreign currency value of the exempted imported product(s) disclosed in the commercial invoice accepted by the South African Revenue Service (SARS).

#### D12. Tender exchange rate

Provide the exchange rate used for this tender as per the Standard Bidding Document (SBD) and Municipal Bidding Document (MBD) 6.2.

#### D13. Local value of imports

Convert the value of the exempted imported content as per commercial invoice (D11) into the ZAR value by using the tender exchange rate (D12) disclosed in the tender documentation.

#### D14. Freight costs to port of entry

Provide the freight costs to the South African Port of the exempted imported item.

#### D15. All locally incurred landing costs and duties

Provide all landing costs including customs and excise duty for the exempted imported product(s) as stipulated in the SATS 1286:2011.

#### D16. Total landed costs excl VAT

Provide the total landed costs (excluding VAT) for each item imported by adding the corresponding item values in columns D13, D14 and D15. These values must be transferred to column C11 on Annexure C.

#### D17. Tender quantity

Provide the tender quantity of the exempted imported products as per the tender specification.

#### D18. Exempted imported value

Provide the imported value for each of the exempted imported product(s) by multiplying the total landed cost (excl. VAT) (D16) by the

tender quantity (D17). The values in column D18 must correspond with the values of column C18 of Annexure C.

#### D19. Total exempted imported value

The total exempted imported value is the sum of the values in column D18. This total must correspond with the value of C21 on Annexure C.

#### Table B. Imported Directly By Tenderer

#### D20. Tender item numbers

Provide the tender item number(s) of the product(s) that have imported content.

#### D21. Description of imported content:

Provide a list of the product(s) imported directly by tender as specified in the tender documentation.

#### D22. Unit of measure

Provide the unit of measure for the product(s) imported directly by the tenderer.

#### D23. Overseas supplier

Provide the name(s) of the overseas supplier(s) supplying the imported product(s).

#### D24. Imported value as per commercial Invoice

Provide the foreign currency value of the product(s) imported directly by tenderer disclosed in the commercial invoice accepted by the South African Revenue Service (SARS).

#### D25. Tender rate of exchange

Provide the exchange rate used for this tender as per the Standard Bidding Document (SBD) and Municipal Bidding Document (MBD) 6.2.

#### D26. Local value of imports

Convert the value of the product(s) imported directly by the tenderer as per commercial invoice (D24) into the ZAR value by using the tender exchange rate (D25) disclosed in the tender documentation.

#### D27. Freight costs to port of entry

Provide the freight costs to the South African Port of the product(s) imported directly by the tenderer.

#### D28. All locally incurred landing costs and duties

Provide all landing costs including customs and excise duty for the product(s) imported directly by the tenderer as stipulated in the SATS 1286:2011.

#### D29. Total landed costs excl VAT

Provide the total landed costs (excluding VAT) for each item imported directly by the tenderer by adding the corresponding item values in columns D26, D27 and D28.

#### D30. Tender quantity

Provide the tender quantity of the product(s) imported directly by the tenderer as per the tender specification.

#### D31. Total imported value

Provide the total imported value for each of the product(s) imported directly by the tenderer by multiplying the total landed cost (excl. VAT) (D29) by the tender quantity (D30).

#### D32. Total imported value by tenderer

The total value of imports by the tenderer is the sum of the values in column D31.

#### Table C. Imported by Third Party and Supplied to the Tenderer

#### D33. Description of imported content

Provide a list of the product(s) imported by the third party and supplied to the tenderer as specified in the tender documentation.

#### D34. Unit of measure

Provide the unit of measure for the product(s) imported by the third party and supplied to tenderer as disclosed in the commercial invoice.

#### D35. Local supplier

Provide the name of the local supplier(s) supplying the imported product(s).

#### D36. Overseas supplier

Provide the name(s) of the overseas supplier(s) supplying the imported products.

#### D37. Imported value as per commercial invoice

Provide the foreign currency value of the product(s) imported by the third party and supplied to the tenderer disclosed in the commercial invoice accepted by SARS.

#### D38. Tender rate of exchange

Provide the exchange rate used for this tender as per the Standard Bidding Document (SBD) and Municipal Bidding Document (MBD) 6.2.

#### D39. Local value of imports

Convert the value of the product(s) imported by the third party as per commercial invoice (D37) into the ZAR value by using the tender exchange rate (D38) disclosed in the tender documentation.

#### D40. Freight costs to port of entry

Provide the freight costs to the South African Port of the product(s) imported by third party and supplied to the tenderer.

#### D41. All locally incurred landing costs and duties

Provide all landing costs including customs and excise duty for the product(s) imported by third party and supplied to the tenderer as stipulated in the SATS 1286:2011.

#### D42. Total landed costs excluding VAT

Provide the total landed costs (excluding VAT) for each product imported by third party and supplied to the tenderer by adding the corresponding item values in columns D39, D40 and D41.

#### D43. Quantity imported

Provide the quantity of each product(s) imported by third party and supplied to the tenderer for the tender.

#### D44. Total imported value

Provide the total imported value of the product(s) imported by third party and supplied to the tenderer by multiplying the total landed cost (D42) by the quantity imported (D43).

#### D45. Total imported value by third party

The total imported value from the third party is the sum of the values in column D44.

#### Table D. Other Foreign Currency Payments

#### D46. Type of payment

Provide the type of foreign currency payment. (i.e. royalty payment for use of patent, annual licence fee, etc.).

#### D47. Local supplier making the payment

Provide the name of the local supplier making the payment.

#### D48. Overseas beneficiary

Provide the name of the overseas beneficiary.

#### D49. Foreign currency value paid

Provide the value of the listed payment(s) in their foreign currency.

#### D50. Tender rate of exchange

Provide the exchange rate used for this tender as per the Standard Bidding Document (SBD) and Municipal Bidding Document (MBD) 6.2.

#### D51. Local value of payments

Provide the local value of each payment by multiplying the foreign currency value paid (D49) by the tender rate of exchange (D50).

#### D52. Total of foreign currency payments declared by tenderer and/or third party

The total of foreign currency payments declared by tenderer and/or a third party is the sum of the values in column D51.

#### D53. Total of imported content and foreign currency payment

The total imported content and foreign currency payment is the sum of the values in column D32, D45 and D52. This value must correspond with the value of C23 on Annexure C.

#### ANNEXURE E

#### 5.1. Guidelines to completing Annexure E: "Local Content Declaration-Supporting Schedule to Annexure C"

The paragraph numbers correspond to the numbers in Annexure E

#### E1. Tender number

Supply the tender number that is specified on the specific tender documentation.

#### E2. Tender description

Supply the tender description that is specified on the specific tender documentation.

#### E3. Designated products

Supply the details of the products that are designated in terms of this tender (for example, buses/canned vegetables).

#### E4. Tender authority

Supply the name of the tender authority.

#### E5. Tendering entity name

Provide the tendering entity name (for example, Unibody Bus Builders (Pty) Ltd) Ltd).

#### Local Goods, Services and Works

#### E6. Description of items purchased

Provide a description of the items purchased locally in the space provided.

#### E7. Local supplier

Provide the name of the local supplier that corresponds to the item listed in column E6.

#### E8. Value

Provide the total value of the item purchased in column E6.

#### E9. Total local products (Goods, Services and Works)

Total local products (goods, services and works) is the sum of the values in E8.

#### E10. Manpower costs:

Provide the total of all the labour costs accruing only to the tenderer (i.e. not the suppliers to tenderer).

#### E11. Factory overheads:

Provide the total of all the factory overheads including rental, depreciation and amortisation for local and imported capital goods, utility costs and consumables. (Consumables are goods used by individuals and businesses that must be replaced regularly because they wear out or are used up. Consumables can also be defined as the components of an end product that are used up or permanently altered in the process of manufacturing, such as basic chemicals.)

#### E12. Administration overheads and mark-up:

Provide the total of all the administration overheads, including marketing, insurance, financing, interest and mark-up costs.

#### E13. Total local content:

The total local content is the sum of the values of E9, E10, E11 and E12. This total must correspond with C24 of Annexure C.

#### C1: AGREEMENTS AND CONTRACT DATA

**C1 PART C: THE CONTRACT** 

Name & signature of

Part C1: Agreement and Contract Data

	Part C1: Agreement and Contract Data		
PROJECT TI	REQUEST FOR BIDS FOR THE APPOINTMENT OF A CONTRACTOR FOR THE REFURBISHMENT OF MBIZANA STORAGE HUB		
CONTRACT	NO:		
C1.1 Form	of Offer a	nd Acceptance	
The Employer,	identified in	n the Acceptance signature block, has solicited offers to enter into a contract for:	
REQUEST FO STORAGE AT		R THE APPOINTMENT OF A CONTRACTOR FOR THE REFURSHMENT OF	
	hereto as li	the Offer signature block, has examined the documents listed in the Tender Data isted in the Returnable Schedules, and by submitting this Offer has accepted the	
The tenderer, ic section and ag		the Offer signature block, has examined the draft contract as listed in the Acceptance vide this Offer.	
By the representative of the tenderer, deemed to be duly authorised, signing this part of this Form of Offer and Acceptance the tenderer offers to perform all of the obligations and liabilities of the <b>Contractor</b> under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the conditions of contract identified in the Contract Data.			
THE OFFEREI	D TOTAL O	F THE PRICES INCLUSIVE OF VAT IS:	
(in words)		Rand;	
R		(in figures)	
THE OFFEREI	D PRICES A	ARE AS STATED IN THE PRICING SCHEDULE	
Acceptance artenderer before	nd returning e the end tenderer b	oted by the Employer by signing the Acceptance part of this Form of Offer and gone copy of this document including the Schedule of Deviations (if any) to the of the period of validity stated in the Tender Data, or other period as agreed, ecomes the party named as the <b>Contractor</b> in the conditions of contract identified	
Signature(s)			
Name(s)			
Capacity			
For the Tenderer:			
		(Insert name and address of organisation)	

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

(Insert name and address of organisation)

Date .....

# TENDER NO: RFQ 42 – 2023 2024 witness [Failure of a Tenderer to complete and sign this form will invalidate the tender]

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

#### **Acceptance**

By signing this part of this Form of Offer and Acceptance, the Employer identified below accepts the tenderer's Offer. In consideration thereof, the Employer shall pay the Contractor the amount due in accordance with the conditions of contract identified in the Contract Data. Acceptance of the tenderer's Offer shall form an agreement between the Employer and the tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The terms of the Contract are contained in

Part C1	Agreements and Contract Data [which includes this Agreement
Part C2	Pricing Data
Part C3	Scope of Work
Part C4	Site Information

and drawings and documents or parts thereof, which may be incorporated by reference into Parts C1 to C4 above.

Deviations from and amendments to the documents listed in the Tender Data and any Addenda thereto listed in the Tender Schedules, as well as any changes to the terms of the Offer agreed by the Tenderer and the Employer during this process of offer and acceptance, are contained in the Schedule of Deviations attached to and forming part of this Agreement. No amendments to or deviations from the said documents are valid unless contained in this Schedule, which must be duly signed by the authorised representative(s) of both parties.

The Tenderer shall within the time required to submit documentation in accordance with clause 5.3.2 of the Contract Data (C1.2) after receiving a completed copy of this Agreement, including the Schedule of Deviations (if any), contact the Employer's agent (whose details are given in the Contract Data) to arrange the delivery of any bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the Conditions of Contract identified in the Contract Data at, or just after, the date this Agreement comes into effect. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this Agreement.

Notwithstanding anything contained herein, this Agreement comes into effect on the date when the Tenderer receives one fully completed original copy of this document, including the Schedule of Deviations (if any). Unless the Tenderer (now Contractor) within five working days of the date of such receipt notifies the Employer in writing of any reason why he cannot accept the contents of this Agreement, this Agreement shall constitute a binding Contract between the parties.

Signature(s)	
Name(s)	
Capacity	
For the Employer:	
	(Insert name and address of organisation)
Name & signature of witness	Date

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

#### Schedule of Deviations

1	Subject
	Details
2	Subject
	Details
3	Subject
	Details
4	Subject
	Details
5	Subject
	Details

By the duly authorised representatives signing this Schedule of Deviations, the Employer and the Tenderer agree to and accept the foregoing Schedule of Deviations as the only deviations from and amendments to the documents listed in the Tender Data and Addenda thereto as listed in the Tender Schedules, as well as any confirmation, clarification or change to the terms of the offer agreed by the Tenderer and the Employer during this process of offer and acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the Tender Documents and the receipt by the Tenderer of a completed signed copy of this Agreement shall have any meaning or effect in the Contract between the parties arising from this Agreement.

FOR THE TENDERER	₹:	
Signature(s)		
Name(s)		
Capacity		
	[Name and address o	f organisation]
Name and signature of witness		Date
FOR THE EMPLOYE	R:	
Signature(s)		
Name(s)		
Capacity		
	[Name and address of organisation	on]
Name and signature of witness		Date

#### **CONFIRMATION OF RECEIPT**

The Tenderer (now Contractor), identified in the Offer part of this Agreement, hereby confirms receipt from the Employer, identified in the Acceptance part of this Agreement, of one fully completed original copy of this Agreement, including the Schedule of Deviations (if any) today:

The [day]	
of	[month]
20[year]	
at	[place]
For the Contractor:	Signature
	Name
	Capacity
Signature and name of witness:	Signature
	Name

PART C: THE CONTRACT Part C1.2: Contract Data

# The Joint Building Contracts Committee – NPC CONTRACT DATA For use by ORGANS OF STATE and other PUBLIC SECTOR BODIES Principal Building Agreement Edition 6.2 – May 2018

#### **JBCC**

The Joint Building Contracts Committee NPC (JBCC) is representative of building owners and developers, professional consultants and general and specialist contractors who contribute their knowledge and experience to the compilation of the JBCC documents. The JBCC documents portray the consensus view of the constituent members and are published in the interests of standardization and good practice with an equitable distribution of contractual risk.

#### **Application of JBCC agreements**

The definitions contained in the JBCC Principal Building Agreement to suit Organs of State and other Public Sector Bodies' requirements, as well as unique requirements applicable to the project and variables referred to in the JBCC Principal Building Agreement and the JBCC General Preliminaries. The information provided in this document is complete and accurate at the time of calling for tenders. Where additional information becomes available, all tenders will be informed in writing. Reference to clause numbers in the JBCC Principal Building Agreement are shown in (square brackets) in this contact data e.g. (3.2.1). Spaces requiring information must be filled in or marked as 'not applicable' but not left blank.

Where the contractor is appointed, the contract documents comprise the completed and signed Form of Offer and Acceptance, the signed JBCC Principal Building Agreement, this completed contract data, the priced document, drawings, and other listed documents.

#### **Endorsement of JBCC agreements**

The JBCC Edition 6.2 agreements have been endorsed by Construction Industry Development Board (CIDB) for use by Organs of State and other Public Sector Bodies. **Warning!** 

The JBCC Principal Building Agreement Edition 6.2 has been coordinated with the JBCC Nominated/Selected Subcontract Agreement Edition 6.2, the JBCC certificate forms and support documents. Forms from previous editions are not compatible with the JBCC Principal Building Agreement Edition 6.2.

Persons entering or preparing contracts using the JBCC suite of contract agreements and support documents are warned of the dangers inherent in modifying any part of it. Experience has shown that changes drafted by others, including members of the building professions, often have unintended results that may be prejudicial to either, or both, parties.

#### **Disclaimer**

While the JBCC aims to ensure that its publications represent best practice it does not accept or assume any liability or responsibility for any events or consequences which derive from the use of JBCC documents.

#### Copyright reserved.

The name 'The Joint Building Contracts Committee NPC, the abbreviation JBCC the electronic version e-JBCC and the JBCC logo are registered trademarks. The JBCC claims authorship of this work. All rights are reserved. No part of the publication may be reproduced, stored in any retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, scanning, recording, or otherwise, without the prior permission in writing of the JBCC. Unauthorized reproduction of the work is an infringement of the copyright. Judicial proceedings and and will be instituted to obtain relief and recovery of damages.

#### **C1.2.1 PROJECT INFORMATION**

#### C1.2.1.1 Works (1.1)

Project name	Refurbishment of the existing storage facilities at Mbizana RED Hub
Reference number	
Works description	Repair of damaged ceilings, installation of rubbers on roller shutter doors, Waterproofing of translucent roof sheets and circular vents. Installation of creosote on floor. Repair sagging foundation.

#### C1.2.1.2 Site [1.1]

Erf/stand number	
Township/Suburb	
·	
Site address	
Local authority	
Local authority	

#### C1.2.1.3 Employer (1.1)

Official Name of Organ of State/Public Sector Body	Eastern Cape Rural Development Agency		
Business registration Number			
VAT/GST number			
Country	South Africa		
Employer's representative: Name		·	
Email		Telephone number	
Mobile number			
Postal address		·	
		Postal code	
Physical address			
	East London	Postal code	5201

#### C1.2.1.4 Principal agent (1.1)

Name	Techi Engineers	Contact person	Muchatyiwa L Mhindurwa
Legal entity of above	Techi Engineers Pty Ltd	Telephone number	0834801305
Practice number		Mobile number	0834801305
Country	South Africa	Email	info@techi.co.za
Postal address	8 Dann Road, Aston Manor		
	Kempton Park	Postal code	1619
Physical address	8 Dann Road, Aston Manor		
	Kempton Park	Postal code	1619

C1.2.1.5 AGENT (1.1;6.2)	Discipline	
01.2.1.3 AOLIVI (1.1,0.2)		

Name	Contact person
Legal entity of above	Telephone number
Legal entity of above	relephone number
Practice number	Mobile number
Country	Email
Postal address	
	Postal code
Physical address	
	Postal code

C1.2.1.6 AGENT (1.1;6.2)	
,,,,,	Discipline
Name	Contact person
Legal entity of above	Telephone number
Practice number	Mobile number
Country	Email
Postal address	
	Postal code
Physical address	
	Postal code
C1.2.1.7 AGENT (1.1;6.2)	Discipline
Name	Contact person
Legal entity of above	Telephone number
Practice number	Mobile number
Country	Email
Postal address	
	Postal code
Physical address	,
	Postal code

C1.2.1.8 AGENT (1.1;	6.2)	Discipline		
	,			
Name			Contact person	
Legal entity of above			Telephone number	
Practice number			Mobile number	
Country			Email	
Postal address				
			Postal code	
Physical address				•
			Postal code	
C1.2.1.9 AGENT (1.1;	6.2)	Discipline		
ame		Со	ntact person	
and antitude about		т.	lankana ni makar	

Name	Contact person
Legal entity of above	Telephone number
Practice number	Mobile number
Country	Email
Postal address	
	Postal code
Physical address	
	Postal code

C1.2.1.10 AGENT	Г (1.1;6.2)	Discipline		
Name			Contact person	
Legal entity of above			Telephone number	
Practice number			Mobile number	
		1		1
Country			Email	
Postal address				
			Postal code	
Physical address				
			Postal code	
C1.2.1.11 AGENT	Г (1.1;6.2)	Discipline		
Name		Conta	ct person	
Legal entity of above		Telep	hone number	
Practice number		Mobile	e number	
		·		
Country		Email		
Postal address		<u>.</u>		
		Posta	l code	
Physical address				
		Posta	I code	

C1.2.1.12 AGENT (1.1;6.2)		Discipline		
Name			Contact person	
Legal entity of above	-		Telephone number	
Practice number			Mobile number	
Country			Email	
Postal address				
			Postal code	
Physical address			1	
			Postal code	
,				
C1.2.1.13 AGENT (1.1	;6.2)	Discipline		
Name			Contact person	
Legal entity of above			Telephone number	
Practice number			Mobile number	
Country			Email	
Postal address				
			Postal code	
Physical address				
			Postal code	

# C1.2.2 CONTRACT INFORMATION C1.2.2.1 Definition [1.1] Bill of quantities: system/Method of

<b>Bill of quantities:</b> system/Method of measurement	
C1.2.2.2 Law, regulation and notices [2.0]	
Law applicable to works, state country	South Africa

#### C1.2.2.3 Offer and acceptance [3.0]

Currency applicable to this **agreement** [3.0] RAND

#### **C1.2.2.4 Documents** [5.0]

[2.1]

and the second of the second o	
The original signed <b>agreement</b> is to be held by the <b>principal agent</b>	Employer
[5.2], if not indicate by who	
Number of copies of <b>construction information</b> issued to the	3
contractor at no cost [5.6]	

Documents comprising the agreement	Pages num	bers	
The JBBC Principal Building Agreement, Edition 6.2 May 20		1 to 30	
The <b>JBCC</b> Principal Building Agreement – Contract Data for Organs of State and other Public Sector Bodies, Edition 6.2 I 2018		1 to 14	
The <b>JBCC</b> General Preliminaries for use with <b>JBCC</b> Principal Building Agreement, Edition 6.2 May 2018	ıl	1 to 7	
Contract drawings - description	Number	Revision	Date

C1.	.2.2.5	Emp	loyer's	agents	[6.0]	
-----	--------	-----	---------	--------	-------	--

Authority is delegated to the following <b>agents</b> to issue <b>contract instructions</b> and perform duties for specific of the <b>works</b> [6.2]

**Principal agent's** and **agents'** interest or involvement in the **works** other than a professional interest [6.3]

The principal agent and agents have no interest or involvement in the works other than on a professional level.

**C1.2.2.6** Insurance [10.0]

Insurances by employer				Amount including tax	Deductible amount including <b>tax</b>
Yes/No?		No			
Contract w	ork:	s insurance			
	Ne	w <b>works</b> [10.1	.1]		
	_	ontract sum o			
or		orks with prac			
		mpletion in se			
	-	0.2] (contracts	sum or		
		nount)			
or		orks with alter			
		d additions [10	-		
	(reinstatement value of				
existing structures with or					
including new works)  Direct contractors					
		1.1.2; 10.2] who			
	_	olicable to be i			
		the contract wo			
		urance	JIKO .		
		e issue [10.1.	1: 10.2		
where applicable, to be					
	included in the contract				
	works insurance				
	Es	calation, profes	ssional		
	fee	s and reinstate	ement		
	COS	sts if not includ	led above		

Total of the abo	ove contract works unt	
Supplementary 10.21	insurance [10.1.2;	
Public liability in	nsurance [10.1.3, 10.2]	
Removal of Lat	eral support insurance	
[10.1.4,10.2]		
Other insurance	e [10.1.5]	
Yes/no?	If yes, description 1	
Yes/no?	If yes, description 2	

#### and/or

Insurances by contractor		Amount including tax	Deductible amount including tax
Yes/No? Yes			
	New works [10.1.1]		
or	(contract sum or amount) Works with practical		
or	completion in sections		
	[10.2] (contract sum or		
	amount)		
or	Works with alterations		
	and additions [10.3]		
	(reinstatement value of		
	existing structures with or		
	including new works)		
	Direct contractors		
	[10.1.1; 10.2] where applicable, to be included		
	in the contract works		
	insurance		
	Free issue [10.1.1; 10.2		
	where applicable, to be		
	included in the contract		
	works insurance		
	Escalation, professional		
	fees and reinstatement		
T . 1	costs if not included above		
Total of the above contract works			
insurance amount			
Supplementary insurance [10.1.2]			
Public liability insurance [10.1.3,			
Removal of Lateral support insurance [10.1.4]			
Other insurance [10.1.5]: Refer B17.0			
Other mad	iance [10.1.0]. Neier D17.0		

Yes/no?	Yes	If yes,	
		description 1	
Hi Risk Ins	surance [1	0.1.5.1]	
Yes/no?		If yes,	
		description 2	

C1.2.2.7 Obligations of the employer [12.1] Yes/no? Existing premises will be in use and occupied [12.1] If yes, description Restriction of working hours [12.1.2] Yes/no? If yes, description Natural features and known services to be preserved by Yes/no? the contractor [12.1.3 If yes, description Restrictions to the **site** or areas that the **contractor** may Yes/no? not occupy [12.1.4] If yes, description Supply of Free issue [12.1.10 Yes/no? If yes, description C1.2.2.8 **Nominated subcontractors** [14.0] Yes/no? If yes, description of specialisation

C1220	Salactad	subcontractors	[15 0]

Specialisation 1 Specialisation 2 Specialisation 3 Specialisation 4 Specialisation 5

Yes/no?	If yes, description of specialisation
Specialisation 1	
Specialisation 2	
Specialisation 3	
Specialisation 4	
Specialisation 5	

C1.2.2.10 Direct contractors [16.0]

Yes/no? If yes, description of extent of work

Yes/no?	If yes, description of extent of work
Extent of work [12.1.11]	

C1.2.2.11 Description of section [20.1]

The Description of	Section [20.1]		
Section 1			
Section 2			
Section 3			
Section 4			
Section 5			
Section 6			
Section	Remainder of the wo	rks	

### **C1.2.2.12** Possession of site [12.1.5], practical completion [19.0; 20.0] and penalty for [24.0]

days  amour per calend r day (excl. tax)	Practical completion for the works as a whole	Intended date of possessio n of the site Refer B17.0 [12.1.5; 12.2.22]	Period for inspection by the principal agent [19.3]	The data for practical completion shall be the period as indicated below from the date of possession of the site by the contractor [12.2.7;24.1]	Penalty for the completi on [24.1]
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			•	Period in months	r day (excl.

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

Or where sections are applicable

	ons are applicable			
Practical	Intended date	Period for	The data for	Penalty for the
completion	of possession	inspection by	practical	completion
of a	of a <b>section</b>	the <b>principal</b>	completion	[24.1]
section of	Refer B17.0	agent [19.3]	shall be the	
the works	[12.1.5;		period as	
	12.2.22		indicated below	
			from the date	
			of possession	
			of the site by	
			the contractor	
			[12.2.7;24.1]	Develter
		working days	Period in	Penalty
			months	amount <b>per</b>
				calendar day (excl. tax)
				(exci. lax)
Section 1				
Section 2				
Section 3				
Section 4				
Section 5				
Section 6				
Section 7				
Section 8				
Remainder				
of the				
works				

Criteria to achieve **practical completion** not covered in the definition of **practical completion** 

C1.2.2.13 Defects liability period [21.0]

Extended defects liabilit	Yes/no?		
If yes, description of applicable elements	eg: Electrical reticulation/ Air con 13.1 13.2 13.3 13.4 13.5 13.6	nditioning system / La	andscaping

**C1.2.2.14** Payment [25.0]

Onzizina raymont [20.0]	
Date of month for issue of regular <b>payment certificates</b> [25.2]	
Contract price adjustment / Cost fluctuations [25.3.4; 26.9.5]	Yes/no?
If yes, method to calculate	
<b>Employer</b> shall pay the <b>contractor</b> within: [25.10]	Twenty-one (21) calendar days

**C1.2.2.15 Dispute resolution** [30.0]

Adjudication [30.6.1;30.10]	
Name of nominating	
Applicable rules for adjudication [30.6.2]	
Arbitration [30.7.4;30.10]	Yes/no?*
If Yes, name of nominating body	<u> </u>
*If No, then dispute will be referred to	
litigation	
Applicable rules for arbitration [30.7.5]	

C1.2.2.16 JBCC General Preliminaries- selections

Provision bills of quantities [P2.2]			
Availability of construction information [P2.3]			
Previous work - dimensional contract(s) [P3.1]	accuracy - details of previous		
Previous work - <b>defects</b> - defects	·		
Inspection of adjoining prope	rties - details [P3.3]		
Handover of <b>site</b> in stages - s	specific requirements [P4.1]		
Enclosure of the works - spe	cific requirements [P4.2]		
Geotechnical and other inves requirements [P4.4]	tigations - specific		
Existing premises occupied -	details [P4.5]		
Services - known - specific re	equirements [P4.6]		
Water	By contractor	Yes/no?	
[P8.1]	By employer	Yes/no?	
	By <b>employer</b> - metered	Yes/no?	
Electricity	By contractor	Yes/no?	
[P8.2]	By <b>employer</b>	Yes/no?	
	By <b>employer</b> - metered	Yes/no?	
Ablution and welfare	By contractor	Yes/no?	
Facilities [P8.3]	By <b>employer</b>	Yes/no?	

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

Communication facilities - specific requirements [P8.4]	
Protection of the <b>works</b> - specific requirements [P11.1]	
Protection/isolation of existing works and works Occupied in sections - specific requirements [P11.2]	
Disturbance - specific requirements [P11.5]	
Environmental disturbance - specific requirements [P11.6]	

#### C1.2.2.17 Changes made to JBCC documentation

Reference may be made to other documents forming part of this agreement

#### 1.1 Definitions

**REEMENT:** The completed Form of Offer and Acceptance, the completed JBCC Principal Building

- reement and JBCC contract data for organs of state and other public sector bodies, the contract drawings, the priced document, and any other documents reduced to writing and signed by the authorized representatives of the parties.
- **DNSTRUCTION PERIOD:** The period commencing on the date of possession of the site by the contractor and ending on the date of practical completion.
- ONTRACT DATA FOR ORGANS OF STATE AND OTHER PUBLIC SECTOR BODIES: The document listing the Organs of State and other Bodies' requirements and the project specific information.
- **TEREST**: The interest rates applicable on this contract, whether specifically indicated in the relevant clauses or not, will be the rate as determined by the Minister of Finance from time to time, in terms of section 80(1)(b) of the Public Finance Management Act, 1999 (Act No 1 of 1999), calculated as simple interest, in respect of debts owing to the State, and will be the rate as determined by the Minister of Justice and Constitutional

Development from time to time, in terms of section 1(2) of the Prescribed Rate of Interest Act, 1975 ( Act No 55 of 1975), calculated as simple interest, in respect of debts owing by the State.

INCIPAL AGENT: The person or entity appointed by the employer and named in the contract data for organs of state and other public sector bodies. In the event of a principal agent not being appointed, then all the duties and obligations of a principal agent as detailed in the agreement shall be fulfilled by the employer's representative as named in the contract data for organs of state and other public sector bodies

#### 3.0 Offer and Acceptance

hend 3.3 to read as follows:

is **agreement** shall come into force on the date as stated on the Form of Offer and Acceptance and continue to be of force and effect until the end of the **latent defects**' liability period [22.0] notwithstanding termination [29.0] or the certification of **final completion** [21.0] and final payment [25.0]

#### 6.0 Employer's Agents

d the following as 6.7:

terms of the clauses listed hereunder, the **employer** has retained its authority and has not given a mandate to the **principal agent.** The **employer** shall sign all documents in relation to clauses 4.2, 14.1.2, 14.1.4, 14.4.1, 14.6, 23.1, 23.2, 23.3, 23.7, 23.8, 26.1, 26.7, 26.12 and 28.4

#### 9.0 Indemnities

7: Add the following to the end of the first sentence: ".... due to no fault of the contractor."

#### 10.0 Insurances

Add the following as 10.1.5.1:

#### Hi Risk Insurance

In the event of the project being executed in a geological area classified as a "High Risk Area", that is an area which is subject to highly unstable sub-surface conditions that might result in catastrophic ground movement evident by sinkhole or doline formation the following will apply:

In the event of the project being executed in a geological area classified as a "High Risk Area", that is an area which is subject to highly unstable sub-surface conditions that

might result in catastrophic ground movement evident by sinkhole or doline formation the following will apply:

#### 10.1.5.1.1 Damage **to the works**

The contractor shall, from the date of possession of the site until the date of the **certificate of practical completion**, bear the full risk of and hereby indemnifies and holds harmless the employer against any damage to and/or destruction of the **works** consequent upon a catastrophic ground movement as mentioned above. The **contractor** shall take such precautions and security measures and other steps for the protection of the **works** as he may deem necessary.

When so instructed to do so by the **principal agent**, the **contractor** shall proceed immediately to remove and/or dispose of any debris arising from damage to or destruction of the **works** and to rebuild, restore, replace and/or repair the **works**, at the **contractor's** own costs

#### 10.1.5.1.2 Injury to persons or loss of or damage to property

The **contractor** shall be liable for and hereby indemnifies and holds harmless the **employer** against any liability, loss, claim or proceeding arising at any time during the period of the contract whether arising in common law or by statute, consequent upon personal injuries to or the death of any person whomsoever resulting from, arising out of, or caused by a catastrophic ground movement as mentioned above.

The contractor shall be liable for and hereby indemnifies the employer against any and all liability, loss, claim or proceeding consequent upon loss of or damage to any moveable, or immovable property, or personal property, or property contiguous to the **site**, whether belonging to or under the control of the **employer** or any other body or person whomsoever arising out of or caused by a catastrophic ground movement, as mentioned above, which occurred during the period of the contract

#### 10.1.5.1.3

It is the responsibility of the **contractor** to ensure that he has adequate insurance to cover his risk and

liability as mentioned in 10.1.5.1.1 and 10.1.5.1.2. Without limiting the **contractor's** obligations in terms

of the contract, the contractor shall, within twenty-one (21) **calendar days** of the date of possession of

the site, but before commencement of the **works**, submit to the **employer** proof of such insurance policy.

if requested to do so

#### 10.1.5.1.4

The **employer** shall be entitled to recover any and all losses and/or damages of whatever nature suffered

or incurred consequent upon the **contractor's** default of his obligations as set out in 10.1.5.1.1;

10.1.5.1.2 and 10.1.5.1.3. Such losses or damages may be recovered from the **contractor** or by

deducting the same from any amounts still due under this contract or under any other contract presently

or hereafter existing between the **employer** and the **contractor** and for this purpose all these contracts

shall be considered one indivisible whole

11.0 Securities

Amend 11.10 to read as follows:

There shall be no lien or right of retention held by any contractor in respect of the works executed on site.

12.0 Obligations of the Parties

Amend 12.1.5 to need as follows:

Give possession of the site to the contractor within inn (10) working days of the contractor complying with the terms of 12.2.22

12.2.2: Not applicable

Add the following an 12.2.22.

Within fifteen (15) working days of the date of the agreement submit to the principal agent an acceptable health and safety plan, required in terms of the Occupational Health and Safety Act, 1993 (Act No 86 of 1993)

- 19.0 Practical Completion
- 19.5. Delete the words "subject to the contractor's lien or right of continuing possession of the works where this has not been waived".
  - 21.0 Defects Liability Period and Final Completion

Add the following as 21.13:

The ninety (90) calendar days defects liability period for the works [211] is replaced with a period of three hundred and sixty-five (365) calendar days in respect of the listed applicable elements.

- 25.0 Payment
- 25.7.5: Not applicable
- 25.10. Delete the words "and/or compensatory interest".
- 25.14.2. Not applicable
- 27.0 Recovery of Expense and/or Loss

27.1.5: Not applicable
29.0 Termination
Add the following after 29.1.3:
or where
29.1.4: The contractor's estate has been sequestrated, liquidated, or surrendered in terms of the insolvency laws in force within the Republic of South Africa
29.1.5. The contractor has engaged in corrupt or fraudulent practices in competing for or in executing the contract

C1.2.3 TENI C 1.2.3.1 Secu		ELECTIONS				
		tion: Select Opti	on A or B			
Option A	Option A Guarantee for construction (variable) by contractor [11.1.1]					
Option B	Guarant	ee for construc	tion (fixed)	by contract	tor [11.1.1.2]	
<b>Guarante</b> [11.5;11.10		ent by employe	•	Not applicat	ble	
	payment sub payment [1	oject to a <b>guara</b> n 1.5.1;11.10]	tee for	Not applica	able	
.2.3.2 Contra	ctor's annu	al holiday perio	ds during	the constru	iction period	
Year 1 <b>cor</b> annual hol period		start date			end date	
Year 2 <b>cor</b> annual hol period		start date			end date	
Year 3 cor Annual ho period		state date			end date	
.2.3.3 Payme Contractor	nt of prelim					
	adjusted from time to time as may be necessary to take into account the rate of progress of the <b>works</b>					
Select Option Where the option Payment r	contractor	does not select a	an option, C	Option A sha	ll apply.	
Option A	Option A The <b>preliminaries</b> shall be paid in accordance with an amount prorated to the value of the <b>works</b> executed in the same ratio as the amount of <b>preliminaries</b> to the <b>contract sum</b> , which <b>contract sum</b> shall exclude the amount of <b>preliminaries</b> . Contingency sum(s) and any provision for cost fluctuations shall be excluded for the calculation of the aforesaid ratio					
Option B						

C

C

## **Lump sum contract**

Where the amount of preliminaries is not provided it shall be taken as 7.5 % (seven and a half per cent) of the **contract sum**, excluding contingency sum(s) and any provision for cost fluctuations.

selection

the date of acceptance of the tender

# C 1.2.3.4 Adjustment of preliminaries [26.9.4] Contractor's

	elect Option  /here the	contractor does not select an option, Option A shall apply.
T p	he <mark>contrac</mark> reliminarie	f particulars tor shall provide the particulars for the purposes of the adjustment of s in terms of his selection. Where completion in sections is required, the shall provide an appointment of preliminaries per section.
	ption A	An allocation of the <b>preliminaries</b> amounts into Fixed, Value-related and Time-related amounts As defined for adjustment method Option A below, within fifteen (15) <b>working days</b> of

Option B	A detailed breakdown of the <b>preliminaries</b> amounts within fifteen (15) <b>working days</b> of Possession of the <b>site</b> . Such breakdown shall include, inter alia, the administrative and
	supervisory staff, the use of construction equipment, establishment and dis-
	establishment
	Charges, insurances and guarantees of the <b>programme</b>

## **Adjustment methods**

The amount of preliminaries shall be adjusted to take account of the effect which changes in time and/or value have on preliminaries. Such adjustment shall be based on the particulars provided by the **contractor** for this purpose in terms of Option A or, shall preclude any further adjustment of the amount of preliminaries and shall apply notwithstanding the actual employment of resources by the contractor in the execution of the works

Option A	The <b>preliminaries</b> shall be adjusted in accordance with the allocation of <b>preliminaries</b> amounts provided by the <b>contractor</b> , apportioned to <b>sections</b> where completion in the <b>section</b> is required
	Fixed-An amount which shall not be varied
	Value-related -An amount varied in portion to the <b>contract value</b> as compared to the <b>contract sum</b> . Both the <b>contract sum</b> and the <b>contract value</b> shall be exclude the amount of <b>preliminaries</b> , contingency sum(s) and any provision for cost fluctuations
	Time-related-Any amount varied in the proportion to the number of <b>calendar days</b> extension to the date od <b>practical completion</b> to which the <b>contractor</b> is entitled with the adjustment of the <b>contract value</b> [23,2;23.3] as compared to the number of <b>calendar days</b> in the initial <b>construction period</b> [26.9.4]

Option B	The adjustment of <b>preliminaries</b> shall be based on the number of <b>calendar days</b> extension to the date of <b>practical completion</b> to which the <b>contractor</b> is entitled with the adjustment of the <b>contract value</b> [23.2;23.3] as compared to the number of <b>calendar days</b> in the initial <b>construction period</b> [26.9.4]
	The adjustment shall take into account the resources as set out in the detailed breakdown of the <b>preliminaries</b> for the period of construction during which the delayed occurred

Failure to provide particulars within the period stated

Option A	Where the allocation of <b>preliminaries</b> amounts for Option A, the following allocation of <b>preliminaries</b> amounts shall apply:
	Fixed-Ten per cent (10%) Value-related-fifteen-five per cent (15%) Time-related-seventy-five (75%)
	Where the apportionment of the <b>preliminaries</b> per <b>section</b> is not provided, the categorized amounts shall be prorated to the cost of each <b>section</b> within the <b>contract sum</b> as determined by the <b>principal agent</b>

Option B	Where the detailed breakdown of <b>preliminaries</b> amounts for Option B is not provided
	Option A shall apply

Lum	n sum	contact
Luiii	p suiii	Contact

Where the amount of **preliminaries** is not provided it shall as 7.5% (seven and half per cent) of the **contract sum**, excluding contingency sum(s) and any provision for fluctuations

Section C1.2.1: Contract Data: Employer to Contractor (EC)

**Employer Addendum Code 2101-EC** 

## For information purposes only. To be signed on appointment.

## Introduction

This addendum contains all variables referred to in the **Principal Building Agreement** that are the responsibility of the Contractor to provide the appropriate information that is necessary for the Contractor to complete his tender. The Addendum must be completed in full and included in the tender documents. The Addendums "Contract Data – EC", "Contract Data – CE", "Contract Data – ES" and "Contract Data – SE" form part of the contract between the parties.

### **Definitions**

The definitions used in this document and the interpretation thereof are as listed in the Principal Building Agreement. The work or phrase of a definition is in bold text and shall bear the meaning assigned to it in the Principal Building Agreement. Where such word or phrase is not highlighted it shall bear the meaning consistent with the context of its use. The listed defined word or phrase does not quality as a definition where information required to be stated in the contract data has not been provided.

## **Provision of Contract Data**

Spaces requiring information must be filled in, shown as "not applicable" or deleted and not left blank. Where choices are offered, the non-applicable items are to be clearly struck out. Where insufficient space is provided the additional information should be annexed hereto and cross referenced to the applicable clause of the contract data.

## **Reference Clauses**

Where relevant the Principal Building Agreement clause applicable to the required information is printed in italics under the Contract Data clause number i.e. [27.4.2]

PART C: THE CONTRACT
Part C1: Agreement and Contract Data

PROJECT TITLE:	REQUEST FOR BIDS FOR THE APPOINTMENT OF A CONTRACTOR FOR THE REFURBISHMENT OF THE EXISTING STORAGE FACILITIES AT MBIZANA RED HUB
CONTRACT NO:	

## Form of Construction Guarantee (Pro Forma)

# C1.3.1 FIXED CONSTRUCTION GUARANTEE - JBCC 2000 PRINCIPAL BUILDING AGREEMENT (Edition 6.2 of MAY 2018)

To:

Eastern Cape Rural Development Agency 14 Helena Road Infinity Place Beacon Bay East London

Sir,

# FIXED CONSTRUCTION GUARANTEE FOR THE EXECUTION OF A CONTRACT IN TERMS OF JBCC 2000 (6.2 EDITION MAY 2018)

. With reference to the contract between(hereinaft eferred to as the "Contractor") and the Eastern Cape Rural Development Agency (hereinafter eferred to as the "Employer"), Contract/Tender No: xxxxxxx Request for Bids for the appointment of a Contractor for the Refurbishment of the existing storage facilities at libizana Red Hub.	te
(hereinafter referred to as the "contract") in the amount of	
R(insert amount),	
(insert amount in words (hereinafter referred to as the contract sum),	s)
I / We,	•••
in my/our Capacity as and herel	by
representing	
(hereinafter referred to as the "Guarantor") advise that the Guarantor holds at the Employer	r's
disposal the sum of R, (insert amount in figure	es)
(insert amount in word	'at

being 5% of the contract sum (excluding VAT), for the due fulfillment of the contract.

- 2. The **Guarantor** hereby renounces the benefits of the exceptions *non numeratae punia; non causa debiti; excussionis et divisionis;* and *de duobus vel pluribus reis debendi* which could be pleaded against the enforcement of this guarantee, with the meaning and effect whereof I/we declare myself/ourselves to be conversant, and undertake to the **Employer** the amount guaranteed, on receipt of a written demand from the **Employer** to do so, stating that the **Employer** has a right of recovery against the **Contractor** in terms of 33.0 of the contract.
- 3. Subject to the above, but without in any way detracting from the **Employer's** rights to adopt any of the procedures provided for in the contract, the said demand can be made by the **Employer**, at any stage prior to the expiry of this guarantee.
- 4. The amount id by the **Guarantor** in terms of this guarantee may be retained by the **Employer** on condition that upon the issue of the last final **payment certificate**, the **Employer** shall account to the **Guarantor** showing how this amount has been expended and refund any balance due to the **Guarantor**.
- 5. The **Employer** shall have the absolute right to arrange his affairs with the **Contractor** in any manner which the **Employer** deems fit and the **Guarantor** shall not have the right to claim his release on account of any conduct alleged to be prejudicial to the **Guarantor**. Without derogating from the aforegoing, any compromise, extension of the **construction period**, indulgence, release or variation of the **Contractor's** obligation shall not affect the validity of this guarantee.
- 6. The **Guarantor** reserves the right to withdraw from this guarantee at any time by depositing the guaranteed amount with the **Employer**, whereupon the Guarantor's liability seizes.
- 7. This guarantee is neither negotiable nor transferable, and
  - (a) must be surrendered to the **Guarantor** at the time when the **Employer** accounts to the **Guarantor** in terms of clause 4 above, or
  - (b) shall lapse on the date of the last **certificate of practical completion**.
- 8. This guarantee shall not be interpreted as extending the **Guarantor's** liability to anything more than payment of the amount guaranteed.

Sign	ed at on this	day of	20
AS V	VITNESS		
1.			
2.			
		By and on behalf of	

			(insert the name and physical address of the Guarantor)
		Name:	
		Capacity:	(Duly authorised thereto by resolution attached marked Annexure A)
		Date:	
А. В. С.	The physical address of the Gas the Guarantor's domicilium guarantee.	uarantor m citandi et d	rding of this form will be accepted. ust be clearly indicated and will be regarded executandi, for all purposes arising from this
	3.2: VARIABLE CONSTRUCTION GU (Edition 6.2 of May 2018)	IARANTEE -	JBCC 2000 PRINCIPAL BUILDING AGREEMENT
F	South African National Biodiversity In Private Bag X101 Silverton 184	stitute	
Sir,			
•			OR THE EXECUTION OF A CONTRACT IN 2 EDITION MAY 2018)
refe <b>App</b> <b>the</b> (he	rred to as the "Contractor") and the rred to as the "Employer"), Contractoring ointment of a Contractor for the A existing storage facilities at Mbiza	Eastern Ca ct/Tender N Appointmen ana Red Hu	the contractor for the Refurbishment of the contract (hereinafter referred to as the "contract")
			ount),
			(insert amount in words),
	(hereinafter referred to as the cont I / We,	-	
	I / We,		and hereby
	in my/our Capacity as		
	in my/our Capacity asrepresenting	r <b>antor</b> ") ad	and hereby

being 10% of the contract sum (excluding VAT), for the due fulfillment of the contract.

- 1. I / We advise that the **Guarantor's** liability in terms of this guarantee shall be as follows:
  - (a) From and including the date on which this guarantee is issued and up to and including the date of payment of the amount in the last final payment certificate, the Guarantor will be liable in terms of this guarantee to the maximum amount of 10% of the contract sum (excluding VAT);
  - (b) The **Guarantor's** liability shall reduce to 3 % of the **contract value** (excluding VAT) as determined at the date of the last **certificate of practical completion**, subject to such amount not exceeding 10% of the **contract sum** (excluding VAT).
  - (c) The **Guarantor's** liability shall reduce to 1 % of the **contract value** (excluding VAT) as determined at the date of the last **certificate of final completion**, subject to such amount not exceeding 10 % of the **contract sum** (excluding VAT).
  - (d) This guarantee shall expire on the date of the last final payment certificate.
  - (e) The **practical completion certificate** and the **final completion certificate** referred to in this guarantee shall mean the certificates issued in terms of the contract.
- 2. The **Guarantor** hereby renounces the benefits of the exceptions *non numeratae punia; non causa debiti; excussionis et divisionis;* and *de duobus vel pluribus reis debendi* which could be pleaded against the enforcement of this guarantee, with the meaning and effect whereof I/we declare myself/ourselves to be conversant, and undertake to y the **Employer** the amount guaranteed on receipt of a written demand from the **Employer** to do so, stating that the **Employer** has a right of recovery against the **Contractor** in terms of 33.0 of the contract.
- 4. Subject to the above, but without in any way detracting from the **Employer's** rights to adopt any of the procedures provided for in the contract, the said demand can be made by the **Employer** at any stage prior to the expiry of this guarantee.
- 5. The amount id by the **Guarantor** in terms of this guarantee may be retained by the **Employer** on condition that upon the issue of the last **final payment certificate**, the **Employer** shall account to the **Guarantor** showing how this amount has been expended and refund any balance due to the **Guarantor**.
- 6. The **Employer** shall have the absolute right to arrange his affairs with the **Contractor** in any manner which the **Employer** deems fit and the **Guarantor** shall not have the right to claim his release on account of any conduct alleged to be prejudicial to the **Guarantor**. Without derogating from the aforegoing, any compromise, extension of the construction period, indulgence, release or variation of the **Contractor's** obligation shall not affect the validity of this guarantee.
- 7. The **Guarantor** reserves the right to withdraw from this guarantee at any time by depositing the amount guaranteed with the **Employer**, whereupon the **Guarantor's** liability ceases.
- 8. This guarantee is neither negotiable nor transferable, and

- (a) must be surrendered to the **Guarantor** at the time when the **Employer** accounts to the **Guarantor** in terms of clause 5 above, or
- (b) shall lapse in accordance with clause 2(d) above.
- 9. This guarantee shall not be interpreted as extending the **Guarantor's** liability to anything more than the payment of the amount guaranteed.

Signed at	OI	n this		day of	20
AS WITNI	ESS				
1					
2					
			By and	d on behalf c	f
			(insert Guara		nd physical address of the
	Na	ame:			
	Ca	apacity:	(Duly		nereto by resolution Annexure A)
	Da	ate:			
Α.	No alterations and/or addition	s of the	wordir	na of this fo	rm will be accepted
В.	The physical address of the regarded as the Guarantor's arising from this guarantee.	Guara	ntor m	ust be clea	arly indicated and will be
C.	This GUARANTEE must be re	turned t	o:		

PART C: THE CONTRACT Part C1: Agreement and Contract Data

PROJECT TITLE:	REQUEST FOR BIDS FOR THE APPOINTMENT OF A CONTRACTOR FOR THE RESTAURANT SHOPFRONT AND ROOF REPLACEMENT, AND GATE 2 TICKET OFFICE UPGRADES AT THE KIRSTENBOSCH NATIONAL BOTANICAL GARDEN, CAPE TOWN
CONTRACT NO:	xxxxxxx

#### C1.4 Occupational Health and Safety Agreement 37(2)

### AGREEMENT MADE AND ENTERED INTO BETWEEN THE

SOUTH AFRICAN NATIONAL BIODIVERSITY INSTITUTE (SANBI)

(Hereinafter called the "EMPLOYER")

..... (Contractor / Mandatary / Company / CC Name) IN TERMS OF SECTION 37(2) OF THE OCCUPATIONAL HEALTH AND SAFETY ACT, ACT **NO. 85 OF 1993 AS AMENDED** 

I, ....., representing ....., as an Employer in its own right, do hereby undertake to ensure, as far as is reasonably practicable, that all work will be performed, and all equipment, machinery or plant used in such a manner as to comply with the provisions of the Occupational Health and Safety Act (OHSA) and the Regulations promulgated there under.

I furthermore confirm that I am / we are registered with the Compensation Commissioner and that all registration and assessment monies due to the Compensation Commissioner have been fully paid or that I / we are insured with an approved licensed compensation insurer.

COID ACT Registration Number:	
Or Compensation Insurer:	Policy No.:

I undertake to appoint, where required, suitable competent persons, in writing, in terms of the requirements of OHSA and the Regulations and to charge him / them with the duty of ensuring that the provisions of OHSA and Regulations as well as the Council's Special Conditions of Contract, Way Leave, Lock-Out and Work Permit Procedures are adhered to as far as reasonably practicable.

I further undertake to ensure that any Sub-contractors employed by me will enter into an Occupational Health and Safety Agreement separately, and that such Sub-contractors comply with the conditions set.

I hereby declare that I have read and understand the appended Occupational Health and Safety Conditions and undertake to comply therewith at all times.

I hereby also undertake to comply with the C	Occupational Health and	d Safety Specifica	ation and Plan.
Signed at	this	day of	20
WITNESS	MANDATARY		
Signed at	this	day of	20
WITNESS		BEHALF OF THE	EMPLOYER

## **OCCUPATIONAL HEALTH AND SAFETY CONDITIONS**

- 1. The Chief Executive Officer of the Contractor shall assume the responsibility in terms of Section 16(1) of the Occupational Health and Safety Act (as amended). Should the Contractor assign any duty in terms of Section 16(2), a copy of such assignment shall immediately be provided to the representative of the Employer as defined in the Contract.
- 2. All work performed on the Employer's premises shall be performed under the supervision of the construction supervisor who understand the hazards associated with any work that the Contractor performs on the site in terms of Construction Regulations 2003.
- 3. The Contractor shall appoint a Competent Person who shall be trained on any occupational health and safety aspect pertaining to them or to the work that is to be performed.
- 4. The Contractor shall ensure that he familiarises himself with the requirements of the Occupational Health and Safety Act and that he, his employees, and any sub-contractors, comply with them.
- 5. Discipline in the interests of occupational health and safety shall be strictly enforced.
- 6. Personal protective equipment shall be issued by the Contractor as required and shall be worn at all times where necessary.
- 7. Written safe work procedures and appropriate precautionary measures shall be available and enforced, and all employees shall be made conversant with the contents of these practices.
- 8. No substandard equipment/machinery/articles or substances shall be used on the site.
- 9. All incidents referred to in terms of Section 24 of the Occupational Health and Safety Act shall be

reported by the Contractor to the Department of Labour and the Employer.

- The Employer hereby obtains an interest in the issue of any formal inquiry conducted in terms of Section 32 of the Occupational Health and Safety Act and into any incident involving a Contractor and/or his employees and/or his Sub-Contractor/s.
- 11. No use shall be made of any of the Employer's machinery / plant / equipment / substance / personal protective equipment or any other article without prior arrangement and written approval.
- 12. No alcohol or any other intoxicating substance shall be allowed on the site. Any person suspected of being under the influence of alcohol or any other intoxicating substance shall not be permitted access to, or allowed to remain on the site.
- 13. Prior to commencement of any work, verified copies of all documents mentioned in the agreement, must be presented to the Employer.

# PART C: THE CONTRACT Part C2: Pricing Data and Bill of Quantities

PROJECT TITLE:	REQUEST FOR BIDS FOR THE APPOINTMENT OF A CONTRACTOR FOR THE REFURBISHMENT OF THE EXISTING STORAGE FACILITIES AT MBIZANA RED HUB
CONTRACT NO:	
	<u>Page</u>

C2.1 Pricing Instructions 95
C2.2 Bill of Quantities 98

# PART C: THE CONTRACT Part C2: Pricing Instruction and Bill of Quantities

PROJECT TITLE:	REQUEST FOR BIDS FOR THE APPOINTMENT OF A CONTRACTOR FOR THE REFURBISHMENT OF THE EXISTING STORAGE FACILITIES AT MBIZANA RED HUB
CONTRACT NO:	

## C2.1 Pricing Instructions

#### 1. GENERAL INFORMATION

### a. Bill of Quantities

The **bill of quantities** forms part of and must be read and priced in conjunction with all the other documents forming part of the **contract documents**, the Standard Conditions of Tender, Conditions of Contract, Specifications, Drawings and all other relevant documentation.

#### b. Value Added Tax

The **contract sum** must include for Value Added Tax (VAT). All rates, provisional sums, etc. in the **bills of quantities** must however be net (exclusive of VAT) with VAT calculated and added to the total value thereof in the Final Summary.

#### c. Fixed Price Contract

Tenderers are to take note that contract price adjustments are <u>not</u> applicable to this contract. Tenderers should therefore make provision in the **contract sum**, schedule of rates, etc., for possible price increases during the contract period, as no claims in this regard shall be entertained.

## 2. PRICING INFORMATION

- 1. These schedules of quantities contain sequentially numbered pages as indicated in the contents list. Tenderers are required to check that the pages in their schedules of quantities are complete. If any pages are duplicated or omitted, or if any quantity or typing is unclear or if the schedules of quantities contain any obvious errors, the tenderer shall immediately notify the engineer so that the problem may be rectified. No responsibility for any errors arising from any of the above shall be accepted by the engineer.
- 2. The schedules of quantities form part of and shall be read in conjunction with the specification, which contains full description of the work required to be performed and the materials and equipment to be supplied and used in the execution of the works. Tenderers shall refer to the specification for the full meaning and description of work to be executed and materials and equipment to be supplied or used in the execution of the work.
- 3. Tenders shall be submitted with schedules of quantities completed in full. Non or partial completion of the schedules of quantities shall render tenders liable for disqualification.
- 4. The total tender price as carried forward to the tender form, after correction for arithmetic extension errors, etc. shall be the contract price as awarded to the successful tenderer. Tenderers are requested to check multiplication and addition of the schedules of quantities. The rate submitted shall be regarded as the price offered per item.
- 5. No changes, additions or omissions to the contents of the schedules of quantities shall be permitted. If any changes, additions or omissions are made these shall not be recognised and

the original wording of the schedules of quantities shall apply.

- 6. The priced schedules of quantities of tender shall be checked by the principal agent. The principal agent reserves the right to request adjustments to one or more individual tender prices and to rectify contradictions and thereby alter the total tender price as submitted. The acceptance of this tender does not preclude the principal agent from querying or requesting of the contractor to adjust the rates at any stage during the contract period or any extension thereto.
- 7. The responsibility of the accuracy of the quantities included in the schedules, remains with the person who prepared the schedules. The tenderer is relieved from the responsibility of the measurement of quantities at tender stage and the tender amounts shall be for the quantities as listed in the schedules. It is however expected from the tenderer to include for minor construction items such as would be required for the complete execution of works in accordance with the specification.
- 8. The quantities in these schedules of quantities shall not be used for the ordering of materials.
- 9. Changes in the scope of works included in the schedule of quantities shall be permitted and shall be measured and priced at the tariffs as included in the schedules of quantities and shall form an addition to or omission from the total of the schedule of quantities. Any changes not covered by any rates in the schedules of quantities shall be agreed and priced as non-schedule items in accordance with the conditions of contract.
- 10. The extent and value of variations shall be in accordance with the conditions of contract. Variations to the works prior to the execution thereof shall be priced as above. Variations to work already executed shall not necessarily be priced in accordance with the schedule of quantities and shall be judged individually on merit.
- 11. Except where the separate rate for the material and labour components of any item is specifically called for, the unit price of such item shall be deemed to include the supply and installation of that item.

The description of any items shall, except where otherwise specified, allow for the purchase, delivery, off-loading, storage, packing, lifting, placing, positioning and fixing in position, cutting and wastage, dies and patterns, models and equipment, temporary work, return of packing material, fixing costs, profit or other obligations of the contract arising out of the conditions of contract.

All items prices shall exclude VAT but include any other tax or levy as applicable.

All items are measured to the net final quantity as indicated on the drawings with the completed work in the position as indicated on the drawing. All prices and rates shall allow for wastage for whatever reason, irrespective of any other standard measurement which may be currently used elsewhere.

- 12. Should the contractor identify any additional issues or items which in his opinion are necessary for the complete and proper execution of the works, he shall identify such items in a covering letter attached to his tender and submit rates for these items. Mistakes in the physical measurement of items in the schedules of quantities shall be rectified but no claim shall be considered for the non-measurement of doubtful or minor items or claims resulting of criticism of method of measurement used or descriptions given. The priced schedule of quantities shall not be adjusted on the grounds of the items which in the opinion of the tenderer should have been brought into account unless so detailed in the accompanying letter.
- 13. The schedule of quantities shall be adjusted to reflect the quantities of materials used on completion of whole or part of the works as a result of remeasurement, qualification or variations. The remeasured quantities shall form the basis for the calculation of payment certificates. The

schedules of quantities are not intended for the ordering of materials, etc. and the contractor is advised to extract the quantities for the ordering of materials directly from the drawings and specification. Any order placed directly from the schedules of quantities shall be solely at the contractor's risk.

14. The unit rates as entered in the schedule of quantities with the exclusion of dayworks items shall in all cases include any present and applicable sales tax or similar statutory duties.

PART C: THE CONTRACT
Part C2: Pricing Data and Bill of Quantities

PROJECT TITLE:	REQUEST FOR BIDS FOR THE APPOINTMENT OF A CONTRACTOR FOR THE REFURBISHMENT OF THE EXISTING STORAGE FACILITIES AT MBIZANA RED HUB
CONTRACT NO:	

## C2.2 Bill of Quantities

	THE REFURBISHMENT OF THE EXISTING STORAGE INFRASTRUCTU		OHAL-TOTAL	RATE	1
o.	DESCRIPTION	UNIT	QUANTITY	RATE	AMOU
	BILL NO. 1				
	PRELIMINARIES AND GENERAL				
	MEANING OF TERMS "TENDER / TENDERER"				
	Any reference to the words "Tender" or "Tenderer" herein and/or				
	In any other documentation shall be construed to have the same meaning as the words "Bid" or "Bidder"				
	PRELIMINARIES				
	The JBCC Preliminaries, May 2018 edition for use with the JBCC Principal Building Agreement Edition 6.2 is taken to be incorporated herein. The tenderer is deemed to have referred to these documents for the full intent and meaning of each clause. These clauses are referred to by number and heading only. Where				
	standard clauses or options are not applicable to the contract such modifications or corrections as are necessary are given under each relevant clause. Where an Item is not relevant to this specific contract such Item is marked "N/A" signifying "Not Applicable"				
	PRICING OF PRELIMINARIES				
	Should Option A, as set out in clause B10.3.1 hereinafter be used for the adjustment of preliminaries then each item priced is to be allocated to one or more of the three categories Fixed, Value Related or Time Related the spaces provided under each item				
	tiems not priced in these Preliminaries shall be deemed to be included elsewhere in these Bills of Quantities				
	SECTION A: JBCC PRINCIPAL BUILDING AGREEMENT				
	DEFINITIONS AND INTERPRETATION				
1	A1.0 DEFINITIONS AND INTERPRETATION				
	Clause 1.0				
	Clause 1.1 Definition of "Corrupt Practice" is added:				
	"CORRUPT PRACTICE" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution				
	Clause 1.1 Definition of "Fraudulent Practice" is added:				
	"FRAUDULENT PRACTICE" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any tenderer and includes collusive practice among tenderers (prior to or after the tender submission) designed to establish tender prices at artificial non-competitive levels and to deprive the tenderer of the benefits of free and open competition				
	Clause 1.1 Definition of "Interest" is amended by replacing it with				
	"INTEREST" means the interest rates applicable on this contract, whether specifically indicated in the relevant clauses or not, will be the rate as determined by the Minister of Finance, from time to time, in terms of section 80(1)(b) of the Public Finance Management Act, 1999 (Act No. 1 of 1999)				
No.	Bill No. 1 PRELIMINARIES AND GENERAL carried to collection				$\vdash$

Any reference to words "Bid" or Bidder" herein and/or in any other documentation shall be construed to have the same meaning as the words "Tender" or "Tenderer".

"SEC or co or er 2 A10.	use 1.1  RINCIPAL ployer an ant not be notipal ag appresenta use 1.1  ECURITY contractor employer 0.0  use 10.0  use 10.0	Description  Definition of "Principal Agent" is amended by replacing it with the following:  AGENT" means the person or entity appointed by the dinamed in the schedule. In the event of a principal ling appointed, then all the duties and obligations of a lent as detailed in the agreement shall be fuffilled by the of the employer as named in the schedule  Definition of "Security" is amended by replacing it with the following:  "means the form of security provided by the employer as astated in the schedule, from which the contractor may recover expense or loss  INSURANCES  Is amended by the addition of the following clauses:  Damage to the Works  Without in any way limiting the contractor's obligations in terms of the contract, the contraction of the works by whatever cause during during construction of the works by whatever cause during during construction of the employer against any such damage. The contractor shall take such precautions and security measures and other steps for the protection and security of the works as the contractor may deem necessary  The contractor shall at all times proceed immediately	UNIT	QUANTITY	RATE	AMOUNT
"PRU empi aggerer prins a rep Clau "SE( or co or er 2 A10. Clau 10.1 (a)	RINCIPAL ployer an ant not be notpal ag spresenta use 1.1  COURTY contractor ampioyer 0.0 use 10.0 use 10.0	replacing it with the following:  AGENT" means the person or entity appointed by the dinamed in the schedule. In the event of a principal sing appointed, then all the duties and obligations of a jent as detailed in the agreement shall be fulfilled by the of the employer as named in the schedule  Definition of "Security" is amended by replacing it with the following:  "means the form of security provided by the employer as the schedule, from which the contractor may recover expense or loss  INSURANCES  Is amended by the addition of the following clauses:  Damage to the Works  Without in any way limiting the contractor's obligations in terms of the contract, the contractor shall bear the full risk of damage to and/or destruction of the works by whatever cause during during construction of the works and hereby indemnities and holds harmiess the employer against any such damage. Thecontractor shall take such precautions and security measures and other steps for the protection and security of the works as the contractor may deem necessary.  The contractor shall at all times proceed immediately				
empi aggeren Clau "SE( or co or er 2 A10. Clau 10.1 (a)	pioyer an ant not be notipal ag spresenta use 1.1 CCURITY contractor ampioyer 0.0 use 10.0 use 10.0	d named in the schedule. In the event of a principal ing appointed, then all the duties and obligations of a sent as detailed in the agreement shall be fulfilled by the of the employer as named in the schedule.  Definition of "Security" is amended by replacing it with the following:  "means the form of security provided by the employer; as stated in the schedule, from which the contractor may recover expense or loss.  INSURANCES  Is amended by the addition of the following clauses:  Damage to the Works  Without in any way limiting the contractor's obligations in terms of the contract, the contractor shall bear the full risk of damage to and/or destruction of the works by whatever cause during during construction of the works and hereby indemnifies and holds harmiess the employer against any such damage. The contractor shall take such precautions and security measures and other steps for the protection and security of the works as the contractor may deem necessary.  The contractor shall at all times proceed immediately				
Clau "SEG or co or er 2 A10. Clau Clau (10.1 (a)	use 1.1 CURITY contractor employer 0.0 use 10.0 use 10.0	Definition of "Security" is amended by replacing it with the following:  "means the form of security provided by the employer, as stated in the schedule, from which the contractor may recover expense or loss  INSURANCES  Is amended by the addition of the following clauses:  Damage to the Works  Without in any way limiting the contractor's obligations in terms of the contract, the contractor shall bear the full risk of damage to and/or destruction of the works by whatever cause during during construction of the works and hereby indemnifies and holds harmless the employer against any such damage. Thecontractor shall take such precautions and security measures and other steps for the protection and security of the works as the contractor may deem necessary.  The contractor shall at all times proceed immedialely				
or corer 2 A10. Clau Clau 10.1 (a)	contractor employer 0.0 use 10.0 use 10.0	as stated in the schedule, from which the contractor may recover expense or loss  INSURANCES  Is amended by the addition of the following clauses:  Damage to the Works  Without in any way limiting the contractor's obligations in terms of the contract, the contractor shall bear the full risk of damage to and/or destruction of the works by whatever cause during during construction of the works and hereby indemnifies and holds harmiess the employer against any such damage. The contractor shall take such precautions and security measures and other steps for the protection and security of the works as the contractor may deem necessary.  The contractor shall at all times proceed immediately				
Ciau Ciau 10.1 (a)	use 10.0 use 10.0	Is amended by the addition of the following clauses:  Damage to the Works  Without in any way limiting the contractor's obligations in terms of the contract, the contractor shall bear the full risk of damage to and/or destruction of the works by whatever cause during during construction of the works and hereby indemnifies and holds harmless the employer against any such damage. Thecontractor shall take such precautions and security measures and other steps for the protection and security of the works as the contractor may deem necessary.  The contractor shall at all times proceed immediately				
(a) (b) (c)	use 10.0	Damage to the Works  Without in any way limiting the contractor's obligations in terms of the contract, the contractor shall bear the full risk of damage to and/or destruction of the works by whatever cause during during construction of the works and hereby indemnifies and holds harmless the employer against any such damage. Thecontractor shall take such precautions and security measures and other steps for the protection and security of the works as the contractor may deem necessary.  The contractor shall at all times proceed immediately				
(a) (b)		Damage to the Works  Without in any way limiting the contractor's obligations in terms of the contract, the contractor shall bear the full risk of damage to and/or destruction of the works by whatever cause during during construction of the works and hereby indemnifies and holds harmless the employer against any such damage. Thecontractor shall take such precautions and security measures and other steps for the protection and security of the works as the contractor may deem necessary.  The contractor shall at all times proceed immediately				
(a) (b)	11	Without in any way limiting the contractor's obligations in terms of the contract, the contractor shall bear the full risk of damage to and/or destruction of the works by whatever cause during during construction of the works and hereby indemnifies and holds harmless the employer against any such damage. The contractor shall take such precautions and security measures and other steps for the protection and security of the works as the contractor may deem necessary.  The contractor shall at all times proceed immediately				
(C)		In terms of the contract, the contractor shall bear the full risk of damage to and/or destruction of the works by whatever cause during during construction of the works and hereby indemnifies and holds harmless the employer against any such damage. The contractor shall take such precautions and security measures and other steps for the protection and security of the works as the contractor may deem necessary.  The contractor shall at all times proceed immediately				
(c)			I			I
		to remove or dispose of any debris arising from damage to or destruction of the works and to rebuild, restore, replace and/or repair the works				
(d)		The employer shall carry the risk of damage to or destruct the works and materials paid for by the employer that is the result of the excepted risks as set out in 10.12				
		Where the employer bears the risk in terms of this contract, the contractor shall, if requested to do so, reinstate any damage or destroyed portions of the works and the costs of such reinstatement shall be measured and valued in terms of 27.0 hereof				
10.1	12	Injury to Persons or loss of or damage to Properties				
(a)		The contractor shall be liable for and hereby indemnifies the employer against any liability, loss, claim or proceeding whether arising in common law or by statute, consequent upon personal injuries to or the death of any person whomsoever arising out of or in the course of or caused by the execution of the works unless due to any act or negligence of any person for whose actions the employer is legally liable				
BILL No. 1						

	CONTRACT NUMBER: RFP 12-2023-24 THE REFURBISHMENT OF THE EXISTING STORAGE INFRASTRUCTURAL WORK AT MBIZANA RED HUB					
NO R	REFERS O	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
0	b)	The contractor shall be liable for and hereby indemnifies the employer against any liability, loss, claim or proceeding consequent upon loss of or damage to any moveable or immovable or personal property or property contiguous to the eithe, whether belonging to or under the control of the employer or any other body or person, arising out of or in the course of or by reason of the execution of the works unless due to any act or negligence of any person for whose actions the employer is legally liable				
0	c)	The contractor shall, upon receiving a contract instruction from the principal agent, cause the same to be made good in a perfect and workmanlike manner at his own cost and in default thereof the employer shall be entitled to cause it to be made good and to recover he cost thereof from the contractor or to deduct the same from amounts due to the contractor				
(	d)	The contractor shall be responsible for the protection and safety of such portions of the premises placed under his control by the employer for the purpose of executing the works until the issue of the certificate of practical completion				
6	e)	Where the execution of the works involves the risk of removal of or interference with support to adjoining properties including land or structures or any structures to be altered or added to, the contractor shall obtain adequate insurance and will remain adequately insured or insured to the specific limit stated in the contract against the death of or injury to persons or damage to such property consequent on such removal or interference with the support until such portion of the works has been completed				
C	n	The contractor shall at all times proceed immediately at his own cost to remove or dispose of any debris and to rebuild, restore, replace and/or repair such property and to execute the works				
1		High risk insurance  In the event of the project being executed in a geological area classified as a "High Risk Area", that is an area which is subject tohighly unstable subsurface conditions that might result in catastrophic ground movement evident by sinkhole or dolline formation the following will apply:				
		Damage to the works  The contractor shall, from the commencement date of the works until the date of the certificate of practical completion bear the full risk of and hereby indemnifies and holds harmless the employer against any damage to and/or destruction of the works consequent upon a catastrophic ground movement as mentioned above. The contractor shall take such precautions and security measures and other steps for the protection of the works as he may deem necessary	n			
BILL No. B	Bill No. 1 P	PRELIMINARIES AND GENERAL carried to collection				

	T MUMBER: -2023-24	THE REFURBISHMENT OF THE EXISTING STORAGE INFRASTRUCTU	IRAL WO	RK AT MBIZA	NA RED HUB	Biii 1
ITEM	PAYMENT REFERS TO					AMOUNT
	10.13.2	When so instructed to do so by the principal agent, the contractor shall proceed immediately to remove and/or dispose of any debris arising from damage to or destruction of the works and to rebuild, restore, replace and/or repair the works, at the contractor's own costs  Injury to persons or loss of or damage to property				
	10.10.2	The contractor shall be liable for and hereby indemnifies and holds harmless the employer against any liability, loss, claim or proceeding arising at any time during the period of the contract whether arising in common law or by statute, consequent upon personal injuries to or the death of any person whomsoever resulting from, arising out of, or caused by a catastrophic ground movement as mentioned above				
		The contractor shall be liable for and hereby indemnifies the employer against any and all liability, loss, claim or proceeding consequent upon loss of or damage to any moveable or immovable or personal property or property contiguous to the afte, whether belonging to or under the control of the employer or any other body or person whomsoever arising out of or caused by a catastrophic ground movement, as mentioned above, which occurred during the period of the contract				
	10.13.3	It is the responsibility of the contractor to ensure that he has adequate insurance to cover his risk and liability as mentioned in 10.7.1 and 10.7.2. Without limiting the contractor's obligations in terms of the contract, the contractor shall, within twenty-one (21) calendar days of the commencement date but before commencement of the works, submit to the employer proof of such insurance policy, if requested to do so				
3	A11.0	SECURITIES				
	Clause 1	1.0				
	Clauses following	11.1 - 11.10 are amended by replacing them with the				
	11.1	In respect of contracts with a contract sum up to R1 million, the security to be provided by the contractor to the employer will be a payment reduction of five per cent (5%) of the value certified in the payment certificate (excluding VAT)				
	11.1.1	The payment reduction of the value certified in a payment certificate shall be mutatis mutandi in terms				
	11.1.2	The employer shall be entitled to recover expense and loss from the payment reduction in terms of 27.0 provided that the employer complies with the provisions of 27.4 in which event the employer's entitlement shall take precedence over his obligations to refund the payment reduction security or portions thereof to the contractor				
BILL No.	Bill No. 1	PRELIMINARIES AND GENERAL carried to collection				

	ONTRACT NUMBER: THE REFURBISHMENT OF THE EXISTING STORAGE INFRASTRUCTURAL WORK AT MBIZANA RED HUB					
No.		DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
	11.2	In respect of contracts with a contract sum above R1 million, the contractor shall have the right to select the security to be provided in terms of 11.3, 11.4, 11.5, 14.6, or 11.7 as stated in the schedule. Such security shall be provided to the employer within twenty-one (21) calendar days from commencement date. Should the contractor fall to select the security to be provided or should the contractor fall toprovide the employer with the selected security within twenty-one (21) calendar days from commencement date, the security in terms of 11.7 shall be deemed to have been selected				
	11.3	Where security as a cash deposit of ten per cent (10%) of the contract sum (excluding VAT) has been selected:				
	11.3.1	The contractor shall furnish the employer with a cash deposit equal in value to ten per cent (10%) of the contract sum (excluding VAT) within twenty-one (21) calendar days from commencement date				
	11.3.2	Within twenty-one (21) calendar days of the date of practical completion of the works the employer shall reduce the cash deposit to an amount equal to three percent (3%) of the contract value (excluding VAT), and return the balance to the contractor				
	11.3.3	Within twenty-one (21) calendar days of the date of final completion of the works the employer shall reduce the cash deposit to an amount equal to one per cent (1%) of the contract value (excluding VAT) and refund the balance to the contractor				
	11.3.4	On the date of payment of the amount in the final payment certificate, the employer shall refund the remainder of the cash deposit to the contractor				
	11.3.5	The employer shall be entitled to recover expense and loss from the cash deposit in terms of 33.0 provided that the employer compiles with the provisions of 33.4 in which event the employer's entitlement shall take precedence over his obligations to refund the cash deposit security or portions thereof to the contractor				
	11.3.6	The parties expressly agree that neither the employer nor the contractor shall be entitled to cede the rights to the deposit to any third party				
	11.4	Where security as a variable construction guarantee of ten percent (10%) of the contract sum (excluding VAT) has been selected:				
	11.4.1	The contractor shall furnish the employer with an acceptable variable construction guarantee equal in value to ten per cent (10%) of the contract sum (excluding VAT) within twenty-one (21) calendar days from commencement date				
		11.4.1 is deemed to be amended by the addition of the gentence;				
	No Inter	est will be paid on such amounts withheld				
BILL No.	Bill No. 1	PRELIMINARIES AND GENERAL carried to collection				

RFP 12	TRACT NUMBER: THE REFURBISHMENT OF THE EXISTING STORAGE INFRASTRUCTURAL WORK AT MBIZANA RED HUB					Biii 1
	PAYMENT REFERS TO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
	11.4.2	The variable construction guarantee shall reduce and expire in terms of the Variable Construction Guarantee form included in the invitation to tender				
	11.4.3	The employer shall return the variable construction guarantee to the contractor within fourteen (14) calendar days of it expiring				
	11.4.4	Where the employer has a right of recovery against the contractor in terms of 33.0, the employer shall issue a written demand in terms of the variable construction guarantee				
	11.5	Where security as a fixed construction guarantee of five percent (5%) of the contract sum (excluding VAT) and a five per cent (5%) payment reduction of the value certified in the payment certificate (excluding VAT) has been selected:				
	11.5.1	The contractor shall furnish a fixed construction guarantee to the employer equal in value to five per cent (5%) of the contract sum (excluding VAT)				
	11.5.2	The fixed construction guarantee shall come into force on the date of issue and shall expire on the date of the last certificate of practical completion				
	11.5.3	The employer shall return the fixed construction guarantee to the contractor within fourteen (14) calendar days of it expiring				
	11.5.4	The payment reduction of the value certified in a payment certificate shall be in terms of clause 25.				
	11.5.5	Where the employer has a right of recovery against the contractor in terms of 27.0, the employer shall be entitled to issue a written demand in terms of the fixed construction guarantee or may recover from the payment reduction or may do both				
	11.6	Where security as a cash deposit of five per cent (5%) of the contract sum (excluding VAT) and a payment reduction of five per cent (5%) of the value certified in the payment certificate (excluding VAT) has been selected:				
	11.6.1	The contractor shall furnish the employer with a cash deposit equal in value to five per cent (5%) of the contract sum (excluding VAT) within twenty- one (21) calendar days from commencement date				
	11.6.2	Within twenty-one (21) calendar days of the date of practical completion of the works the employer shall refund the cash deposit in total to the contractor				
	11.6.3	The payment reduction of the value certified in a payment certificate shall be mutatis mutandi in terms of 25				
	11.6.4	Where the employer has a right of recovery against the contractor in terms of 27.0, the employer may issue a written notice in terms of 27.4 or may recover from the payment reduction or may do both				
BILL No.	Bill No. 1	PRELIMINARIES AND GENERAL carried to collection				

	T NUMBER: 2-2023-24	THE REFURBISHMENT OF THE EXISTING STORAGE INFRASTRUCTU	IRAL WO	RK AT MBIZA	NA RED HUB	Bill	
NO NO	PAYMENT REFERS TO	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT	
	11.7	Where security as a payment reduction of ten percent (10%) of the value certified in the payment certificate (excluding VAT) has been selected:					
	11.7.1	The payment reduction of the value certified in a payment certificate shall be mutatis mutandi in terms of 25					
	11.7.2	The employer shall be entitled to recover expense and loss from the payment reduction in terms of 27.0 provided that the employer compiles with the provisions of 27.4 in which event the employer's entitlement shall take precedence over his obligations to refund the payment reduction or portions thereof to the contractor					
	11.8	Payments made by the guarantor to the employer in terms of the fixed or variable construction guarantee shall not prejudice the rights of the employer or contractor in terms of this agreement					
	EXECU	TION					
4	A12.0 C	BLIGATIONS OF THE PARTIES					
	Clause 1	2.0					
	Clause 1	2.1.1 is amended by replacing it with:					
	No clause						
	Clause 1	Clause 12.2.4 is amended by the addition of the following clause:					
	12.2.4	An acceptable health and safety plan, required in terms of the Occupational Health and Safety Act, 1993 (Act 85 of 1993), within twenty-one (10) calendar days of commencement date					
	PAYME	NT.					
5	A25.0 P	PAYMENT					
	Clause 2	25.0					
		standing this or any other clause, materials and goods stored hall not be included in the amount authorized for payment.					
		sentence of sub-clause 25.10 is deemed to be deleted and with the following:					
		oloyer shall pay the contractor the amount certified within to) calendar days of the date.					
	Fixed:	Value related:Time related:					
	SUSPEN	NSION AND TERMINATION					
6	A28.0 S	SUSPENSION BY CONTRACTOR					
	Clause 2	28.0					
	Fixed:	Value related:Time related:					
BILL No.	Bill No. 1	PRELIMINARIES AND GENERAL carried to collection					

CONTRAC	T NUMBER:	THE REFURBISHMENT OF THE EXISTING STORAGE INFRASTRUCTU	IRAL WO	RK AT MBIZA	NA RED HUB	Bill
ITEM	PAYMEN'					1
NO	REFERS TO					AMOUNT
7	A29.0 T	ERMINATION				
	Clause 2	29.0				
	Add the follows:	following sub-clauses 29.1.4 to 29.1.6 under 29.1 to read as				
	29.1.4	The contractor's refusal or neglect to comply strictly with any of the conditions of contract.				
	29.1.5	The contractor's estate being sequestrated, liquidated or surrendered in terms of the insolvency laws in force with the Republic of South Africa.				
	29.1.6	The contractor, in the judgment of the employer, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.				
		Replace clause 29.3 with the following: the employer may give notice of cancellation should the contractor remain in default for ten (10) working days after the date of of issue of such a notice of default				
		Clause 29.25.4				
		Replace "Sixty (60)" with "one hundred and twenty (120)".				
		Add the following sub-clauses 29.29 under 29 to read as follows: Notwithstanding any clause to the contrary, on cancellation of this agreement either by the employer or the contractor, or for any reason whatsoever, the contractor shall on written instruction, discontinue with the works on a stated date and withdraw himself from the site. The contractor shall not be entitled to refuse to withdraw from the works on the grounds of any lien or right of retention or on the grounds of any other right whatsoever.				
	Fixed:	Value related:Time related:				
BILL No.	Bill No. 1	PRELIMINARIES AND GENERAL carried to collection				

RFP 12-		THE REPORDISHMENT OF THE EXISTING STORAGE INFRASTRUCTO	JRAL WO	RK AT MBIZA	NA RED HUB	Bill 1
NO	PAYMENT REFERS TO					AMOUNT
	SECTIO	N B: JBCC PRELIMINARIES				
	is divide	edule contains all variables referred to in this document and d into pre-tender and post-tender categories. The er category must be completed in full and included in the				
	tender d	ender documents. Both the pre-tender and post-tender categories orm part of these Preliminaries				
	not app offered, insufficie hereto a	requiring information must be filled in, shown as ilicable" or deleted and not left blank. Where choices are the non-applicable items are to be deleted. Where ent space is provided the information should be annexed nd cross-referenced to the applicable clause of the e. Key cross reference clauses are italicised in [] brackets				
ļ	12.1	PRE-TENDER INFORMATION				
	12.1.1 [2.2]	Provisional bills of quantities The quantities are provisional YES/NO				
	12.1.2 [2.3]	Availability of construction documentation Construction documentation is complete YES/NO				
	12.1.3 [2.4]	Interests of agents Details:				
	12.1.4 [3.1]	Defined works area Details:				
	12.1.5 [3.2]	Geotechnical investigation Details:				
	[3.4]	Existing premises occupied Details:				
	12.1.7 [3.5]	Previous work - dimensional accuracy Details:				
	12.1.8 <i>[</i> 3.6]	Previous work - defects Details:				
	12.1.9 <i>[</i> 3.7]	Services - known Details:				
		Protection of trees Details:				
		Inspection of adjoining properties Details:				
	12.1.12 [6.2]	Enclosure of the works Details:				
ILL No.	Bill No. 1	PRELIMINARIES AND GENERAL carried to collection			L	

CONTRACT M. RFP 12-200		THE REFURBISHMENT OF THE EXISTING STORAGE INFRASTRUCTU	JRAL WO	RK AT MBIZA	NA RED HUB	Bill 1
ITEM PA	YMENT					AMOUNT
NO RE	FERS			l		AMOUNT
12	2.1.13 .4.3]	Offices Specific requirements: The contractor shall provide, maintain and remove on completion of the works an office for the exclusive use of the principal agent, minimum size 4 x 3 x 3m high internally, suitably insulated and ventilated, provided with electric lighting and fittled with boarded floor, desk, chair, drawing stool, drawing board and lock-up drawers for drawings. The office shall be kept clean and fit for use at all times				
	.5]	Main notice board  Specific requirements: The contractor shall provide, erect where directed, maintain and remove on completion of the works a notice board size 3 x 3m as per Drawing, constructed of suitable boarding with flat smooth surface and with edging bead 19mm thick round outer edges and projecting 12mm from face of boarding and rounded on front edge. The board shall be securely fixed to hoarding, where hoarding is provided, or fixed to and including a suitable supporting structure of timber or tubular posts and braces. The board is to be painted lvory white and the bead and 12mm wide dividing lines dark green. All wording shall be inscribed in dark green painted sans serif lettering				
	.2]	Subcontractors' notice board  A notice board is required  YES/NO  Specific requirements:				
	2.1.16 ,3]	Water Option A (by contractor) YES/NO Option B (by employer - free of charge) YES/NO Option C (by employer - metered) YES/NO				
	.6]	Electricity Option A (by contractor) YES/NO Option B (by employer - free of charge) YES/NO Option C (by employer - metered) YES/NO				
	4]	Telecommunications Option A (by contractor) YES/NO Option B (by employer - free of charge) YES/NO Option C (by employer - metered) YES/NO				
BILL No. 1	I No. 1 P	PRELIMINARIES AND GENERAL carried to collection				

	THE REFURBISHMENT OF THE EXISTING STORAGE INFRASTRUCTURAL WORK AT MBIZANA RED HUB					Bill
ITEM NO	PAYMENT REFERS TO					AMOUNT
	12.1.19 [7.5]	Ablution facilities Option A (by contractor) YES/NO Option B (by employer) YES/NO				
	12.1.20 [11.2]	Protection of existing/sectionally occupied works Option A (by contractor) YES/NO				
	12.1.21 [0.2]	Special attendance Subcontractor (1) details:				
		Subcontractor (2) details:				
		Subcontractor (3) details:				
		Subcontractor (4) details:				
		Special attendance Specific requirements:				
	12.1.23 [11.1]	Disturbance Specific requirements: The contractor shall keep the site, structures, etc well-watered during operations to prevent dust and shall provide and erect and remove on completion of the works all necessary temporary dust screens all to the satisfaction of the principal agent				
		Environmental disturbance Specific requirements:				
	12.2	POST-TENDER INFORMATION				
	12.1.19 [7.5]	Payment of preliminaries Option A (prorated) YES/NO				
		Option B (calculated) YES/NO				
	12.2.2 [10.3]	Adjustment of preliminaries Option A (prorated) YES/NO				
		Option B (calculated) YES/NO				
	12.2.3	Additional agreed preliminaries items Details:				
BILL No.	Bill No. 1	PRELIMINARIES AND GENERAL carried to collection				

	THE REFURBISHMENT OF THE EXISTING STORAGE INFRASTRUCT	URAL WORK AT MBIZA	NA RED HUB	Bill
NO NO	PAYMENT REFERS TO			AMOUNT
	SECTION C: SPECIFIC PRELIMINARIES			
	Section C contains specific preliminary items which apply to this contract except where N/A (Not Applicable) appears against an item			
8	C10.0 HIV/AIDS AWARENESS			
	It is required of the contractor to thoroughly study the HIV/AIDS Specification (PW 1544) of the Department that must be read together with and is deemed to be incorporated under this Section of the bills of quantities / lump sum document. Provision for pricing of HIV/AIDS awareness is made under items C10.1 to C10.5 hereafter and it is explicitly pointed out that all requirements of the aforementioned specification are deemed to be priced hereunder, as the said items represent the only method of measurement and no additional items or extras to the contract in this regard shall be entertained			
	The contractor must take note that compliance with the HIV/AIDS Specification is compulsory. In the event of partial or total non-compliance, the principal agent, notwithstanding the provisions			
	of clause A 31.0 of Section A or any other clause to the contrary, reserves the right to delay issuing any progress payment certificate until the contractor provides satisfactory proof of compliance. The contractor shall not be entitled to any compensation of whatsoever nature, including interest, due to such delay of payment			
BILL No.	Bill No. 1 PRELIMINARIES AND GENERAL carried to collection	<u> </u>		

RFP 1	ACT NUMBER: THE REFURBISHMENT OF THE EXISTING STORAGE INFRASTRUCTURAL WORK AT MBIZANA RED HUB						Bill 1
NO	PAYMENT REFERS TO			Page No.			AMOUNT
	ALTERA	TIONS					
	COLLEC	TION					
	Total Bro	ought Forward from Page No.		1			
				2			
				3			
				4			
				5			
				6			
				7			
				8			
				9			
				10			
				11			
				12			
LL No.		PRELIMINARIES AND GENERAL carried					

	THE REFURBISHMENT OF THE EXISTING STORAGE INFRASTRUCT	URAL WO	ORK AT MBIZA	WA RED HUB	2
No.	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
hem No.					
	MAKING GOOD DAMAGED WORK  The Contractor shall make good in all trades to existing work where damaged or disturbed through the alterations with all necessary new materials to match the existing				
	FORMING NEW OPENINGS OR ALTERING OPENINGS IN EXISTING WALLS  Descriptions of forming new openings or altering openings in existing walls shall be deemed to include breaking out for and forming new brick, in-situ concrete or prestressed concrete lintels, including all reinforcement, formwork, turning pieces, etc.				
ILL No.	Bill No. 2 Alterations carried to collection				

CONTRACT	CONTRACT NUMBER: RPP 19-0029-94 THE REFURBISHMENT OF THE EXISTING STORAGE INFRASTRUCTURAL WORK AT MBIZANA RED HUB					
NO NO	PAYMENT REFERS TO		UNIT	QUANTITY	RATE	2 AMOUNT
	BUILDIN Descript number: surfaces to existir describer PAINTW Where p patched approord finishing					
	Tenderer themselv access to be entert  PROCET  The Repropries	ne progress of the work and provide all necessary is for doing so.  Its are advised to visit the sile before tendering and satisfy es as to the nature and extent of the works, means of the site and availability of working space. No claims will alned due to the tenderer having failed to com  OURE OF WORK  resentative/Agent reserves the right to direct the order in the contract will be executed, should circumstances the such action.				
	LOSS BY The risk building rest enti handing	Y THEFT, FIRE OR OTHERWISE  of ioss, theft, fire, storm, riot or otherwise of the s to be demolished and the materials therein shall rely with the contractor immediately upon the over of the site.  AND OTHER PIPING				
	found no stopped connects proper fi	er supply or other piping that may be met with and accessary to disconnect or cut are to be effectually off or crubbed up and removed and any new lone that may be necessaryand are to be made with titings				
	Interfere other will must be The cont floors, do	care is to be exercised not to unnecessarily with any electric light, belt, power, telephone or res and fittings that may be met with and due notice given to the Architect. ractor must protect all work not removed such as walls, ors, windows, fittings, etc. from damage during the of the work and all necessary materials for doing so				
BILL No.	Bill No. 2 A	Alterations carried to collection				

	OCT NUMBER: THE REFURBISHMENT OF THE EXISTING STORAGE INFRASTRUCTURAL WORK AT MBIZANA RED HUB						
ITEM	PAYMENT REFERS TO	DESCRIPTION	UNIT	QUANTITY	RATE	2 AMOUNT	
		TION OF EXISTING BUILDINGS					
	occupation allowance such a m	s are advised that the existing buildings will be in on during the building operations and dus e must be made for the work being carried out in anner as will least interfere with the general If the occupants					
	NOISE P	REVENTION					
	operation include. I	ractor shall take special care to minimise noisy is during business hours. Such measures will nter alla, the use of silent compressors and strict I workmen					
	structure adjoining caused is	ractor shall demolish the portions of existing s or buildings with a minimum amount of damage to buildings, materials, paving, etc. Any damage to be made good at his own expense with to match the existing.					
	ALTERA	TIONS TO OPENINGS					
	openings shall be r existing.	e Contractor is required to form openings, after for brickup openings in existing walls all brickwork, nade good at lambs including properly bonding to Brickwork in bricking up openings shall be and pinned up to					
	MAKING	GOOD, ETC					
	existing v aiteration	e to include for making good in all trades to work, where damaged or disturbed through is, with all necessary new materials to match and leave complete and perfect in every respect.					
	TEMPOR	ARY BARRIERS, SCREENS, ETC					
	Temporar	y barriers, screens, etc including removal					
1	screens, required to under con	e for all necessary temporary tarpaulins, barricades, fencing, temporary waterproofing, dust proofing, etc locate buildings, walkways, pavements or any sections istruction including any sections of new or existing for the purposes of excluding users from the remainder of ig	item				
	REMOVA	L OF EXISTING WORK					
2	One brick	wall	m²	1			
3	Remove a	and dispose roller shutter door	No.	1			
4		f remove part of cooncrete ramp as per drawing	m²	2			
5	Joinery w Gypsum p	vorks  liasterboard cellings and comices only	m²	70			
BILL No.	Bill No. 2 A	Iterations carried to collection					

	T NUMBER: THE REFURBISHMENT OF THE EXISTING STORAGE INFRASTRUCTURAL WORK AT MBIZANA RED HUB					
NO	PAYMENT REFERS TO					AMOUNT
	ALTERA	TIONS TO EXISTING WORK				
	INSPECTIONS					
	REPAIR WORKS TO EXISTING					
		tween the bricks and foundation with non-shink grount as neer's instruction	m	12		
	The com before se orior to s					
7	Apply cr 1,6mm	etecote to existing office floor with minimum thickness	m²	40		
	including	ut and removing roller shutter doors from existing rails, reinstalation of new rails and fiting back roller shutter door loinal position				
8	Remove	and reinstalation of roller shutter new ralls	No.	7		
		ut and removing damaged gutters and repair including ton to original position				
9	Gutters		m	24		
DILL N					L	
BILL No. 2	Bill No. 2 Alterations carried to collection					

EM	THUMBER: THE REFURBISHMENT OF THE EXISTING STORAGE INFRASTRUCTURAL WORK AT MBIZANA RED HUB 2023-34 PAYMENT REFERS Page No.					
NO	REFERS TO		Page No.		AMOUN	
	ALTERA	TIONS				
	COLLECTION					
		ught Forward from Page No.	14			
			15			
			16			
			17			
			"			
L No.	DIII No 2	Alterations carried to Summary				

	T NUMBER: THE REFURBISHMENT OF THE EXISTING STORAGE INFRAS 2023-24	TRUCTU	RAL WORK	AT MBIZANA	BIII 3
item No.	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
1	BILL NO 3  EXCAVATIONS, FILLING ETC  Notes: 1. Tenderers are advised to study the 'Construction specification PW371-A and B as amended (downloadable from Department of Public Works website, www.publicworks.gov.za) before pricing this bill 4. Unless otherwise stated all items in this Bill  SUPPLEMENTARY PREAMBLES  EXCAVATION  Excavate over site remove and dispose top soil 150mm	E <sup>2</sup>	3		
2	Fill with G8 material compacted to 98%MOD AASHTO at +/- 2% OMC in layers not exceeding 150mm on scarified ground compacted 98%MOD AASHTO at +/- 2% OMC	m³	3		
BILL No.					
BILL No. 3	BIII No. 3 EXCAVATION, FILLING ETC carried to 8 ummary				

RFP 12	T NUMBER: THE REFURBISHMENT OF THE EXISTING STORAGE INFRASTRUCTURAL WORK AT MBIZANA 2-2023-24 RED HUB			AT MBIZANA	BIII 4
item No.	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
RFP 12 Item	-2023-24 RED HUB	UNIT			4
BILL No.	Bill No. 4 CONCRETE carried to Summary				R0.00

ONTRA	CT NUMBER: THE REFURBISHMENT OF THE EXISTING STORAGE INFRASTRU 12-2023-24 HUB	ICTURAL	WORK AT ME	SIZANA RED	BIII 6
No.	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
	WATERPROOFING  WATERPROOFING  Notes: 1. Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for furtherdescription and amplification of work in this section  SUPPLEMENTARY PREAMBLES				
	MEMBRANE REINFORCED LIQUID WATERPROOFING				
1	Dressing around translucent sheets	m²	11		
2	Dressing around vents	No	9		
BILL No. 6	Bill No. 5 WATERPROOFING carried to Summary				

CONTRACT	CT NUMBER: ASSESSMENT, EVALUATION AND OVERSEEING THE REFURBISHMENT OF THE EXISTING 12-2023-24 STORAGE INFRASTRUCTURAL WORK AT MBIZANA RED HUB				BIII
Item No.	DESCRIPTION	UNIT		RATE	AMOUNT
	BILL NO. 6  CEILINGS, PARTITIONS AND ACCESS FLOORING  Notes: 1. Tenderers are advised to study the 'Construction specification PW371-A and B as amended (downloadable from Department of Public Works website. www.publicworks.gov.za) before pricing this bill 6. Unless otherwise stated all items in this Bill  SUPPLEMENTARY PREAMBLES  Descriptions  Items described as "nailed" shall be deemed to be fixed with hardened steel nails or pins or shot pinned to brickwork or concrete  Items described as "olugged" shall be deemed to include screwing to fibre. plastic or metal plugs at not exceeding 600mm centres, and where described as "bolted", the bolts are measured elsewhere  Proprietary suspended ceilings  CEILINGS. ETC				
1	NAILED UP CEILINGS  Gypsum boards and 38x38mm brandering  Suspended Ceilings  "Phino" consum plantarhoard corpiner.	m²	213		
2	"Rhino" gypsum plasterboard cornices 75mm Coved cornices	m	157		
BILL No.	BIII No. 8 CEILINGS, PARTITIONS AND ACCESS FLOORING carried to 8	ummary			

BILL NO. 7  STEEL WORK  Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section  SUPPLEMENTARY PREAMBLES  1 25x25x3 mm Angle iron frame cast in concrete Installation of holding clips 2 Installation of Rainwater pipes should include proper installation of Rainwater pipes 3 Installation of Rainwater pipes 3 Installation of Rectagrid RS40 on top of angle iron frame No 8  BILL No. 7  BILL No. 7 METAL WORK carried to Summary		CT NUMBER: THE REFURBISHMENT OF THE EXISTING STORAGE INFRASTRUCTURAL WORK AT 2-2023-24 MBIZANA RED HUB			BIII 7	
STEELWORK Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section  SUPPLEMENTARY PREAMBLES  1 25x25x3 mm Angle iron frame cast in concrete Installation of gutters and rainwater pipes should include proper installation of holding clips  2 Installation of Rainwater pipes  3 Installation of Rainwater pipes  3 Installation of Rectagrid RS40 on top of angle iron frame  No 8	Item		UNIT	QUANTITY	RATE	
1 25x25x3 mm Angle iron frame cast in concrete Installation of gutters and rainwater pipes should include proper installation of Holding clips  2 Installation of Gutters 3 Installation of Reinwater pipes 3 Installation of Rectagrid RS40 on top of angle iron frame No 8  BBLL No. Results ANGLE MESAU MISSEL MESAU STATE ANGLE MESAU STATE		STEELWORK  Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further				
Installation of gutters and rainwater pipes should include proper installation of holding clips  Installation of Gutters  Installation of Rainwater pipes  Installation of Rectagrid RS40 on top of angle iron frame  No 8		SUPPLEMENTARY PREAMBLES				
3 Installation of Rainwater pipes 3 Installation of Rectagrid RS40 on top of angle iron frame No 8	1	Installation of gutters and rainwater pipes should include	No	32		
3 Installation of Rectagrid RS40 on top of angle iron frame No 8	2	Installation of Gutters	m	192		
BILL No.	3	Installation of Rainwater pipes	m	20		
	3	Installation of Rectagrid RS40 on top of angle iron frame	No	8		
	BILL No. 7	BIII No. 7 METALWORK carried to Summary				

	CT NUMBER: THE REFURBISHMENT OF THE EXISTING STORAGE INFRASTRUCTURAL WORK AT 2-2023-24 MBIZANA RED HUB			BIII 8	
Item No.	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
1 2	BILL NO. 8  METALWORK  Tenderers are to refer to the Model Preambles for Trades (Latest Edition) and Supplementary Preambles for further description and amplification of work in this section  SUPPLEMENTARY PREAMBLES  Descriptions of bolts shall be deemed to include nuts and washers  Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete  Metalwork described as "holed for bolt(s)" shall be deemed to exclude the bolts unless otherwise described  ROLLER SHUTTER DOORS  Installation of new roller shutter doors complete with rubber sealant  Installation of new rails for roller shutter doors	No.	1 7	RATE	AMOUNT
BILL No.					
8	BIII No. 8 METALWORK carried to Summary				R0.00

	CT NUMBER: ASSESSMENT, EVALUATION AND OVERSEEING THE REFURBISHMENT OF THE EXISTING 12-2023-24 STORAGE INFRASTRUCTURAL WORK AT MBIZANA RED HUB			BIII 9	
item No.	DESCRIPTION		QUANTITY	RATE	AMOUNT
No.	BILL NO. 9  PAINTWORK  Notes: 1 Tenderers are advised to study the specification PW371-A and B as amended. Construction (downloadable from Department of Public Works website. www.publicworks.gov.za) before pricing this bill 11. Unless otherwise stated all items in this Bill  SUPPLEMENTARY PREAMBLES  DESCRIPTIONS  Descriptions of paintwork shall be deemed to include for all cutting in PREPARATORY WORK TO EXISTING WORK  Previously painted plastered surfaces shall be thoroughly washed down with polycell sugar-soap solution, rinse with clean water to remove all traces of soap, sand glossy surface to a matt finish and allowed to dry 'completely for 24 hours before any  Previously painted metal surfaces shall be cleaned of all rust, scale and dirt, removed by scraping or with steel brushes. All gill and grease shall be removed and perfectly clean surfaces obtained. If necessary, the surfaces shall be de-grease	UNIT	QUANTITY	RATE	AMOUNT
1	Previously painted wood surfaces shall be thoroughly cleaned down. Blistered or peeling paint shall be completely removed and cracks and crevices shall be primed, filled with suitable filler and finished smooth.  PAINT ON CEILING. ETC.  WOOD SURFACES  Apply one coat oil wood primer, one coat universal undercoat and two coats ename! Velvaglo' or other equal and approved paint on.  Ceiling	m²	213		
BILL No. 9	BIE No. 9 PAINTWORK carried to collection				R0.00

CONTRACT NUMBER: RFP 12-2023-24	THE REFURBISHMENT OF THE EXISTING STORAGE INFRASTRUCTURAL WORK AT MBIZANA RED HUB	SUMMARY
	DESCRIPTION	AMOUNT
BILL NO. 1	PRELIMINARIES AND GENERAL	
BILL NO. 2	ALTERATIONS TO EXISTING BUILDING	
BILL NO 3	EXCAVATIONS, FILLING ETC	
BILL NO. 4	CONCRETE, FORMWORK AND REINFORCEMENT	
BILL NO. 5	WATERPROOFING	
BILL NO. 6	CEILINGS, PARTITIONS AND ACCESS FLOORING	
BILL NO. 7	STEELWORK	
BILL NO. 8	METALWORK	
BILL NO. 9	PAINTWORK	
SUBTOTA		
	CONTIGENC	
TOTAL ADD 16%	VAT	
-	PROJECT CONSTRUCTION COSTS	

PART C: THE CONTRACT Part C3: Scope of Work

PROJECT TITLE:	REQUEST FOR BIDS FOR THE APPOINTMENT OF A CONTRACTOR FOR THE REFURBISHMENT OF THE EXISTING STORAGE FACILITIES AT MBIZANA RED HUB
CONTRACT NO:	

		<u>Page</u>
C3.1	DESCRIPTION OF THE WORKS	171
C3.2	CONSTRUCTION	174
C3.3	MANAGEMENT	176

PART C: THE CONTRACT Part C3: Scope of Work

PROJECT TITLE:	REQUEST FOR BIDS FOR THE APPOINTMENT OF A CONTRACTOR FOR THE REFURBISHMENT OF THE EXISTING STORAGE FACILITIES AT MBIZANA RED HUB
CONTRACT NO:	

# C3.1. Description of the Works

# C3.1.1 Employer's Objectives

The employer's objective is to deliver refurbished storage facilities at Mbizana RED Hub.

### C3.1.2 Overview of the Works

.

#### C3.1.3 Extent of the Works

The scope of works includes but not limited to the following:

The Contractor will be required to construct the works in conformity with design criteria specified in the Project Specification.

The project period will be 3 months.

#### C3.1.4 Location of the Works

# C3.1.5 Description of Site and Access

# C3.1.6 Temporary Works

All design and construction of any temporary works must be approved by the Engineer.

PART C: THE CONTRACT Part C3: Scope of Work

PROJECT TITLE:	REQUEST FOR BIDS FOR THE APPOINTMENT OF A CONTRACTOR FOR THE REFURBISHMENT OF THE EXISTING STORAGE FACILITIES AT MBIZANA RED HUB
CONTRACT NO:	

### C3.2. Construction

#### C3.2.1 Construction Standards

The "Model Preambles for Trades (2008 Edition)" recommended and published by the Association of South African Quantity Surveyors shall be deemed to be incorporated in the Bills of Quantities, with amendments as follows: References to "Architect" in the Model Preambles are to be read as "Principal Agent" shall apply to this contact.

This publication is available from The Association of South African Quantity Surveyors, P.O. Box 3527, Halfway House, 1685 - telephone (011) 315-4140, before a Tender is submitted.

The SANS 1200 Standardised Specification for Civil Engineering Construction prepared by Standards South Africa and specific amendments and additions to the SANS 1200 Standardized Specifications shall apply to this contract.

The SANS 1200 Standardised Specification publications are available from Standard south Africa, Private Bag X 191, Pretoria, 0001.

### C3.2.2 Plant and Materials

#### C3.2.2.1 Plant and Materials Supplied by the Employer

None

# C3.2.2.2 <u>Materials, Samples and Shop Drawings</u>

All materials are to be tested by a commercial laboratory as directed by the Engineer.

# **C3.2.3** Construction Equipment

#### C3.2.3.1 Requirements for Equipment

The Contractor is required to use plant and equipment that is sufficient for the contract.

#### C3.2.3.2 Equipment Provided by the Employer

None

# C3.2.4 Existing Services

# C3.2.4.1 Known Services

As-built information is unavailable at the time of tender, the onus still lies with the main Contractor to ensure that no services are damaged during the construction phase.

#### C3.2.4.2 Treatment of Existing Services

Contractor to use caution.

#### C3.2.4.3 Use of Detection Equipment for the Location of Underground Services

At main Contractor's discretion.

#### C3.2.4.4 Damage to Services

It is the responsibility of the Contractor to ensure that no services are damaged during the construction process. In case the known services are damaged, the main Contractor shall be responsible for the repair off the services to the original state before it was damaged, as well as all cost associated with the damaged service.

# C3.2.5 Site Establishment

#### C3.2.5.1 Services and Facilities Provided by the Employer

None.

#### C3.2.5.2 Facilities Provided by the Contractor

The onus lies with the main Contractor to find a suitable camp site, approved by the Employer.

### C3.2.5.3 Storage

No requirements are specified.

#### C3.2.5.4 Other Facilities and Services

No requirements are specified.

#### C3.2.5.5 Vehicles and Equipment

No requirements are specified.

# C3.2.5.6 Advertising Rights

It is the main Contractor's responsibility that no suppliers advertise on site. Any advertisement from suppliers shall be removed at the cost of the main Contractor.

# C3.2.5.7 Notice Boards

The main Contractor is allowed to place a Notice board on site. The maximum allowed size of this board should be 2 x 3m.

#### C3.2.6 Site Usage

The Contractors are not allowed to work outside the allowed working hours, as agreed with the Engineer. The disturbance to the residence should be kept at a minimum.

PART C: THE CONTRACT Part C3: Scope of Work

PROJECT TITLE:	REQUEST FOR BIDS FOR THE APPOINTMENT OF A CONTRACTOR FOR THE REFURBISHMENT OF THE EXISTING STORAGE FACILITIES AT MBIZANA RED HUB
CONTRACT NO:	

# C3.3. Management

# C3.3.1 Planning and Programming

#### C3.3.1.1 General

This clause describes the requirements for the preparation, submission, updating and revision of the programme for the works. The requirements are in addition to or in expansion of the JBCC PBA clause [15.6].

The programme shall be used by the contractor to plan and execute the works. The programme shall also be used by the Principal Agent to monitor progress and be the sole basis for the assessment of revisions of the date for Practical Completion.

The programme shall be produced by the contractor as follows:

- a) A programme for the totality of the works shall be submitted to the principal agent for acceptance. If the principal does not accept such programme, it shall be revised and amended until it is accepted by the principal agent. This programme will then be regarded as the baseline programme.
- b) This baseline programme shall be updated with actual progress on a monthly basis, or any more frequent basis as necessitated by construction events. The contractor may submit to the principal for acceptance revisions to the baseline programme.
- c) Acceptance by the Principal Agent of any programme submitted by the contractor does not make such programme a contract document, nor does it mandate that the works shall be constructed strictly in accordance therewith. The contractor at all times remains responsible for the construction of the works.

#### C3.3.1.2 Submission of Programme

Within 10 (Ten) working days of been given possession of the site the Contractor shall submit to the Principal Agent for his review and acceptance a programme for the whole of the works showing the order in which the contractor proposes to execute the works. This programme becomes the baseline programme upon acceptance by the Principal Agent. The baseline programme shall have regard to the contract completion dates, any other milestones and any restraints set out in the contract. Thereafter, if the actual progress does not conform with the baseline programme, the Principal Agent is entitled to require the Contractor to submit a revised programme showing the order of activities necessary to ensure completion of the works by the contract completion dates.

The Contractor shall supply the Principal Agent with an electronic copy of each programme, together with a print-out bar chart or tabular report in a pre-agreed format. All programmes shall be prepared

and submitted using Microsoft Project software.

Within 10 (Ten) working days of the contractor submitting a programme complete with all the information required by this clause to the principal agent for acceptance, the principal agent will accept the programme or state reasons for not accepting the programme. If such reasons are given, the contractor shall take account of the reasons and resubmit the programme within 5 (five) working days.

If the Principal Agent fails to act the programme is deemed to be rejected.

# C3.3.1.3 Default in submission of programs

Should the contractor fail to submit a programme for acceptance as the baseline programme or not update the programme as described above, the principal agent shall be entitled to withhold 25% of the amount due to the contractor in interim payment certificates until the contractor has complied with its obligations in this regard.

### C3.3.2 Health and Safety

### C3.3.2.1 <u>Health and Safety specification</u>

In terms of the Occupational Health and Safety Act (Act 85 of 1993) (OHSA) and the Construction Regulation 2014, the Client must provide the Contractor with a Health and Safety Specification to which the Contractor must respond with a Health and Safety Plan for approval by the Client.

The purpose of this Specification is to ensure that Principal Contractors entering into a contract with the Employer maintain an acceptable level of performance with regard to health and safety issues during the performance of the contract. In this regard the OHSA Specification form an integral part of the Contract and the Principal Contractor shall ensure that their contractors and/or suppliers comply with the requirements of this Specification.

PART C: THE CONTRACT Part C4: Site Information

PROJECT TITLE:	REQUEST FOR BIDS FOR THE APPOINTMENT OF A CONTRACTOR FOR THE REFURBISHMENT OF THE EXISTING STORAGE FACILITIES AT MBIZANA RED HUB
CONTRACT NO:	

C4.1 SITE INFORMATION 179

# **C3: SCOPE OF WORK**

# **C3.1 SCOPE OF WORK**

# 1. DESCRIPTION OF THE WORKS

# 1.1 Employer's objectives

The employer's objective is to refurbish the existing storage facilities Mbizana RED Hub

# 1.2 Overview of the works

Services for Refurbishment of an existing storage facilities, additions and alterations.

### 1.3 Extent of the works

The works include supply of plant, labor, materials and supervision for the following activities:

1	Storage 1	Calling
'	Storage	Ceiling      Demoving of existing demograd ceiling
		Removing of existing damaged ceiling
		Installation of new ceiling
		Rhino set
		Painting of ceiling
		Roller shutter doors
		Installation of rubbers
		Translucent Sheets
		Bandage around with waterproofing membrane
		Circular Vents
		<ul> <li>Repair, Reinstall and bandage around with</li> </ul>
		waterproofing membrane
		Steel gutters
		Installation of new steel gutters.
2	Storage 2	
		Ceiling
		<ul> <li>Installation of new ceiling</li> </ul>
		Blundering for celling
		Rhino set
		<ul> <li>Painting of ceiling</li> </ul>
		• Floor
		<ul> <li>Installation 2 coats of cretecote (0.8mm per</li> </ul>
		coat)
		Roller shutter doors
		<ul> <li>Removal of channels.</li> </ul>
		<ul> <li>Replacement of new channels and reinstallation</li> </ul>
		of existing roller
		<ul> <li>Installation of rubbers</li> </ul>
		Translucent Sheets
		<ul> <li>Bandage around with waterproofing membrane.</li> </ul>
		<ul> <li>Replacement of damaged sheet.</li> </ul>
		Circular Vents
		<ul> <li>Repair, Reinstall and bandage around with</li> </ul>
		waterproofing membrane.

		Steel gutters
		<ul> <li>Installation of new steel gutters.</li> </ul>
		Apron
		Excavate topsoil 150mm
		Fill with G6 material 150mm
		<ul> <li>Compact</li> </ul>
		Sagging of foundation
		<ul> <li>Filling between the bricks and foundation with</li> </ul>
		non-shrink waterproof grout
3	Storage 3	
		Ceiling
		Removal of existing ceiling
		<ul> <li>Installation of new ceiling</li> </ul>
		Rhino set
		Painting of ceiling
		Roller shutter doors
		Removal of channels.
		Replacement of new channels and reinstallation
		of existing roller
		<ul> <li>Installation of rubbers</li> </ul>
		Translucent Sheets
		<ul> <li>Bandage around with waterproofing membrane.</li> </ul>
		<ul> <li>Replacement of damaged sheet.</li> </ul>
		Circular Vents
		Repair, Reinstall and bandage around with waterproofing membrane.
		Steel gutters
		Removal of damaged steel gutters
		Installation of new Steel gutters
		Sagging of foundation
		Filling between the bricks and foundation
		with non-shrink waterproof

#### LOCAL PRODUCTION AND CONTENT

All proposals received will further be assessed on whether they meet the stipulated minimum threshold for local production and content. It is a special condition that only locally produced goods or locally manufactured goods, meeting the stipulated minimum threshold for local production and content, will be considered.

Bids in respect of cement must further contain a specific bidding condition which states that: If the quantity of materials and/or products required cannot be wholly sourced from South African based manufacturers and/or at the designated local content threshold at any particular time, bidders should obtain written approval from the dtic to supply the remaining portion at a lower local content threshold. the dtic, in consultation with the procuring organ of state, will grant such approval on a case-by-case basis and will consider the following:

- required volumes in the particular bid;
- available collective South African industry manufacturing capacity at that time;
- delivery times;
- availability of input materials and components;

- technical considerations including operating conditions;
- materials of construction; and
- Security of supply and emergencies.

The stipulated minimum threshold(s) for local production and content (refer to Annex A of SATS 1286:2011) for this bid is/are as follows:

PRODUCT TYPE	MINIMUM THRESHOLD FOR LOCAL CONTENT
Gutters, downpipes & lauders	100%

# 1.4 Location of the works

Mbizana RED Hub ECRDA

# 1.5 Temporary works

Not Applicable

# 2. ENGINEERING

# 2.1 Design services and activity matrix

Activity	Responsibility
Obtain the necessary approvals from relevant authorities and	Employer's Agent
submit documents to relevant authorities	
Provide design concept and associated concept drawings.	Employer's Agent
Provide preliminary working drawings.	Employer's Agent
Provide detailed design and related construction drawings.	Employer's Agent
Design temporary works.	Contractor
Reduce record drawings	Employer's Agent
Construction work	Contractor
Supervision of construction	Employer's Agent
Close out project and submit documentation	Employer's Agent

# 2.2 Employers Design

Not Applicable

# 2.3 Design Brief

Not Applicable

# 2.4 Drawings

The drawings are as follows:

Architects drawings

•

Structural Engineer drawings

# 2.5 Design procedures

# 3. PROCUREMENT

# 3.1 Procurement procedures

### 3.1.1 Requirements

The works shall be executed in accordance with the conditions attached to preferences granted in accordance with the preferencing schedule.

## 3.1.2 Participation of target groups.

The contractor shall provide all the necessary on-the-job training to targeted labour to enable such labour to master the basic work techniques required to undertake the work in accordance with the requirements of the contract in a manner that does not compromise worker health and safety.

The cost of the formal training of targeted labour, will be funded by the provincial office of the Department of Labour. This training should take place as close to the project site as practically possible. The contractor must access this training by informing the relevant provincial office of the Department of Labour in writing, within 14 days of being awarded the contract, of the likely number of persons that will undergo training and when such training is required. The employer must be furnished with a copy of this request.

A copy of this training request made by the contractor to the DOL provincial office must also be faxed to the EPWP Training Director in the Department of Public Works—Cinderella Makunike, Fax Number 012 328 6820 or email cinderella.makunike@dpw.gov.za Tel: 083 677 4026.

The contractor shall be responsible for scheduling the training of workers and shall take all reasonable steps to ensure that each beneficiary is provided with a minimum of six (6) days of formal training if he/she is employed for 3 months or less and a minimum of ten (10) days if he she is employed for 4 months or more.

The contractor shall do nothing to dissuade targeted labour from participating in training programmes.

An allowance equal to 100% of the task rate or daily rate shall be paid by the contractor to workers who attend formal training, in terms of above.

Proof of compliance with the requirements above must be provided by the Contractor to the Employer prior to submission of the final payment certificate.

# 3.2 Subcontracting

3.2.1	Scope of mandatory subcontract works

# 3.2.2 Preferred subcontractors / suppliers

Subcontractors to be preferably within the xxxxx Local Municipality and registered with the CIDB.

# 3.2.3 Subcontracting procedures

Any subcontracting should be to CIDB registered contractors in accordance with the subcontracting procedures described hereunder.

The contractor shall advertise and call for competitive tenders in respect of each portion of the works that are required to be subcontracted in terms of the contract in accordance with the relevant provisions of the latest edition of the CIDB Standard for Uniformity in Construction Procurement. The Contract Data in the associated procurement documents shall be based on the SAICE General Conditions of Contract for Construction Works (Third Edition 2015), with minimal project specific variations and amendments that do not change their intended usage.

The Employer together with the Contractor shall evaluate the tenders received in accordance with the provisions of the Standard Conditions of Tender contained in Annex F of the Standard for Uniformity in Construction Procurement. The evaluation panel shall comprise equal representatives from the Employer and from the Contractor.

The Contractor shall without delay enter into a contract with the successful tendering subcontractor based on their accepted tender submission.

The Contractor shall remain responsible for providing the subcontracted portion of the works as if the work had not been subcontracted.

### 4. CONSTRUCTION

# 4.1 Works specifications

# 4.1.1 Applicable national and international standards

The standards applicable to this Contract are the SABS 1200 Standardized Specifications detailed below and the variations, amendments and additions to the variations and additions to the SABS 1200 Standardized Specifications and the Particular Specifications described elsewhere in the document.

### Standardized Specifications:-

SABS 1200 A : General

SABS 1200 AB : Engineer's OfficeSABS 1220 C : Site Clearance

SABS 1200 D : Earthworks

SABS 1200 DA : Earthworks (Small Works)
SABS 1200 DB : Earthowrks (Pipe Trenches)
SABS 1200 GA : Concrete (Small Works)

SABS 1200 LB : Bedding (Pipes)

SABS 1200 LD : Sewers SABS 1200 LC : Cable ducts

## 4.1.2 Particular / generic specifications

PPSA : General Requirements for Electrical and Mechanical Works

PPSB : Operational Control
PPSC : Pump Specification
PPSD : Electrical Specification

### 4.2 Work Specifications

# 4.2.1 Certification by recognised bodies

Not Applicable

# 4.2.2 Agreement certificates

No use of alternative materials will be permitted unless otherwise approved by the Engineer. Use of such materials will only be permitted on engineers' approval if the manufacturer produces a valid Agrement Certificate issued by Agrement South Africa or any equally certified body.

### 4.3 Plant and material

### 4.3.1 Plant and materials supplied by the employer

The Contractor is responsible to provide and or procure all the requisite plant and equipment for successful completion of the Works.

The plant and equipment used on the site shall not be inferior to that described in the Schedule of Plant and Equipment.

# 4.3.2 Materials, samples and shop drawings

All materials used shall be as per engineers' specifications, No deviations from the specification shall be allowed unless approved in writing by the Engineer. Contractor may be required to take random samples of any materials used for testing if Engineer deems it necessary.

# 4.4 Construction equipment

#### 4.4.1 Requirements for equipment

The Contractor is responsible to provide and or procure all the requisite equipment for successful completion of the Works.

The equipment used on the site shall not be inferior to that described in the Schedule of Plant and Equipment.

# 4.4.2 Equipment provided by the employer

Not Applicable

# 4.5 Existing services

#### 4.5.1 Known services

Existing services have been marked on drawing P1306 C01. However, there may be other unknown services, contractor will be required to exercise caution during excavations

# 4.5.2 Treatment of existing services

Where a service has been located and exposed, the Contractor shall take every care in ensuring that the excavation containing the service is barricaded and protected against collapse and that the service is adequately protected against damage. Should the existing service become damaged by the Contractor or any third party due to negligence on part of the Contractor, then the cost of its repair along with any consequential costs shall be borne by the Contractor.

# 4.5.3 Use the detection equipment for the location of underground services

No special detection apparatus are required. Where services are found the Engineer must be notified immediately so that a decision can be made regarding re-alignment, relocation or protection of said services. The Contractor shall on no account effect such adjustments without the prior consent of the Engineer.

### 4.5.4 Damage to services

Information related to existing services will be provided by the Employer or his Agent as best as possible but it is the Contractor's responsibility to ascertain the exact position of such services.

Where applicable, the approximate positions of known services, which may be affected by the Works have been shown on the drawings. The Contractor will be required to contact all service owners and ascertain the location and status of all services irrespective of whether they are shown on the drawing or not. It is possible that there are services existing, which are not reflected on the Contract drawings, which might have a minor effect on the works. Therefore, the Contractor must take cognisance of the above possibility and provide sufficient flexibility within his programme of works to accommodate any alterations that might be necessary.

It is a requirement of this Contract that the Contractor exposes every known service within 150m ahead of any excavation front to determine whether its level clashes with the grading of the services to be installed and structures. Claims for delays etc. arising from the non-compliance with this requirement will not be considered. The Contractor is further

required to measure accurately the position and level at which these services occur and to report this information to the Engineer in writing prior to work commencing in the vicinity of the services.

Buried electrical and telecommunications cables shall be exposed using hand toolsinitially before allowing the uncontrolled use of picks and other implements, or before using machines to excavate. Supporting or diverting cables must be done by, or in consultation with, officials of the relevant authority.

The Contractor shall exercise extreme care when working in areas with existing services. Any repairs required to existing services damaged by the Contractor will be for his own account. Damage to unknown services shall be repaired as soon as possible and liability for the damage caused and the cost of repairs shall be determined on site when such damage should occur.

The Contractor is also to note that he will be working in the close vicinity of Eskom power lines.

Where applicable, all connections to the existing water systems shall be undertaken in a manner and at times to be approved by the Engineer

All existing services shall be maintained in operation, unless prior arrangements have been made with the relevant authority and written permission for an interruption of the service has been granted and adequate notice has been given to the affected residents.

# 4.5.5 Reinstatement of services and structures damaged during construction

The Contractor shall exercise extreme care when working in areas with existing services. Any repairs required to existing services damaged by the Contractor will be for his own account. Damage to unknown services shall be repaired as soon as possible and liability for the damage caused and the cost of repairs shall be determined on site when such damage should occur.

### 4.6 Site establishment

### 4.6.1 Advertising rights

Advertising rights will be as below

#### 4.6.2 Notice boards

Notices, signs and barricades required in terms of Clause 8.4 of the Conditions of Contract as well as advertisements may only be erected where approved by the Engineer. The Contractor shall be responsible for their supply, erection, maintenance and ultimate removal and shall make provision for this in his tendered rates.

The Engineer shall have the right to have any sign, notice or advertisement moved to another location, or to have it removed from the Site of the Works, should it in any way prove to be unsatisfactory, inconvenient or dangerous to the general public.

# 4.6.3 Facilities provided by the contractor

The contractor is also responsible for providing all other temporary facilities necessary for providing the works which are not provided by the employer, including power, water, telecommunications, security services, medical facilities, fire protection, sanitation and toilets, and waste disposal

Also, the contractor will be responsible for providing offices for all monthly meetings, office for the Engineers Representative on site equipped with furniture and a standard laser jet printer.

### 4.7 Site establishment

#### 4.7.1 Services and facilities provided by the employer

The Contractor shall be responsible to provide the following services for the duration of the contract:

- Water: location, quality, approximate pressure, source, etc.;
- Electricity: location, phase, source, etc.;
- Telecommunication services: location of lines, etc.;
- Ablution facilities: nature and location;
- Accommodation: nature and location;
- Medical/first aid facilities: nature and location;
- Fire protection services: nature and location;
- Other: describe and appropriate.

It is the responsibility of the contractor to:

- Connect to and distribute water, electricity and telecommunication services;
- Provide stand-by or back-up for each service or facility the employer might provide, in the event of its interruption or failure;
- Clear up and make good when the service or facility is no longer required, i.e. leave the employer's facilities in the condition they were before the contractor first made use of them, fair wear and tear excepted; and
- Continuously clear and dispose of waste and surplus materials to maintain the site in a tidy state.

# 4.7.2 Storage and laboratory facilities

The contractor is responsible for providing its own secured storage facility for any material on site or any other things that would need to be stored for the duration of the contract.

#### 4.7.3 Other facilities and services

The contractor is also responsible for providing all other temporary facilities necessary for providing the works which are not provided by the employer, including power, water, telecommunications, security services, medical facilities, fire protection, sanitation and toilets, and waste disposal.

# 4.7.4 Vehicles and equipment

Heavy machinery to be used for site clearance and excavation of trenches

# 4.8 Site usage

The Contractor shall always keep unauthorized persons from the works. Under no circumstances may any person except guards be allowed to sleep on the building site.

# 4.9 Permits and way leaves

Notification of works permit need to be applied for before works can commence on site

### 4.10 Alterations, additions, extension and modifications to existing works

Contractor shall be responsible for correct setting out of works as per construction drawings. Any discrepancies on the levels and setting out information shall be taken up with the Engineer before commencement of construction works. Contractor is required to obtain a written instruction from the Engineer before any commencements of works with regards to obstructions or clashes such as existing structures, components not compatible with the proposed works which were not picked up on the Engineers Drawing. If the contractor picks up any other defects relating to previously executed works which impacts the current works, he shall notify the Engineer immediately for responsive action.

# 4.11 Inspection of adjourning properties

Excavations for all works falling outside of the design area of within close proximity with existing structures should be inspection with the Engineer, owners of adjacent buildings and properties and representatives of local authorities before commencing works to avoid potential damage surrounding buildings and property. The contractor will be held liable for any damage as a result of carrying out excavations on these areas.

# 4.12 Water for construction purposes

The Contractor shall be responsible under the Contract for the supply and distribution at his cost of all water that he may require for purposes of constructing and testing of the Works.

xxxxx District Municipality is the water supply authority and any water usage and connections to existing networks will require approval from xxxxx.

Accordingly, the Contractor must make his own arrangements and pay all connection fees and consumption charges, and at his cost provide all connections, consumption meters, pipe work, storage tanks, transport and other items associated with the supply of water for the Works.

# 4.13 Survey control and setting out of the works

The Contractor shall take special precautions to protect all permanent survey beacons or installed pegs such as bench-marks, stand boundary pegs and trigonometrical beacons, regardless whether such beacons or pegs were placed before or during the execution of the Contract. If any such beacons or pegs are disturbed by the Contractor or his/her employees, the Contractor shall have them replaced by a registered land surveyor at his own cost.

Detail setting out of the Works shall be the responsibility of the Contractor. Such setting out shall be executed by a registered surveyor. No separate payment shall be made in respect of setting out, such work being deemed as included in the rates tendered for construction of the Works.

The Contractor will be required to verify the accuracy of all survey control provided on the drawings or in the form of beacons previously placed on the site. Prior to setting out, the Contractor shall also check the invert level of the existing tie-in against those provided on drawings and immediately report any inconsistency to the Engineer in writing.

The Contractor shall be held directly responsible for any errors in setting out of the works arising from use of the survey control or existing invert levels provided.

### 5. MANAGEMENT

### 5.1 Management of the Works

### 5.1.1 Applicable national standards

For the purpose of this Contract the Standardised Specifications and Codes of Practice for Civil Engineering Construction as approved by the Council of the South African Bureau of Standards as issued at date of tender shall apply.

Where items in the Schedule of Quantities refer to SANS 1200, the full specification in the relevant portion of the latest edition of SANS 1200 Standardised Specification listed below shall be applicable:

SANS	1200 A	General
SANS	1200 AB	Engineer's office
SANS	1200 C	Site Clearance
SANS	1200 D	Earthworks
SANS	1200 DA	Earthworks (Small Works)

SANS 1200 DB	Earthworks (Pipe Trenches)
SANS 1200 GA	Concrete (Small works)
SANS 1200 LB	Bedding (Pipe)
SANS 1200 LD	Sewers
SANS 1200 LC	Cable ducts

# 5.1.2 Particular / generic specifications

The scope of work is set out in three portions:

Portion 1: Standard Applicable Specifications applicable to the contract

Portion 2: covers variations and additions to the SANS 1200 standardised

specifications that are applicable to the Contract.

Portion 3: contains particular specifications not covered by the SANS 1200 series of

standardised specifications.

# 5.2 Management of the Works

The Contractor is referred to SANS 1921: 2004 parts 1, 2 and 3: Construction and Management Requirements for Works Contracts. These specifications shall be applicable to the Contract under consideration and the Contractor shall comply with all requirements relevant to the project.

Certain aspects however require further attention as described hereafter.

The abovementioned South African National Standards make several references to the Specification Data for data, provisions and variations that make these standards applicable to this contract. The Specification Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and these standards.

Each item of Specification Data given below is cross-referenced to the clause in the standard to which it mainly applies.

The associated Specification Data is as follows:

SANS 1921-1, Construction and management requirements for works contracts – Part 1:		
General engineering and construction works  Clause   Specification data		
Clause		
4.1.7	There are no requirements for drawings, information and calculations for which the contractor is responsible	
4.2.1	The responsibility strategy assigned to the contractor for the works is A.	
4.2.2	The structural engineer is	
4.3.3	The notice period for inspection is 2 Days	
4.7.3	The overbreak allowances for blasting are provided for in the scope of work.	
4.9.3	The trees and shrubs which are not to be disturbed are identified in the scope of work.	
4.12.2	The samples of materials, workmanship and finishes that the contractor is to provide and deliver to the employer are:  None	
4.12.2	The fabrication drawings that the contractor is to provide and deliver to the employer are:  None	
4.14.3	The office accommodation, equipment, accommodation for site meetings and other	
	facilities for use by the employer and his agents are:  1) <b>Site office</b> which shall be used for site meetings and for the contractor's use. Suchan office shall comprise a minimum of 20m² in area and 3 m high, be ventilated, have good lamination, must be reasonably sound proof, and have a hard floor construction. It shall be furnished with a desk on which drawings can be rolled open and on which there is sufficient writing space and sufficient temporary chairs or benches to accommodate all persons present at site meetings.	
4.14.5	The Contractor is required to provide latrine and ablution facilities.	
4.14.6	<ul> <li>The requirements for the provision and erection of separate sign boards for consultants and subcontractors are:</li> <li>1) The boards must comply with the official standard type signboard of the Employer and be at least 2750 x 1800 mm high – be done by the Building Main Contractor</li> <li>2) The boards must be constructed with a firm flat exposed face using suitable material of firm construction, painted and lettered according to the standard drawings available from the Employer on request and mounted on sturdy pipe- standards at a height of 1800 mm above natural ground level.</li> </ul>	
4.17.1	The requirements for the termination, diversion or maintenance of existing services are:  None	

4.17.3	Services which are known to exist on the site are:  1) Water	
	2) Sewers	
	3) Electrical Lines	
4.17.4	The requirements for detection apparatus are:	
	None	

Variations	
1	
2	
Additional clauses	

# 1 Site meetings and procedures

The Employer's Representative and the Contractor shall hold meetings relating to the progress of the works at regular intervals and at other such times as may be necessary. The Contractor shall attend all site meetings and shall ensure that all persons under his jurisdiction are notified timeously of all site meetings should the Employer's Representative require their attendance at such meetings.

The Contractor shall keep on site a set of minutes of all site meetings, daily records of resources (people and equipment employed), a site instruction book, a complete set of contract working drawings and a copy of the procurement document and make these available at all reasonable times to all persons concerned with the contract.

# 2 Water and electricity

The Employer does not warrant that any water supply or electricity supply that may exist is adequate for the proper execution of theworks. The responsibility strategies in terms of the tabulation below that will apply to the contract is:

a) water : A b) electricity : A

Service	A Contractor responsibility	Option B Employer responsibility	С
Water	The Contractor is to provide, and remove and make good upon completion, all the	The Contractor shall make, and upon completion remove, all the necessary connections to the Employer's water supply at designated	make, and upon completion remove, all the necessary connections and water meters to the
			1

Electricity	The Contractor is to	The Contractor shall	The Contractor shall
	provide, and remove	make, and upon	make, and upon
	and make good upon	completion remove,	completion remove,
	completion, all the	all the necessary	all the necessary
	necessary temporary	electrical connections	connections and
	electrical connections	to the Employer's	meters to the
	and installations and	electrical supply at	Employer's electrical
	purchase electricity	designated points	supply and be
	from the local	and make use of	responsible for costs
	authority / ESKOM for	electricity free of	associated with all
	the works at his own	charge for	electricity consumed.
	cost.	construction	
		purposes only.	

SANS 1921-5, Construction and management requirements for works contracts – Part 5: Earthworks activities which are to be performed by hand.				
Clause	Specification Data			
Essential Data:				
5.1	The depth of trenches which are to be excavated by hand is 1,5 metres.			
Addition	Additional clauses:			
1	Stone pitching and rubble concrete masonry			
	All stone required for stone pitching and rubble concrete masonry, whether grouted or dry, shall be collected, loaded, off loaded and placed by hand.  Sand and stone shall be hauled to its point of placement by means of wheelbarrows			
	where the haul distance is not greater than 150m. Grout shall be mixed and placed by hand.			
2	Manufactured Elements			
	Elements manufactured or designed by the Contractor, such as manhole rings and cover slabs, precast concrete planks and pipes, masonry units and edge beams shall not individually, have a mass of more than 320kg. In addition the items shall be large enough so that four workers can conveniently and simultaneously acquire a proper hand hold on them.			
	SANS 1921-6, Construction and management requirements for works contracts – Part 6: HIV/AIDS awareness.			
4.2.1(a)	A qualified service provider is a service provider that is one that is accredited or provisionally accredited training service provider in the HIV/AIDS field.  A list of accredited service providers can be obtained from the Construction SETA (CETA) (tel 011-265 5900), Health and Welfare SETA (HWSETA) (011-622 6852) or on the Health and Welfare SETA website: <a href="https://www.hwseta.org.za">www.hwseta.org.za</a> .			
4.2.1(a)	The HIV/AIDS awareness programme is to be repeated at four-month intervals throughout the duration of the contract. (Four times in total, including the initial one at the start of the contract.)			
Addition	Additional clauses			
	The duration of each workshop is not to be less than 2 ½ hours.			

# 5.2.1 Planning and programming

The planning, programme and method statements are to comply with the following:

The Contractor is required to submit for approval by the Engineer, within the timeframe stipulated in the Contract Data, a programme of works. The programme must be for the full contract period stipulated in the Contract Data and must clearly indicate all the main construction activities, their sequence and the critical path. The Contractor may not proceed with construction activities until such time as the programme has been approved by the Engineer.

The Contractor is required to report on and update the programme on a monthly basis.

The Contractor shall be deemed to have allowed fully in his tendered rates and prices as well as in his programme, for all possible delays due to normal adverse weather conditions and special non-working days as specified in the Contract Data.

The following constraints shall be taken into account in preparing the construction programme:

a) The Contract time is **2 months**. Plant and personnel requirements to complete the project in the contract period must be incorporated in the Tender.

If during the time for completion of the Works or any extension thereof abnormal rainfall or wet conditions occurs, then the formula below shall be used to calculate separately the delay for each calendar month or part thereof. It shall be calculated each month during the period referred to in Clause 42.1 as the time for the completion of the Works and any extension time in accordance with Clause 42 that may have been granted by the Employer, or until the issue date of the certificate of practical completion, whichever is the shorter period. The delay calculated or a given month shall be used to determine the interim extension of time granted for the month. At the end of the applicable period referred to above, the aggregate of the monthly delays will be taken into account for the final determination of the total extension of time for the Contract:

$$V = (Nw - Nn) + (Rw - Rn)$$

$$X$$

If any value of V is negative and its absolute value exceeds Nn, then V shall be taken as equal to minus Nn.

The delay for a part of a month shall be calculated by substituting pro-rata values for the variables in the equation.

The symbols shall have the following meanings:

- V = Delays due to rain in calendar days in respect of the calendar month under consideration.
- Nw = Actual number of days during the calendar month on which a rainfall of Y mm or more per day has been recorded.
- Rw = Actual rainfall in mm for the calendar month under consideration.
- Nn = Average number of days in the relevant calendar month (as derived from existing

rainfall records provided in the project specifications) on which a rainfall of Y mm or more per day has been recorded.

Rn = Average rainfall in mm for the calendar month, as derived from the rainfall records supplied in the project specifications.

X = 20, unless otherwise provided in the project specifications.

Y = 10, unless otherwise provided in the project specifications.

The total delay that will be taken into account for the determination of the total extension of time for the Contract shall be the algebraic sum of the monthly totals for the period under consideration. But if the grand total is negative, the time for completion shall not be reduced on account of abnormal rainfall. The total extension of time for any calendar month shall not exceed (Nc - Nn) calendar days, where Nc = number of days calendar days in the month under consideration.

The factor (Nw – Nn) shall be considered to represent a fair allowance for variations from the average number of days during which rainfall equals or exceeds Y mm per day.

The factor  $(Rw - Rn) \div X$  shall be considered to represent a fair allowance for variations from the average for the number of days during which rainfall does not equal or exceed Y mm per day, but wet conditions prevent or disrupt work.

This formula does not take into account any flood damage, which could cause further or concurrent delays and which should be treated separately in so far as extension of time is concerned.

Accurate rain gauging shall be taken at a suitable point on the site daily at 08H00 unless otherwise agreed to by the Engineer, and the Contractor shall, at his own expense, take all necessary precautions to ensure that the rain gauges cannot be interfered with by unauthorised persons.

Information regarding existing rainfall records, if available from a suitable rainfall station near the site, will be supplied in the project specifications, together with calculations of rain delays for previous years in accordance with the above formula. The average of these delays will be regarded as normal rain delays which the Contractor shall accommodate in his programme, and for which no extension of time will be considered.

# 5.2.2 Sequence of the Works

Prior to commencing with construction, the Contractor is required to obtain approval from the Engineer, of his intended sequencing of the work.

### 5.2.3 Methods and procedures

The Contractor is required to undertake all construction activities in an orderly fashion and to maintain the cleanliness of the site during the contract period, to the satisfaction of the Engineer.

The Contractor is required to take note of and comply with the requirements of the Environmental Management Plan contained in this document. Monthly audits will be conducted by others to ensure compliance thereto. During the setting out of the works, guidance should be sought from the Engineer prior to the removal of trees and shrubs.

No blasting operations may be undertaken without the approval of the Engineer. The requisite documentation indicating the competence of the blaster, the approvals of the relevant authorities and the method statement for each blast, are required for approval purposes.

Adequate materials should be available from the site. The Engineer will however indicate as required, the location of suitable borrow pits. These shall be opened and managed in accordance with the requirements of the Environmental Management Plan.

All suitable excess materials may be spread over the trench width. However, no rocks or boulders greater than  $0.15 \, \text{m}^3$  or of mass exceeding 25kg, may be placed within 2 m of the centreline of pipeline. Such materials are to be disposed at suitable locations within the freehaul distance.

The Contractor shall pay special attention to the management and disposal of water and stormwater on the site and the conservation of topsoil and the rehabilitation of the site. It is essential that all completed works or parts thereof are kept dry and properly drained. Furthermore, portions of the Works must be completed and suitably rehabilitated before moving onto new portions of the Works.

The Engineer reserves the right to limit the number of working fronts to ensure that the above is adhered to. Claims for delay and for repair of damage caused to the works as a result of the Contractor's failure with the above or to properly manage rain and surface water will not be considered.

The Contractor shall take all reasonable measures to maintain access to properties and a free flow of traffic during the construction of the works. Where it is this required to disrupt access and the free flow of traffic, it must be kept to a minimum, be of short duration and adequate notice and traffic accommodation measures must be provided. Furthermore, the approval of the Engineer must be sought in advance of any planned disruption.

The Contractor is to undertake all reasonable measure to minimize dust, noise, water, waste and other impediments and shall comply with the requirements of the Environmental Management Plan contained in this document.

The Contractor is required to obtain permission from the Engineer prior to workingoutside normal working hours.

The Contractor will be obliged to comply with the QA system of the Engineer, which dictates the requirements pertaining to inspections required prior to covering works.

### 5.2.4 Software application for programming

Not Required

# 5.2.5 Quality plans and control

The Contractor will be solely responsible for the production of work that complies with the Specifications to the satisfaction of the Engineer. To this end it will be the full responsibility of the Contractor to institute an appropriate Quality Assurance (QA) system on site. However, the Contractor will also be required to comply with certain QAsystems imposed by the Engineer, concerning to the approval of works o temporary works.

### Process Control:

The Contractor shall arrange for all tests required for process control to be done by a laboratory acceptable to and approved by the Engineer.

The Contractor may employ the services of an independent commercial laboratory and must submit the results of tests carried out on materials and workmanship when submitting work for acceptance by the Engineer. The costs for these tests shall be deemed to be included in the relevant rates and no additional payment will be made for testing as required.

Acceptance control: The process control test results submitted by the Contractor for approval of materials and workmanship may be used by the Engineer for acceptance control. However, before accepting any work, the Engineer may have further control tests carried out by a laboratory of his choice. The cost of such additional tests will be covered by the Employer, but tests that failed to confirm compliance with the specifications, will be for the account of the Contractor.

#### 5.2.6 Environment

The Contractor is required to undertake the construction of the Works in such a manner so as to minimize its impact on the environment. To this end, the Contractor is required to comply with the requirement of the Environmental Management Plan contained in Part 5 of this document.

# 5.2.7 Accommodation of traffic on public roads occupied by the contractor

The contractor will always be required to maintain access to properties, keep excavations safe, maintain temporary deviations if required, install clear traffic control measures.

# 5.3 Management of the works

#### 5.3.1 Other contractors on site

No other construction works are envisaged to be undertaken during the construction of this Contract.

# 5.3.2 Testing, completion, commissioning and correction of defects

It is required that the reservoirs and pipelines undergo and comply with the requisite water tightness and pressure tests prior to the connection to any existing works. Only once the Engineer has satisfied himself with the adequacy on the initial tests, will the Contractor be allowed to commission the Works. A method statement for the commissioning of the works will however be required for approval in advance of the commissioning. Relevant acceptance testing will also comply to all pump stations prior totheir connection to the rest

of the works.

Should any components of the works not meet the requirements of the initial tests, they shall be repaired be the Contractor at his own costs, and be re-tested, prior to the commissioning of the works.

### 5.3.3 Recording of weather

The 10 year average rainfall for Maclear and surrounding between 2005-2015 is 786mm/year. Most of the rainfall occurs during the summer months with October receiving the highest figures and June, the lowest.

The average maximum temperature is 23°C, WITH THE HOTTEST MONTH BEING February at 27°C and the coolest month being July at 22°C. The area is coldest in July, where minimum temperatures are averaged around 10°C.

The Contractor shall erect an effective rainfall gauge on the site and record the daily rainfall figures in a book. Such book shall be handed to the employer's representative for his signature no later than 12 days after rain that is considered to justify an extension of time occurs.

#### 5.3.4 Format of communications

The contractor will be required to keep a triplicate site instruction book on site. Site instructions and other contractual communication can be in electronic format (e-mail).

### 5.3.5 Key personnel

For all key personnel, Form T.2.2.3 must be completed. For each key personnel (CV) must be completed. Proof of Qualifications must be attached.

### 5.3.6 Management meetings

It is required that a suitably qualified representative of the Contractor attend monthly site meetings for the duration of the Contract. Progress meetings will be held fortnightly.

# 5.3.7 Forms for contract administration

It is required that the Contractor submit the requisite progress, plant, labour and other pertinent information on a monthly basis, in the format to be provided by the Engineer, for the management of the contract and reporting to the Client and provincial and national government.

All site instructions are to be recorded in writing in triplicate on pro forma forms to be provided by the Engineer.

Progress report will be given at each meeting.

#### 5.3.8 Electronic payments

Banking details to be provided in order to facilitate electronic payments.

## 5.3.9 Daily records

It is required that a daily site diary of all plant and labour on site, and all details of work performed be maintained on site by the Contractor. Similar documentation will be maintained by the Engineer.

## 5.3.10 Payment certificates

The contractor is required to ensure that all claims are submitted timeously to the principal agent in order to expedite verification and certification by employer.

## **5.3.11 Permits**

None

## 5.3.12 Proof of compliance with the law

Compliance with any legislation will be verified, as necessary.

## 5.4 Health and safety

## 5.4.1 Health and safety requirements and procedures

It is a requirement of this contract that the Contractor provide a safe and healthy working environment and to direct all his activities in such a manner that his employees and any other persons, who may be directly or indirectly affected by his activities, are not exposed to hazards to their health and safety. To this end the Contractor shall assume full responsibility to conform to all the provisions of the Occupational Health and Safety Act No 85 and Amendment Act No 181 of 1993, and the OHSA 1993 Construction Regulations 2003 issued on 18 July 2003 by the Department of Labour.

For the purpose of this contract the Contractor is required to confirm his status as mandatory and employer in his own right for the execution of the contract by entering into an agreement with the Employer in terms of the Occupational Health and Safety Act contained in the Agreement and Contract Data.

Health and Safety Specifications and Plans:

## (a) Employer's Health and Safety Specification

The Employer's Health and Safety Specification is included in Part 5 of this document.

#### (b) Health and Safety Plan

The Contractor shall submit his own documented Health and Safety Plan he proposes to implement for the execution of the work under the contract. His Health and Safety Plan must at least cover the following:

- (i) a proper risk assessment of the works, risk items, work methods and procedures in terms of Regulations 7 to 28;
- (ii) pro-active identification of potential hazards and unsafe working conditions;
- (iii) provision of a safe working environment and equipment;

- (iv) statements of methods to ensure the health and safety of subcontractors, employees and visitors to the site, including safety training in hazards and risk areas (*Regulation 5*);
- monitoring health and safety on the site of works on a regular basis, and keeping of records and registers as provided for in the Construction Regulations;
- (vi) details of the Construction Supervisor, the Construction Safety Officers and other competent persons he intends to appoint for the construction works in terms of Regulation 6 and other applicable regulations; and
- (vii) details of methods to ensure that his Health and Safety Plan is carried out effectively in accordance with the Construction Regulations 2003.

The Contractor's Health and Safety Plan will be subject to approval by the Employer, or amended if necessary, before commencement of construction work. The Contractor will not be allowed to commence work, or his work will be suspended if he had already commenced work, before he has obtained the Employer's written approval of his Health and Safety Plan.

Time lost due to delayed commencement or suspension of the work as a result of the Contractor's failure to obtain approval for his safety plan, shall not be used as a reason to claim for extension of time or standing time and related costs

## 5.5 Health and safety

## 5.5.1 Protection of the public

The travelling public shall have the right of way on public roads and the Contractor shall make use of approved methods to control the movement of his equipment and vehicles so as not to constitute a hazard on the road.

The Contractor shall ensure that all road signs, barricades, delineators, flagmen and speed controls are effective and that courtesy is extended to the public at all times.

Failure to maintain road signs, warning signs or flicker lights, etc, in a good condition shall constitute ample reason for the Engineer to suspend the work until the road signs, etc, have been repaired to the Engineer's satisfaction.

The Contractor may not commence constructional activities affecting existing roads before adequate provision has been made to accommodate traffic in accordance with the requirements of this document and the South African Road Traffic Signs Manual.

The Contractor shall construct and maintain all temporary drainage works necessary for temporary deviations.

The Contractor shall provide and grant access to persons whose properties fall within or adjoin the area in which he is working

## 5.5.2 Barricades and lighting

The Contractor shall ensure that all road signs, barricades, delineators, flagmen and speed controls are effective and that courtesy is extended to the public at all times.

## 5.5.3 Traffic control on roads

Where warranted by traffic conditions on or near the site, the Contractor shall nominate a suitable member of his staff as traffic safety officer to be responsible for the arrangement and maintenance of all the measures for the accommodation of traffic for the duration of the works. Duties of the traffic safety officer shall be as set out in SANS 1921 Part 2 and shall also be in compliance with the Occupational Health and Safety Act No 85 of 1993 and the Construction

Regulations 2003, including the Particular Safety Specification

## 5.5.4 Measures against disease and epidemics

The contractor shall out in place all hygiene measures like toilets and handwash facilities strategically on site for the use of the workers. Any suspected outbreaks on site shall be reported to the provincial Department of Health.

#### 5.5.5 Aids awareness

Appointing an HIV/ AIDS Awareness Champion within 14 days of site handover from amongst the workers (which could include the Community Liaison Officer).

The champion should be able to speak, read and write English, speak and understand the local languages spoken by the Workers and shall be on site at all stages of the construction period.

The Contractor shall ensure that the Awareness Champion has been trained by the Service Provider on basic HIV/AIDS information, the support services available and has the necessary skills to handle questions regarding the HIV/AIDS programme in a sensitive and confidential manner.

The Awareness Champion shall be responsible for:

- Liaising with the Service Provider to assist in organising awareness workshops;
- Filling condom dispensers and monitoring condom distribution;
- Handing out information booklets;
- Placing and maintaining posters

## 6. ANNEXES

## 6.1 List by titles

- C5.1 HEALTH AND SAFETY SPECIFICATION
- C5.2 ENVIRONMENTAL MANAGEMENT PLAN
- C5.3 SANS 1921-6: HIV/AIDS AWARENESS
- C5.4 DRAWINGS

#### C3.2 PROJECT SPECIFICATIONS

#### SCOPE

The scope of work is set out in three portions:

Portion 1: Standard Applicable Specifications applicable to the contract

Portion 2: covers variations and additions to the SANS 1200 standardised specifications

that are applicable to the Contract.

Portion 3: contains particular specifications not covered by the SANS 1200 series of

standardised specifications.

#### **PORTION 1 - STANDARD SPECIFICATIONS**

The applicable Standardised Specifications for this Contract will be the latest issue of 1200 series as published by the South African Bureau of Standards. Copies of the Standardised Specifications are obtainable at the Contractors own expense from S.A. Bureau of Standards, Private Bag X191, Pretoria, 0001.

## **Applicable Standardised Specifications for this contract**

For the purpose of this Contract the Standardised Specifications and Codes of Practice for Civil Engineering Construction as approved by the Council of the South African Bureau of Standards as issued at date of tender shall apply.

Where items in the Schedule of Quantities refer to SANS 1200, the full specification in the relevant portion of the latest edition of SANS 1200 Standardised Specification listed below shallbe applicable:

SANS	1200 A	General
SANS	1200 AB	Engineer's office
SANS	1200 C	Site Clearance
SANS	1200 D	Earthworks
SANS	1200 DA	Earthworks (Small Works)
SANS	1200 DB	Earthworks (Pipe Trenches)
SANS	1200 GA	Concrete (Small works)
SANS	1200 LB	Bedding (Pipe)
SANS	1200 LD	Sewers
SANS	1200 LC	Cable ducts

#### PORTION 2 - AMENDMENTS TO STANDARDISED SPECIFICATIONS

SANS 1200 AGENERAL

PSA1 MATERIALS (Clause 3)

PSA1.1 Quality (sub-clause 3.1)

All materials shall bear the official standardisation mark of the appropriate standard. The Contractor shall supply a suitable certificate for any materials that are not marked stating that they meet the specific requirements.

PSA2 PLANT (Clause 4)

PSA2.1 General

All plant provided by the Contractor for the execution and maintenance of the works shall be of a character comparable with the scope of the works.

The Contractor shall provide and maintain sufficient plant to meet all requirements and shall not remove any of this plant from the site without the written permission of the Engineer. He shall, however, remove unsuitable, obsolete or worn-out plant from the site when ordered to do so by the Engineer.

The approval of any plant on the site by the Engineer shall in no way relieve the Contractor of any of his obligations under the Contract.

## PSA3 CONTRACTOR'S OFFICES, STORES AND SERVICES (sub-clause 4.2)

PSA3.1 Storage of explosives and petroleum

All explosives or petroleum shall be stored in strict compliance with the regulations laid down by the appropriate Statutory Authority and any additional requirements which may from time to time be laid down by the Employer.

PSA4 CONSTRUCTION (clause 5)

PSA4.1 Excavation of Property Beacons (Sub-clause 5.1.2)

Survey Beacons, Stand pegs and Reference Marks

Part of the control may embrace survey beacons, stand boundary pegs, benchmarks or other official reference pegs. On no account shall these pegs be disturbed.

Before any section of the work is commenced, the Contractor and the Engineer shall reach agreement on the presence or otherwise of these pegs.

If at any time during the course of the Contract any of these official pegs should be disturbed whether by accident or not, the Engineer shall immediately be notified in writing.

The Engineer shall then take the necessary steps to have the pegs or reference marks reinstated, the cost of which, unless their disturbance was unavoidable, shall be borne by the Contractor.

**Existing Works and Services** 

Although the drawings may show the approximate positions of existing works and services, neither the Employer nor the Engineer accept any responsibility for the accuracy thereof.

It shall be the duty of the Contractor to search for and make himself acquainted with the actual locations and ownership of existing works and services before any construction work is commenced.

Where during the course of the contract, services have been located and exposed, they shall be securely shored and protected, and the Contractor shall take adequate measures to prevent any damage occurring to them.

Damage to Existing Works and Services

The Contractor shall be held responsible for any damage to existing works and services and the repair and re-instatement of the damaged services, by whosoever performed, shall be at the Contractor's expense.

Furthermore, any damage done to existing works and services shall be reported immediately to the authority concerned and the Engineer shall be notified accordingly in writing.

The settlement of all claims arising from damage to existing property, works and services shall be solely the responsibility of the Contractor.

## PSA4.2 Transporting of Materials (Sub-clause 5.6)

Where the transporting of materials outside the site is such as to generate a dust nuisance the material shall be covered during transport.

Precautions shall be taken during the transporting of muddy materials to prevent its fouling completed construction or public roads.

Any rocks or debris falling from trucks on the public roads shall be removed immediately.

The Contractor shall, if so ordered by the Engineer, continuously broom off and clean roads where the mud tracking of vehicles or fallen debris constitutes a hazard to the travelling public.

## PSA4.3 Safety of Workmen (sub-clause 5.7)

Particular attention is drawn to the provisions of the following Acts and Regulations, copies of which must be kept on the Works and be readily available for reference:

The Factories, Machinery and Building Work Act (Act No. 22 of 1941 as amended) and the Regulations.

The Explosives Act (Act No. 26 of 1956 as amended) and the Regulations

The Contractor is fully responsible for the safety of all workmen and other persons entering the general area of operations.

The Contractor is to submit in writing before carrying out any work on site a detailedprocedure to be adopted to ensure safety especially in the vicinity of the hazardous areas. This shall be approved by the Engineer.

This requirement in no way absolves the Contractor from responsibility of ensuring safety in the area of operations.

## PSA4.4 Contractor to appoint a Responsible Person

In terms of the Mines and Works Act it is necessary for the General Manager to appoint a representative of the Contractor in writing to be responsible for the work.

PSA4.5 Contractor's use of site (sub-clause 5.8)

Once established on the site of the Works, the Contractor shall be responsible for maintaining the site in a neat, clean and orderly condition.

The Contractor shall make every effort to preserve the ecology of the area and no trees, bushes or other forms of vegetation shall be interfered with, other than those specifically involved in the execution of the contract.

Upon completion of the Contract, or when ordered in writing by the Engineer, the Contractor shall remove from the site all plant, equipment, temporary housing, offices, sheds, latrines, waste material and other debris. He shall reinstate all disturbed surfaces of roads, access areas, excavations and borrow pits and shall restore the site to a neat and orderly condition.

#### PSA4.6 Work in servitudes

Where works included in the Contract lies within servitudes over property that is not the property of the Employer, the Contractor shall give 7 days notice to the Engineer of his intention to work in the servitude.

The Contractor shall not allow his workmen and labourers to use the servitude as a temporary right-of-way and shall carry out the necessary work expeditiously with minimum inconvenience to the owner or occupiers of the property, taking all necessary precautions for the protection of buildings and property.

On completion, the salient features of the property shall be restored to their former condition.

Should the acquisition of a servitude not be finalised by the time the Contractor wishes to work in the servitude, he shall then be required to omit the section of the work temporarily until such time that he is instructed to proceed. This procedure shall not be cause for any claim on the part of the Contractor but it is intended that the Contractor shall not be called upon to return to the site once his plant and equipment have been removed from the site.

#### PSA4.7 Access Roads to Site

The Contractor shall grade or construct and keep in good order and constant repair all temporary access roads to the site.

Any route that the Contractor wishes to use to obtain access to the site, to the place where water is obtained and any other route that is used by the Contractor shall be approved by the Engineer.

## PSA5 TESTING (Clause 7)

## PSA5.1 Approved Laboratories (sub-clause 7.1)

The Contractor may appoint an independent testing laboratory to the approval of the Engineer. The Engineer shall be given free access to any appointed laboratory.

#### SANS 1200 AB ENGINEER'S OFFICE

#### PSAB3 CONSTRUCTION (clause 5)

## PSAB3.1 Survey assistants (sub-clause 5.5)

Two assistants shall be made available to the Engineer as and when required.

## PSAB3.2 Survey Equipment

The Contractor shall provide the following for the duration of the Contract:

one tachometer and legs capable of reading to 20 seconds of arc. one engineer's level and legs one engineer's metric staff one engineer's steel tape 30m long one engineer's plastic tape 30m long one pocket steel tape 2m long

The above equipment may be shared by arrangement between the Contractor and the Engineer.

The Contractor shall keep the equipment insured throughout the Contract period against any loss, damage or breakage and shall indemnify the Engineer and the employer against any claims in this regard.

Upon completion of the works, the ownership of the equipment shall revert back to the Contractor.

The Contractor shall maintain the equipment in good working order and keep it clean throughout the Contract.

## SANS 1200 CSITE CLEARANCE

#### **PSC1 INTERPRETATIONS**

## PSC1.1 Designated Site / Area

The designated Site / Area is the area which has been bush cleared and is demarcated with provisional engineering survey pegs.

## PSC2 CONSTRUCTION (Clause 5)

#### PSC2.1 Individual Trees (sub-clause 5.2.3.2)

The penalty for damaging or removing any trees that have been indicated by the Engineer for preservation shall be such sums as obtained from an independent expert for the replacement of the trees. The expert shall be selected by the Engineer in liaison with the Contractor. All costs incurred by the appointed expert shall be payable by the Contractor.

#### SANS 1200 D EARTHWORKS

**PSD1 MATERIALS** 

PSD1.1 Method of Classifying (sub-clause 3.1.1)

All material shall be classified either as rock, topsoil or common material.

PSD1.2 Classes of excavation (sub-clause 3.1.2)

The excavation of materials will be classified as follows for purposes of measurement and payment.

All payment of rock is subject to the Contractor notifying the Engineer prior to removal so as to establish quantities. Where mechanical plant is used for excavation, soft rock will be measured as common material.

"Rock" shall mean material found in ledges or masses, in its original position which in the opinion of the Engineer would have to be loosened by blasting or by pneumatic tools, or, if excavated by hand, by wedges and hammers. Naturally occurring boulders or detached pieces of material conforming to the above definition will not be classified as rock unless they exceed 0.2m3 in volume.

"Top Soil" shall mean the upper layer of soil which, in the opinion of the Engineer is capable of sustaining vegetation.

"Common" shall mean all material not included in rock or topsoil

PSD1.3 General (sub-clause 3.3.1 and 5.2.1.2)

Topsoil shall be separately stockpiled on site for later use as detailed in the schedule.

PSD2 PLANT (clause 4)

PSD2.1 Transport (sub-clause 4.3)

Delete the works "normally open to the public" in the second paragraph.

PSD3 CONSTRUCTION (clause 5)

PSD3.1 Barricading and Lighting (sub-clause 5.1.1.1a)

Delete "600 mm" and add " 900 mm".

PSD3.2 Negligence (sub-clause 5.1.2.4)

Other than the costs involved in repairing damaged services and damage caused by such no other penalties will be imposed.

PSD3.3 Conservation of topsoil (sub-clause 5.2.1.2)

Delete "the Contractor will not be required to remove topsoil from any area in which the average depth of soil is less than 150mm".

PSD3.4 Excavation for General Earthworks and Structures (sub-clause 5.2.2.1)

Unexpected or large amounts of rock shall be reported immediately to the Engineer.

PSD3.5 Transport of Earthworks (sub-clause 5.2.5.1 and 5.2.5.2)

All surplus excavated material shall be disposed of by the Contractor at a designated site. The site forms part of the contract and no extra payment will be made for spoil, compaction to 90% mod. AASHTO and levelling of this site. No freehaul or overhaul is applicable.

PSD4 TESTING (clause 7)

PSD4.1 Exploratory holes (sub-clause 7.1)

Delete "such operations will be paid as dayworks" and add "such operations will be paid at the scheduled rates".

PSD4.2 Taking and testing of samples (sub-clause 7.2)

Determination of the standard of compaction achieved shall be carried out in accordance with TMH

1. Costs of testing shall be included in the rates for compaction.

SANS 1200 DB EARTHWORKS (PIPE TRENCHES)

PSDB1 MATERIALS

PSDB1.1 Classes of Excavation (sub-clause 3.1)

Refer to clauses PSD1.1 and PSD1.2 of the Scope of work

PSDB2 PLANT (clause 4)

PSDB2.1 Compaction Equipment (sub-clause 4.3)

The use of mechanical compaction equipment will not be permitted for the 300 mm above the crown of the pipe.

PSDB3 CONSTRUCTION (clause 5)

PSDB3.1 Excavation (sub-clause 5.4)

Unless prior approval of the Engineer is obtained the maximum length of open trench at any time shall not exceed 100 m.

PSDB3.2 Excavation (sub-clause 5.4)

Where ordered by the Engineer, trial holes shall be opened up well ahead of excavation to ascertain the nature of materials and positions of underground services. A record shall be kept of the positions, sizes of holes and of the materials and services encountered. Backfilling shall be carried out immediately after the information has been obtained and shall consist of approved materials compacted in 250 mm thick layers to the density of theadjacent ground. Separate items for trial holes are included in the schedule.

PSDB3.3 General (sub-clause 5.6.1)

Backfill shall not be placed over and around any joint in the pipeline until such time as the pipeline has been successfully tested and approved by the Engineer.

PSDB4 MEASUREMENT AND PAYMENT (clause 8)

PSDB4.1 Basic principles (sub-clause 8.1.2)

All trench excavations shall be measured linearly.

PSDB4.2 Computation of quantities (sub-clause 8.2.3)

For pipes of nominal diameter up to and including 125 mm the base in accordance with subclause 5.2 shall be 600 mm for depths not exceeding 1.5m.

PSDB4.3 Excavation ancillaries (sub-clause 8.3.3)

Add the following:

Top soiling of trenches shall be carried out in accordance with SANS 1200 D Sub-Clause 5.2.1.2 and 5.2.4.2 and 8.3.9.

PSDB4.4 Excavation (sub-clause 8.3.2)

Payment for excavation will be as follows:

50% of the rate Tendered for excavation items upon completion of the excavation to the trench bottom, a further 30% upon completion of Backfilling and compaction and the remaining 20% upon the completion of reinstatement and disposal of surplus and unsuitable material.

SANS 1200 D K GABIONS AND PITCHING

**PSDK1 CONSTRUCTION** 

PSDK1.1 Backfilling Gabions / Mattresses (sub-clause 5.2.4.1/2)

The exposed face of all gabions and mattresses shall consist of selected rock particles so as to present the appearance of a dry stone pitched surface.

SANS 1200 GA CONCRETE (SMALL WORKS)

PSGA1 MATERIALS (Clause 3)

PSGA1.1 Applicable Specifications (sub-clause 3.2.1)

The type of cement to be used in the concrete works shall be Portland Cement complying with SANS 471.

SANS 1200 LB BEDDING (PIPE)

**PSLB1 MATERIALS** 

PSLB1.1 Selected Granular Material (sub-clause 3.1)

Delete the word "singularly"

## PSLB1.2 Bedding (sub-clause 3.3)

uPVC pipelines shall be regarded as flexible pipes and the class of bedding to be used shall be as shown on the drawings. All other pipes shall be regarded as rigid and a Class B bedding shall be used.

#### PSLB1.3 Selection (sub-clause 3.4)

Suitable selected bedding material will generally be available from trench excavations along the route but additional provisions for bedding materials shall be in accordance with sub-clause 3.4.2.

## PSLB2 CONSTRUCTION (clause 5)

## PSLB2.1 Compacting (sub-clause 5.1.4)

The use of mechanical compaction equipment will not be permitted within 300 mm of the crown of the pipe.

#### PSLB3 TOLERANCES (Clause 6)

## PSLB3.1 Moisture Content and Density (sub-clause 6.1)

The degree of accuracy shall be II.

#### SANS 1200 LD SEWERS

## PSLD1 MATERIALS (Clause 3)

#### PSLD1.1 Pipes, Fittings and Pipe Joints (Sub-clause 3.1)

Sewer mains and erf connections shall be of heavy duty Class 34 uPVC piping.

## PSLD1.2 Precast Concrete Sections (sub-clause 3.5.2)

Joints between sections shall be sealed with an approved sealant and tape.

## PSLD1.3 Covers and Frames (sub-clause 3.5.8)

All manhole covers will be precast similar to "Cementile No MS 1206" product using a 30 MPa cement.

#### PSLD1.4 Step Irons (Sub-clause 5.6.3)

"Calcamite" step irons are to be cast into the manhole walls as specified.

## PSLD2 TESTING (Clause 7)

## PSLD2.1 Air Test (Sub-clause 7.2.1)

Air test on the sewers shall be carried out in the presence of the Engineer, after the trench backfill has been completed up to a natural ground level. For each test, a copy of the form "TEST FOR SEWERS" shall be completed and certified by the Contractor and the Engineer, as a record of the test.

## PSLD2.2 Watertightness of Manholes (sub-clause 7.2.6)

Manholes shall be tested separately from the sewer pipes in accordance with Clause 3.2.12 of SANS 0120 Section LD part 3.

Sub-clause 3.2.12(d) is to be deleted.

#### PSLD3 MEASUREMENT AND PAYMENT (Clause 8)

## PSLD3.1 Manholes (sub-clause 8.2.3)

The cost of testing manholes shall be included in the rate tendered for the installation of manholes.

#### PSLD3.2 Manhole Depths for Measurements (Sub-clause 8.2.5)

Add the following to sub-clause 8.2.5:

"Manhole depths shall be measured from the invert of the outgoing pipe to the top of the cover slab. Manhole cover levels are to be 75mm above natural ground level except in carriageways where they are to be flush with the surfacing, unless otherwise specified or ordered".

## PPSD 1 <u>ELECTRICAL SPECIFICATION</u>

#### PPSD 1.1 MOTOR CONTROL PANELS

The electrical distribution boards are to be manufactured by a reputable company, with relevant experience in the manufacturing of electrical distribution boards, control panels, etc. Approval of the manufacturing company should be obtained from the Engineer prior to the placing of any orders / commencement of Works.

Detailed wiring diagrams and shop (manufacturing) drawings of the proposed electrical distribution board is to be submitted to the Engineer for approval, prior to manufacture.

Approval of the wiring diagrams and shop (manufacturing) drawings by the Engineer does not remove any responsibility from the contractor to ensure the completeness and compliance of the distribution board.

The contractor shall ensure that the respective electrical distribution boards are constructed to fit into the spaces provided, that sufficient space is allowed for the cable ends and termination thereof and that the board is provided with an architrave and a hinged lockable door. All electrical distribution boards shall have a protection rating of no less than IP55.

All gland plates, as well as top or side plates used for the termination of cables shall be easily removable to facilitate the drilling and punching of holes. Panels (fascia) and cover plates are to be fixed to the framework by means of "Quicklock" or other similar captive fasteners. Self-tapping screws or dome nuts will not be accepted. Panels (fascia) and cover plates are to be fitted with chrome plated handles to facilitate removal.

Where applicable, the front panels of normal supply, standby power supply and uninterruptible power supply sections shall be painted in distinctive colours, namely:

┙	External : vvnite
	Normal supply: Light Orange, colour B26 of SABS 1091
	Standby power supply : Signal Red, colour A11 of SABS 1091
	Un-interruptible power supply : Dark Violet, colour F06 or Olive
	Green, colour H05 of SABS 1091

#### PPSD 1.2 Conduit and Conduit Accessories

Conduit for the general lighting and small power installations shall be PVC type conduit. Wherever, the conduit installation is exposed, or surface mounted, galvanised conduit shall be utilised.

Conduit accessories shall be galvanised conduit type in accordance with SANS 162, 763 and 1007 respectively.

The conduit and conduit accessories shall comply fully with the applicable SABS specifications as set out below and the conduit shall bear the mark of approval of the South African Bureau of Standards.

- Plain-end metallic conduit and accessories: SANS 1065, Parts
   1 and 2
- Non-metallic conduit and accessories: SANS 950

The Specialist Sub-contractor shall ensure that conduit installation shall, wherever possible, be installed within the ceiling voids / roof space. Wherever necessary, the services shall be chased, or cast into, the concrete slabs and brick walls.

Should flush mounting not be practical (or possible), the Contractor shall obtain priorapproval from the Engineer, for the installation of surface mounted conduit and / or accessories. If approved, surface mounted conduits shall be installed using galvanised spacer brackets, allowing a clear space of 25 mm. Conduit accessories shall be mountedon similar brackets, ensuring an aesthetic installation.

## PPSD 1.3 Conductors

All low voltage single core conductors shall be of the PVC insulated type with stranded copper conductors, rated at 600 V general service duty and manufactured to SANS 1507 - 1990.

The colour coding for the PVC insulation shall be red, white and blue for phases, black for neutral and green and / or yellow for earth.

No openly installed (i.e. surface mounted) "surfix" or twin and earth will be permitted unless otherwise authorised by the Engineer prior to installation.

No single core conductors will be permitted on open channels and cable ladders.

The drawing in of more than two circuits per conduit shall not be allowed.

## PPSD 1.4 Lighting Installation

Light outlet points shall be installed generally in positions as indicated. They shall be as symmetrical as possible within the area in which they are fitted. Cognisance must be taken of the finishes and structural components to avoid clashes of services.

Ceiling mounted fluorescent fittings shall be secured to the concrete ceiling by means of expansion bolts, or "Hilti" fixings, and to the ceiling boards by means of galvanised "Butterfly" expansion nuts.

The Specialist Sub-contractor is to include in the Tender Price the provision of fixing additional brandering where needed.

Light switches shall be a fully modular system comprising a strong, universal steel support frame, an easy clip-on assembly and a white screwless cover plate i.e. Mosaic<sup>™</sup> product range, or Lumex Clipsal S2000 series, or Crabtree Diamond Range, etc.

Light switches, unless otherwise indicated, shall be installed at 1 400 mm AFFL, and shall be installed generally in positions as indicated.

The light switches, and associated outlets, shall be of the same type and manufacture as the flush-mounted and the power skirting / flush floor / under-screed small and large power, telephone and data outlets.

All lamp types shall be guaranteed for the full duration of the guarantee period and / or the stipulated lamp life, as stated by the lamp Manufacturers, whichever is the greater.

Ballasts of fluorescent type fittings shall bear of the electronic type, and shall bear the relevant SANS mark.

The Contractor shall, upon completion of the Contract, issue to the Employer, for their maintenance purposes, the spare lamps as specified in the Schedule of Quantities.

Photo-electric daylight switches shall be supplied and installed in accordance with Part 5 of this Tender Document.

## PPSD1.5 Earthing System

The earthing system shall comply with SANS 0142 - 1987 and shall comprise a continuous main copper earth bar together with connections to all items of electrical, electronic and mechanical equipment.

Bonding of the earth system to metal work in buildings, concrete reinforcing, roofs or pipework, etc. shall also be supplied under this contract.

The clamping surfaces of all connections shall be properly tinned to prevent oxidation.

Where earthing conductors are run on walls or vertical surfaces they shall be secured by "stand-off" bolted saddles at intervals not exceeding 1 268 mm.

Earth electrodes to be supplied and installed under this contract shall consist of 16 mm diameter extensible molecular bonded copper clad steel rods 1 800 mm long, complete with coupling and terminal. These electrodes must comply with SANS 0163 - 1985.

The Contractor shall be responsible for the supply and installation of the required earthing system.

## PPSD1.6 Surge Protection System

All electrical distribution boards are to be fitted with surge protection, as is required by the relevant regulations.

The Contractor shall be responsible for the supply and installation of the required surge protection equipment.

## PPSD1.7 Lightning Protection System

A provisional sum has been allowed in the Schedules of Quantities for the lightning protection system, to be undertaken by a Contractor.

The Engineer shall prepare detailed design drawings for the required lightning protection system.

The Engineer shall, in consultation with the Specialist Sub-contractor, invite tenders from prospective Specialist Sub-contractors, for the required lightning protection system.

The Contractor shall be responsible for the liaison with and co-ordination of the Specialist Sub-contractor appointed for the lightning protection system.

#### General

Earthing systems to protect buildings against lightning shall be in accordance with SANS 03 - 1985, as amended.

The components of the lightning protection system shall be installed such that they are not visible; surface mounting of the components shall be kept to an absolute minimum and only where absolutely necessary.

#### Roofs

Metallic roof sections shall be connected to down conductors to form the overall air termination network, and metallic gutters and drainpipes shall be bonded to this.

Non-metallic (e.g. concrete) sections of roofs shall be fitted with edge or ridge conductors of coastal quality aluminium alloy, which shall be bonded to steel reinforcing by means of bimetallic bonding terminals.

These conductors shall be supported by suitable cleats or clamps, which must allow for thermal expansion. The mounting thereof shall be such as to prevent corrosion due to direct contact with the concrete.

The air termination network shall be connected to the ground earth electrodes by down conductors.

Parts of the building, e.g. chimneys protruding above the general level of the roof shall be protected either by lightning masts or edge conductors, connected to the air termination network.

#### **Down Conductors**

The concrete reinforcing, steel columns or similar metal work in the walls of the building shall normally by used as down conductors, connected to the air termination network ground electrode systems through bonding terminals.

Where connected to reinforcing, these terminals shall be cast into the concrete and the reinforcing bars shall be bonded together with mild steel wire prior to casting the concrete.

Where separate external copper or aluminium down conductors are used these shall be bonded to the metal structure of the building to prevent flashing puncturing the concrete or brickwork.

There shall be a minimum of two down conductors (maximum spacing 30 m of building perimeter) preferably located at opposite building corners.

Down conductors shall be connected to the ground system with (if aluminium, bimetallic) bonding terminals 500 mm above ground level.

These terminals shall also be useable as test terminals. The down conductor shall be sleeved below the terminal to a depth of 400 mm below ground level by PVC pipe fixed to the building wall.

#### Ground Earth Electrodes

The steel reinforcing in the foundation of the building shall be bonded to the ground electrode system.

The steel reinforcement of the building foundation slab shall be earthed by means of driven or pre-drilled rods prior to casting of the concrete. The reinforcing bars shall be bonded together with mild steel wire.

The ground earth electrode shall consist of a trench earth around the building with a single 70 mm<sup>2</sup> copper conductor or 25 mm x 3 mm strip, buried at a minimum depth of 1 000 mm not more than 1 000 from the building, unless necessary to increase locally to avoid pipes or other fixtures.

The conductor shall be buried in riddled earth to improve conductivity.

The earth resistance of the ground electrode shall not exceed 30 ohms when isolated from the rest of the low voltage electrical system and down leads and shall be supplemented as necessary with driven molecular bonded copper clad steel rods manufactured to SABS 0163 - 1985.


## PPSD1.8 Telemetry/GPRS Equipment

The telemetry/GPRS will send alarms and data to a control room where the operation and the security of the four Sewer Pump station can be monitored 24 hours a day. The system will monitor electric fencing, tamper switches, stopping, starting and trip out on the four system.

# **C4: SITE INFORMATION**

## C4. Site Information

The site is located at Mbizana Red Hub in the Eastern Cape province at following co-ordinates 30,87089 and Longitude: 29,74982



# **SCHEDULE OF CONTRACT DOCUMENTS**

## **SCHEDULE OF CONTRACT DOCUMENTS**

The following documents form part of this Contract:

- (i) **VOLUME 1**: JBCCC
- (ii) **VOLUME 2:** The SABS 1200 Standard Specification for Civil Engineering Construction issued by South African Bureau of Standards which the bidder must purchase.
- (iii) **VOLUME 3**: The Project Document, in which are bound the Bid Notice, Bid Rules, Special Conditions of Contract, Project Specifications, Schedule of Quantities, Form of Bid, and other documents.
- (iv) **VOLUME 4**: Set of drawings issued with Volume 3 for bid purposes (may be bound in at the back of Volume 3 or issued as a separate volume).

## NOTE:

- **1. SUBMISSION OF BID** of the above documents, **only VOLUME 3 is to be submitted**.
- 2. Volume 1 and 2 are obtainable from the South African Institution of Civil Engineering